

Netcool/OMNIbus
Version 7 Release 3

Error Messages Guide



Netcool/OMNIbus
Version 7 Release 3

Error Messages Guide



Notes

Before using this information and the product it supports, read the information in “Notices” on page 459.

This edition applies to version 7, release 3, modification 1 of IBM Tivoli Netcool/OMNIBus (product number 5724-S44) and to all subsequent releases and modifications until otherwise indicated in new editions.

© **Copyright IBM Corporation 2011.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

About this publication	v
Intended audience	v
What this publication contains	v
Publications	v
Accessibility	vii
Tivoli technical training	vii
Support information	vii
Conventions used in this publication.	vii

Chapter 1. Error messages generated by the server-side components	1
ALD	1
APM	10
AUT.	15
BRI	21
CHE.	44
CMD	45
DBI	46
ETC.	53
GOB.	62
GTK	104
IDC	147
IDS.	153
IVM	166
OAM	178
OBJ.	182
OBX	184
POS	206
PRO	207
PRX	213
REG	223
SEC	226

STB.	232
STK	237
STO	245
STR	248

Chapter 2. Error messages generated by the Web GUI component	251
HEMAW	251
HEMBT	267
HEMDA	291
HEMEC	315
HEMEE	319
HEMEM	333
HEMEN	339
HEMEO	345
HEMEP	354
HEMES	355
HEMEU	364
HEMFV	368
HEMHA	387
HEMHB	393
HEMIM	398
HEMIP	409
HEMJS	412
HEMUP	452

Notices	459
Trademarks	461
Index	463

About this publication

Tivoli Netcool/OMNIBus is a service level management (SLM) system that delivers real-time, centralized monitoring of complex networks and IT domains.

The *IBM Tivoli Netcool/OMNIBus Error Messages Guide* is a reference guide that describes system messages in Tivoli Netcool/OMNIBus and how to respond to those messages.

Intended audience

This publication is intended for administrators who are responsible for configuring Tivoli Netcool/OMNIBus.

What this publication contains

This publication contains the following sections:

- Chapter 1, “Error messages generated by the server-side components,” on page 1
Lists and describes the error messages generated by the Tivoli Netcool/OMNIBus server-side components.
- Chapter 2, “Error messages generated by the Web GUI component,” on page 251
Lists and describes the error messages generated by the Web GUI server-side component.

Publications

This section lists publications in the Tivoli Netcool/OMNIBus library and related documents. The section also describes how to access Tivoli publications online and how to order Tivoli publications.

Your Tivoli Netcool/OMNIBus library

The following documents are available in the Tivoli Netcool/OMNIBus library:

- *IBM Tivoli Netcool/OMNIBus Installation and Deployment Guide*, SC14-7604
Includes installation and upgrade procedures for Tivoli Netcool/OMNIBus, and describes how to configure security and component communications. The publication also includes examples of Tivoli Netcool/OMNIBus architectures and describes how to implement them.
- *IBM Tivoli Netcool/OMNIBus Administration Guide*, SC14-7605
Describes how to perform administrative tasks using the Tivoli Netcool/OMNIBus Administrator GUI, command-line tools, and process control. The publication also contains descriptions and examples of ObjectServer SQL syntax and automations.
- *IBM Tivoli Netcool/OMNIBus Web GUI Administration and User's Guide*, SC14-7606
Describes how to perform administrative and event visualization tasks using the Tivoli Netcool/OMNIBus Web GUI.
- *IBM Tivoli Netcool/OMNIBus User's Guide*, SC14-7607
Provides an overview of the desktop tools and describes the operator tasks related to event management using these tools.

- *IBM Tivoli Netcool/OMNIBus Probe and Gateway Guide, SC14-7608*
Contains introductory and reference information about probes and gateways, including probe rules file syntax and gateway commands.
- *IBM Tivoli Monitoring for Tivoli Netcool/OMNIBus Agent User's Guide, SC14-7610*
Describes how to install the health monitoring agent for Tivoli Netcool/OMNIBus and contains reference information about the agent.
- *IBM Tivoli Netcool/OMNIBus Event Integration Facility Reference, SC14-7611*
Describes how to develop event adapters that are tailored to your network environment and the specific needs of your enterprise. This publication also describes how to filter events at the source.
- *IBM Tivoli Netcool/OMNIBus Error Messages Guide, SC14-7612*
Describes system messages in Tivoli Netcool/OMNIBus and how to respond to those messages.
- *IBM Tivoli Netcool/OMNIBus Web GUI Administration API (WAAP) User's Guide, SC22-5403-00*
Shows how to administer the Tivoli Netcool/OMNIBus Web GUI using the XML application programming interface named WAAP.

Accessing terminology online

The *Tivoli Software Glossary* includes definitions for many of the technical terms related to Tivoli software. The *Tivoli Software Glossary* is available at the following Tivoli software library Web site:

<http://publib.boulder.ibm.com/tividd/glossary/tivoliglossarymst.htm>

The IBM Terminology Web site consolidates the terminology from IBM product libraries in one convenient location. You can access the Terminology Web site at the following Web address:

<http://www.ibm.com/software/globalization/terminology>

Accessing publications online

IBM posts publications for this and all other Tivoli products, as they become available and whenever they are updated, to the Tivoli Information Center Web site at:

<http://publib.boulder.ibm.com/infocenter/tivihelp/v3r1/index.jsp>

Note: If you print PDF documents on other than letter-sized paper, set the option in the **File > Print** window that allows Adobe Reader to print letter-sized pages on your local paper.

Ordering publications

You can order many Tivoli publications online at the following Web site:

<http://www.elink.ibm.link.ibm.com/publications/servlet/pbi.wss>

You can also order by telephone by calling one of these numbers:

- In the United States: 800-879-2755
- In Canada: 800-426-4968

In other countries, contact your software account representative to order Tivoli publications. To locate the telephone number of your local representative, perform the following steps:

1. Go to the following Web site:
<http://www.elink.ibm.link.ibm.com/publications/servlet/pbi.wss>
2. Select your country from the list and click **Go**. The Welcome to the IBM Publications Center page is displayed for your country.
3. On the left side of the page, click **About this site** to see an information page that includes the telephone number of your local representative.

Accessibility

Accessibility features help users with a physical disability, such as restricted mobility or limited vision, to use software products successfully.

With this product, you can use assistive technologies to hear and navigate the interface. You can also use the keyboard instead of the mouse to operate some features of the graphical user interface.

Tivoli technical training

For Tivoli technical training information, refer to the following IBM Tivoli Education Web site:

<http://www.ibm.com/software/tivoli/education>

Support information

If you have a problem with your IBM software, you want to resolve it quickly. IBM provides the following ways for you to obtain the support you need:

Online

Go to the IBM Software Support site at <http://www.ibm.com/software/support/probsub.html> and follow the instructions.

IBM Support Assistant

The IBM Support Assistant (ISA) is a free local software serviceability workbench that helps you resolve questions and problems with IBM software products. The ISA provides quick access to support-related information and serviceability tools for problem determination. To install the ISA software, go to <http://www.ibm.com/software/support/isa>.

Conventions used in this publication

This publication uses several conventions for special terms and actions and operating system-dependent commands and paths.

Typeface conventions

This publication uses the following typeface conventions:

Bold

- Lowercase commands and mixed case commands that are otherwise difficult to distinguish from surrounding text

- Interface controls (check boxes, push buttons, radio buttons, spin buttons, fields, folders, icons, list boxes, items inside list boxes, multicolumn lists, containers, menu choices, menu names, tabs, property sheets), labels (such as **Tip:** and **Operating system considerations:**)
- Keywords and parameters in text

Italic

- Citations (examples: titles of publications, diskettes, and CDs)
- Words defined in text (example: a nonswitched line is called a *point-to-point* line)
- Emphasis of words and letters (words as words example: "Use the word *that* to introduce a restrictive clause."; letters as letters example: "The LUN address must start with the letter *L*.")
- New terms in text (except in a definition list): a *view* is a frame in a workspace that contains data
- Variables and values you must provide: ... where *myname* represents....

Monospace

- Examples and code examples
- File names, programming keywords, and other elements that are difficult to distinguish from surrounding text
- Message text and prompts addressed to the user
- Text that the user must type
- Values for arguments or command options

Operating system-dependent variables and paths

This publication uses the UNIX convention for specifying environment variables and for directory notation.

When using the Windows command line, replace *\$variable* with *%variable%* for environment variables, and replace each forward slash (/) with a backslash (\) in directory paths. For example, on UNIX systems, the \$NCHOME environment variable specifies the path of the Netcool® home directory. On Windows systems, the %NCHOME% environment variable specifies the path of the Netcool home directory. The names of environment variables are not always the same in the Windows and UNIX environments. For example, %TEMP% in Windows environments is equivalent to \$TMPDIR in UNIX environments.

If you are using the bash shell on a Windows system, you can use the UNIX conventions.

Operating system-specific directory names

Where Tivoli Netcool/OMNIbus files are identified as located within an *arch* directory under NCHOME, *arch* is a variable that represents your operating system directory, as shown in the following table.

Table 1. Directory names for the arch variable

Directory name represented by <i>arch</i>	Operating system
aix5	AIX® systems
hpux11	HP-UX PA-RISC-based systems
hpux11hpie	HP-UX Integrity-based systems

Table 1. Directory names for the *arch* variable (continued)

Directory name represented by <i>arch</i>	Operating system
linux2x86	Red Hat Linux and SUSE systems
linux2s390	Linux for System z [®]
solaris2	Solaris systems
win32	Windows systems

Chapter 1. Error messages generated by the server-side components

The following error messages are generated by the server-side components of Tivoli Netcool/OMNIBus.

ALD

Messages for the ALD component.

E-ALD-102-001 The system has been configured for FIPS but the LDAP authentication module is not configured to use SSL

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-002 Failure occurred in configuring LDAP interface for FIPS (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-003 Failed to initialise the SSL environment. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-004 Failed to bind to LDAP server using v2 protocol for user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-005 Failed to initialise connection to LDAP server. Host %0s. Port %1d. Error - %2d:%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-006 Failed to initialise LDAP SSL connection. Host %0s. Port %1d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-007 Failed to bind to LDAP server for user %0s. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-008 The LDAP Server is not reachable

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-009 Failed to unbind from the LDAP server: %0d;%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-010 Failed to initialise the connection prior to reconnecting

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-011 LDAP Server message received during bind. %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-012 ldap_open failed to LDAP server. Host %0s. Port %1d. Error - %2d;%3s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-013 Failed to initialise the connection for SSL prior to reconnecting

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-014 Failed to bind to LDAP server for user %0s. ldap_result failed. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-015 Timeout while attempting to bind to LDAP server for user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-016 Failed to bind to LDAP server for user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-017 Failed to fetch value for property %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-018 Datatype mismatch for property %0s in value extraction. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-019 Datatype not supported for property %0s in value extraction. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-020

E-ALD-102-020 Failed to bind during reconnection attempt. Error %0s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-021 Error occurred while trying to
establish bind connection. Error %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-022

E-ALD-102-022 %0s in %1s, line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-023 %0s in %1s, line %2d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-024

E-ALD-102-024 Failed to decode properties file %0s:
%1d:%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-025 Failed to define the encryption
properties. *%0d:%1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ALD-103-001 Failed to load properties file %0s:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

APM

Messages for the APM component.

E-APM-102-001 PAM message for user %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-003 Failed to initialise the underlining
OS PAM sub-system. Application: %0s.
PAM Error [%1d][%2s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-004 Failed to set the user name on the
PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-005 User authentication of user %0s , has
failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-006 User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-007 Unknown error has occurred during
authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-008 Authentication Token Update has
failed. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-009

E-APM-102-009 Unknown error has occurred during authentication token update. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-010 Account Management of user %0s ,
has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-104-002

E-APM-104-002 Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-104-011 %0s : PAM module in use is broken.
Application user data has not been
passed to conversation function.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

AUT

Messages for the AUT component.

E-AUT-001-013 Failed to recover event \%0s\

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-014 Failed to recover trigger group \%0s\

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-015 Failed to recover trigger \%0s\

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-002-006 Trigger \%0s\: action execution
failed: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-002-009 Trigger \%0s\: action execution
failed: %1s: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-001 Trigger \%0s\: %1s on line %2d near
%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-002 Trigger \%0s\: %1s on line %2d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-004 Trigger \%0s\: recursive raise detected. Aborting execution

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-005 %0s at or near %1s on line %2d of %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-007 Failed to recover %0d of %1d triggers

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-008 Trigger recovery failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-009 Trigger \%0s\ execution failed in evaluate clause : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-010 Trigger \%0s\ execution failed in action clause : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-011 %0s raising signal %1s. Counterpart
ObjectServer is not available for failover
or failback.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-001

W-AUT-004-001 Failed to raise trigger statistics
logging signal: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-002 A callback servicing an alter trigger
group event (%0*d*) for trigger group %1*s*
returned: %2*s* (%3*d*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-003

W-AUT-004-003 A callback servicing an alter trigger
event (%0*d*) for trigger %1*s* returned:
%2*s* (%3*d*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-004 Invocation of trigger `\%0s\` will not be timed due to stop watch creation problem (`%1s;%2d`). Time statistics will be incorrect for this trigger.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

BRI

Messages for the BRI component.

E-BRI-102-002 [BridgeServer]: Failed to initialise property manager with the NIPC client properties. (`%0d;%1s`)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-003 [BridgeServer]: Failed to initialise property manager with the bridge servers properties. (`%0d;%1s`)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-004 [BridgeServer]: Failed to initialise argument manager with the NIPC client arguments. (`%0d;%1s`)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-005 [BridgeServer]: Failed to initialise argument manager with the bridge servers arguments. (`%0d;%1s`)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-006 [BridgeServer]: Failed to update property manager with the bridge servers properties affected by name change. (`%0d;%1s`)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-007 [BridgeServer]: Failed to initialise the NIPC client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-008 [BridgeServer]: Failed to fetch all of the required server property values. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-009 [BridgeServer]: Failed to create a client data connection structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-010 [BridgeServer]: Failed to challenge client for login details. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-011 [BridgeServer]: Failed to validate clients login credentials. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-012 [BridgeServer]: Failed to inform the process agent %0s that we have started. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-013 [BridgeServer]: %0s: The thread has terminated unexpectedly. Server may be shutdown. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-014 [BridgeServer]: %0s: Failed to spawn the client connection handling thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-015 [BridgeServer]: Failed to join the client connection handling thread and wait for it to shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-016 [BridgeServer]: Client Thread: Failed to create session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-017 [BridgeServer]: Client Thread: Failed to install challenge callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-018 [BridgeServer]: Client Thread: Failed to install session name callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-019 [BridgeServer]: Client Thread: Failed to connect to remote ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-020 [BridgeServer]: Client Thread: Failed to disconnect from remote ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-021 [BridgeServer]: Client Thread: Failed to destroy the session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-022 [BridgeServer]: %0s: The thread has terminated unexpectedly. Server may be shutdown. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-023 [BridgeServer]: %0s: The thread has terminated unexpectedly. Server may be shutdown. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-024 [BridgeServer]: %0s: Failed to spawn the thread pool worker thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-025 [BridgeServer]: %0s: Failed to join the thread pool worker thread and wait for it to shutdown. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-026 [BridgeServer]: Invalid value %0s defined for bridge role property %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-027 [BridgeServer]: Unknown bridge mode in start-up handler. Unable to determine servers operational start-up sequence. (%0u)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-028 [BridgeServer]: Unknown bridge mode in stop handler. Unable to determine servers operational shutdown sequence. (%0u)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-029 [BridgeServer]: %0s: Failed to create the server access point listening socket. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-030 [BridgeServer]: %0s: Failed to create the client access point listening socket. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-031 [BridgeServer]: %0s: Failed to create all of the required elements for operation. Shutting down the server. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-032 [BridgeServer]: %0s: Fatal error detected in operation. Terminating the thread.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-033 [BridgeServer]: %0s: Failed to allocate the threads operational data structure (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-034 [BridgeServer]: %0s: Failed to accept a connection on the server access point listening port %1u . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-035 [BridgeServer]: %0s: Failed to accept a connection on the client access point listening port %1u . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-036 [BridgeServer]: %0s: Failed to read command from client connection on socket %1u [%2s;%3s]. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-037 [BridgeServer]: %0s: Failed to look up the associated connection structure for active socket %1u . Fatal condition detected.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-038 [BridgeServer]: %0s: Failed to look up the associated connection structure for active socket %1u . Unexpected error condition detected. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-039 [BridgeServer]: Failed to accept connection on listening socket %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-040 [BridgeServer]: Failed to create a raw connection data handle accepted connection (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-041 [BridgeServer]: %0s: Failed to spawn the client access point command handling thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-042 [BridgeServer]: Failed to join the client access point command handling thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-043 [BridgeServer]: Failed to make a connection to %0s on port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-044 [BridgeServer]: Failed to create a raw connection data handle for established connection to %0s port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-045 [BridgeServer]: %0s: Fatal error detected in operation. Terminating the thread.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-046 [BridgeServer]: %0s: Unable to establish connection bridge for client connection as no command connection has been established between the server access point. Dropping client connection on socket %1u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-047 [BridgeServer]: %0s: Failed to read command from current connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-048 [BridgeServer]: %0s: Failed to connect to client access point server port. Retrying in %1u seconds. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-049 [BridgeServer]: %0s: Failed to look up the associated peer connection structure for socket %1u . Unable to establish a link-up on requesting socket %2u . Dropping connection. (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-050 [BridgeServer]: Failed to read %0d bytes from raw connection data handle. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-051 [BridgeServer]: %0s: Failed to add linked up data flow raw connections to thread pool manager. Dropping associated sockets %1u and %2u . (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-052 [BridgeServer]: %0s: An unknown server command of type %1u has been received from client connection on socket %2u [%3s;%4s]. Dropping command and attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-053 [BridgeServer]: %0s: Failed to handle the read ready status of data pending received from client connection on socket. Attempting to continue. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-054 [BridgeServer]: %0s: An unrecoverable condition has been detected and the thread is not able to continue. Request a shutdown of the bridge server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-055 [BridgeServer]: SrvCmd: Invalid header detected in server command.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-056 [BridgeServer]: SrvCmd: Versioned server command is not supported by current code base. Server command is 0x%0x , but only support up to version 0x%1x

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-057 [BridgeServer]: SrvCmd: Failed to determine the number of bytes pending on client connection socket %0u [%1s:%2s]. Disconnecting the client from the server. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-058 [BridgeServer]: SrvCmd: Client disconnection detected on client connection socket %0u [%1s:%2s]. Disconnecting the client from the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-059 [BridgeServer]: SrvCmd: Insufficient bytes available for server command header from client connection socket %0u [%1s:%2s]. Expected %3u , but only got %4u . Dropping the data and attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-060 [BridgeServer]: SrvCmd: Failed to send server command to client connection socket %0u [%1s:%2s]. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-061 [BridgeServer]: %0s: Failed to determine the number of bytes pending on client connection socket %1u [%2s:%3s]. Disconnecting the client data flow from the server. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-062 [BridgeServer]: %0s: Client disconnection detected on client connection socket %1u [%2s:%3s]. Disconnecting the client data flow from the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-063 [BridgeServer]: %0s: Failed to read the pending data from source client connection socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-064 [BridgeServer]: %0s: Failed to write the pending data to destination client connection socket %1u [%2s:%3s]. Disconnecting the client data flow from the server. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-065 [BridgeServer]: TPMgr: Failed to check all threads in the thread pool for an available free slot. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-066 [BridgeServer]: TPMgr: Failed to start a new worker thread within the thread pool. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-067 [BridgeServer]: %0s: Failed to process an active data flow between [%1u:%2s:%3s]->[%4u:%5s:%6s]. (%7d:%8s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-068 [BridgeServer]: %0s: Failed to allocate the threads operational data structure (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-069 [BridgeServer]: %0s: Disconnecting the client connections that represent the active data flow between [%1u:%2s:%3s]->[%4u:%5s:%6s] and dropping the work item.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-070 [BridgeServer]: %0s: Fatal error condition in the thread and can potentially not continue. Return ing failure condition which may result in server shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-071 [BridgeServer]: Failed to build the connection list for ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-072 [BridgeServer]: Failed to establish a raw client connection to ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-073 [BridgeServer]: %0s: Failed to read acknowledge command from new client connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-074 [BridgeServer]: %0s: Failed to wait for acknowledge command from new client connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-075 [BridgeServer]: %0s: Invalid server command received from new client connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-076 [BridgeServer]: %0s: Failed to establish a raw client connection to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-077 [BridgeServer]: %0s: Failed to establish a link-up raw client connection with the client access point bridge server %1s port %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-078 [BridgeServer]: %0s: Failed to add linked up data flow raw connections to thread pool manager. Dropping associated sockets %1u and %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-079 [BridgeServer]: %0s: Failed to lock the thread pool workers mutex lock. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-080 [BridgeServer]: %0s: Failed to start up all of the threads required operational elements. Shutting down the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-081 [BridgeServer]: %0s: Failed to send failure error code back to client access point for link up request using client id %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-082 [BridgeServer]: %0s: Server access point has failed to established the data flow on its side. Dropping associated client connection sockets %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-083 [BridgeServer]: Failed to open the Sybase interfaces file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-084 [BridgeServer]: %0s: Received unknown server command %1u from current connection on socket %2u [%3s:%4s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-085 [BridgeServer]: SrvCmd: Unable to encode/decode unknown server command %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-086 [BridgeServer]: Client Command Parser: Failed to parse client command. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-087 [BridgeServer]: Client Command Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-088 [BridgeServer]: Failed to parse the client language command %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-097 [BridgeServer]: Failed to issue bridge server shutdown request. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-100 [BridgeServer]: %0s: Failed to determine whether client connection from hostname %1s (%2s) on socket %3u is from a trusted IP address. Dropping connection. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-101 [BridgeServer]: %0s: Client connection from hostname %1s (%2s) on socket %3u is from an untrusted IP address. Dropping connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-103 [BridgeServer]: Trusted Hosts File Parser: Failed to parse trusted host definition. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-104 [BridgeServer]: Trusted Hosts File Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-105 [BridgeServer]: Failed to parse the trusted hosts file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-106 [BridgeServer]: Failed to open the trusted hosts file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-107 [BridgeServer]: IPv4 address %0d.%1d.%2d.%3d is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-108 [BridgeServer]: IPv4 network prefix %0d is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-109 [BridgeServer]: IPv6 address %0s is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-110 [BridgeServer]: IPv6 network prefix %0d is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-111 [BridgeServer]: Failed to execute the client language command %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-114 PAM: Unknown PAM conversion type:
%0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-BRI-102-115 PAM: Failed to initialise the
underlining OS PAM sub-system. PAM
Error [%0d][%1s].**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-116 PAM: Cannot set thread specific data.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-BRI-102-117 PAM: Failed to set the user name on
the PAM handle [%0d][%1s].**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-BRI-102-118 PAM: User authentication of user %0s
, has failed. [%1d][%2s]**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-119 PAM: User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-BRI-102-120 PAM: Unknown error has occurred
during authentication. [%0d][%1s]**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-121 PAM: Account Management of user
%0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-122 PAM: PAM message for user *%0s: %1s*

.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-123 [BridgeServer]: *%0s: Failed to send
 heartbeat to client access point
 (%1d;%2s).*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-124 [BridgeServer]: *%0s: Failed to send
 heartbeat to server access point
 (%1d;%2s).*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-125 [BridgeServer]: *%0s: Failed to
 determine whether server connection
 from hostname %1s (%2s) on socket %3u
 is from a trusted IP address. Dropping
 connection. (%4d;%5s)*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-126 [BridgeServer]: *%0s: Server connection
 from hostname %1s (%2s) on socket %3u
 is from an untrusted IP address.
 Dropping connection.*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-127

E-BRI-102-127 [BridgeServer]: %0s: Failed to create link-up request command structure for connection from hostname %1s (%2s) on socket %3u . Dropping connection. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-128 [BridgeServer]: %0s: Failed to send
link-up request to server access point
for connection from hostname %1s (%2s)
on socket %3u . Dropping connection.
(%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-BRI-103-001

**W-BRI-103-001 [BridgeServer]: Failed to look up
hostname for IP address %0s . Using
default system hostname %1s .
(%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-BRI-103-002 [BridgeServer]: %0s: Failed to read
command from client connection on
socket %1u [%2s:%3s]. Disconnecting
client from the server. (%4d:%5s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-BRI-103-003

W-BRI-103-003 [BridgeServer]: %0s: Failed to read command from current connection on socket %1u [%2s:%3s]. Disconnecting from the client. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

CHE

Messages for the CHE component.

E-CHE-001-001 **Verification failed for %0s: %1s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

CMD

Messages for the CMD component.

E-CMD-001-002 Divide by zero error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

DBI

Messages for the DBI component.

E-DBI-002-001 %0s in file %1s at or near %2s on line
%3d of statement %4s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-002 %0s in file %1s on line %2d of
statement %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-003 Security startup failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-004 Security property startup failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-005 Failed to copy ObjectServer property
file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-008 Failed to process file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-028 An error has occurred while processing the .sql files. See log for more details

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-029

E-DBI-002-029 No Futher Data will be imported to
the objectserver from this file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-030 Failed to convert error string to a wide string

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-031

E-DBI-002-031 Custom config file %0s does not exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-032 Failed to open property file %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-033

E-DBI-002-033 Error occurred appending properties
to props file %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-DBI-004-001 Unable to append properties to props file because CopyPropsFile is false

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

ETC

Messages for the ETC component.

E-ETC-003-012 Failed to initialise NTimer for CLOCK tick

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-013 Failed to create NTimerHandler for CLOCK tick_timer

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-014 Failed to create NEvent for CLOCK tick

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-015 Failed to create tick_list_lock

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-016 Failed to create timer_mutex

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-004-001 %0s in %1s, line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-004-002 %0s in %1s, line %2d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-004-008 **THREAD MGR: thread** %0s (%1p)
***EXIT*:** %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-004-060 **Undefined argument:** %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-002 **No global key set and no key provided**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-102-002 **Invalid character %0x found when converting from Unicode.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-003 **Could not open file %0s for reading, Error:** %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-102-003 **Invalid character %0x found when converting to Unicode.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-ETC-102-004 File length found does not match
expected file length: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-ETC-102-005 Key file formatted incorrectly, length
mismatch %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-ETC-102-006 Key file formatted incorrectly, no
separator found %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-ETC-102-006 Invalid character %0x replaced by
[space] in SQL command at index %1d**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-ETC-102-007 Attempt made to read data from
empty file: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-ETC-102-007 Code page:%0s is detected,
backslash(0x5c) character is defined as
Yen symbol in this code page, string can
t be escaped and unescaped properly**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-008 Failed to define property %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-009 Failed to define callback for property
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-010 Encryption algorithm not found: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-011 Key file formatted incorrectly, non
numeric characters in length: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-021 Failed to open ICU converter, error
code: %0d error message: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-022 Failed to open ICU collator, error code
%0d error message %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-023 libncrypt error: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-024 libncrypt error code out of range: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-025 libncrypt error: %0s %1d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-026 FIPS mode set and non FIPS cipher mode detected: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-027 Failed to convert UTF-16 string to code page: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-028 Failed to convert string: %0s to UTF-16: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-029 Failed to set ICU from Unicode conversion call back function: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-030 Failed to set ICU to Unicode conversion call back function: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-031 Failed to set ICU substitution character call back function: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-032 Failed to set thread specific data for ICU Converter. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-033 Failed to create thread specific ICU Converter. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-034 Invalid date/time format: %0s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-035 Fail to format date with format: %0s. Error code: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-036 Fail to parse date string: %0s using format: %1s. Error code: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-001 Accessing property %0s via alias %1s - this alias may be removed in a future version

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-002 Failed to load IP address network
module %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-003

W-ETC-103-003 Failed to lookup access function in
IP address network module %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-004 Failed to successfully call access
function in IP address network module
%0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-005 Failed to get file statistics on file
%0s, trying to read as ascii.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

GOB

Messages for the GOB component.

E-GOB-102-001 [ngobjserv]: Failed to create the
property set for ObjectServer data
mapper %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-002 [ngobjserv]: Failed to add the
property set of the ObjectServer data
mapper %0s to the properties manager.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-003 [ngobjserv]: Failed to add the
argument set of the ObjectServer data
mapper %0s to the arguments manager.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-004 [ngobjserv]: Failed to update the
property set of the ObjectServer data
mapper %0s with the properties
manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-005 [ngobjserv]: Failed to get the
property set values for the ObjectServer
data mapper %0s from the properties
manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-006 [ngobjserv]: Failed to create the property set for ObjectServer reader %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-007 [ngobjserv]: Failed to add the property set of the ObjectServer reader %0s to the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-008 [ngobjserv]: Failed to add the argument set of the ObjectServer reader %0s to the arguments manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-009 [ngobjserv]: Failed to update the property set of the ObjectServer reader %0s with the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-010 [ngobjserv]: Failed to get the property set values for the ObjectServer reader %0s from the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-011 [ngobjserv]: Failed to create the property set for ObjectServer writer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-012 [ngobjserv]: Failed to add the property set of the ObjectServer writer %0s to the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-013 [ngobjserv]: Failed to add the arguments set of the ObjectServer writer %0s to the argument manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-014 [ngobjserv]: Failed to update the property set of the ObjectServer writer %0s with the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-015 [ngobjserv]: Failed to get the property set values for the ObjectServer writer %0s from the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-016 [ngobjserv]: Failed to create the property set for ObjectServer reader/writer %0s. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-017 [ngobjserv]: Failed to add the property set of the ObjectServer reader/writer %0s to the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-018 [ngobjserv]: Failed to add the arguments set of the ObjectServer reader/writer %0s to the arguments manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-019 [ngobjserv]: Failed to update the property set of the ObjectServer reader/writer %0s with the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-020 [ngobjserv]: Failed to get the property set values for the ObjectServer reader/writer %0s from the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-021 [ngobjserv]: Table Replication Definition Parser: Failed to parse table replication definition. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-022 [ngobjserv]: Table Replication Definition: Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-023 [ngobjserv]: Failed to open the table replication definition file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-024 [ngobjserv]: Failed to parse the table replication definition file %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-025 [ngobjserv]: Failed to identify the version of the connect ObjectServer due to a fatal error condition. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-035 [ngobjserv]: Failed to create the resynchronisation manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-036 [ngobjserv]: Failed to start the resynchronisation manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-037 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-038 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-039 [ngobjserv]: %0s: Failed to check and send the required flush IDUC command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-040 [ngobjserv]: %0s: Failed to parse the table replication definition file %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-041 [ngobjserv]: %0s: Reader has failed to connect to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-042 [ngobjserv]: %0s: Reader has suffered a fatal error in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-043 [ngobjserv]: %0s: Reader has failed to check and send the required flush IDUC command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-044 [ngobjserv]: %0s: Writer has failed to connect to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-049 [ngobjserv]: Failed to read and fetch all of the iduc data from the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-050 [ngobjserv]: Failed to add the nipc client library properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-051 [ngobjserv]: Failed to add the nipc client library arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-052 [ngobjserv]: Failed to initialise the nipc client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-053 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-054 [ngobjserv]: %0s: Writer has suffered a fatal error in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-055 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-057 [ngobjserv]: Failed to send the command to the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-059 [ngobjserv]: Failed to create the nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-060 [ngobjserv]: Failed to destroy the nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-061 [ngobjserv]: Failed to connect to the server %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-063 [ngobjserv]: Failed to create and setup a command structure for SQL %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-064 [ngobjserv]: Failed to determine whether server connection is dead. Assuming that it is dead. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-066 [ngobjserv]: Failed to create the self describing result set structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-067 [ngobjserv]: Failed to disconnect from the server. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-073 [ngobjserv]: Failed to set user data on nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-075 [ngobjserv]: Failed to install challenge callback on nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-076 [ngobjserv]: Failed to install name callback on nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-077 [ngobjserv]: Failed to check fetched server property. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-078 [ngobjserv]: Failed to process the ObjectServer property list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-079 [ngobjserv]: No result rows have been returned for an ObjectServer property list request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-080 [ngobjserv]: Unexpected column number in ObjectServer property list results set. Exepected %0d , but got %1d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-081 [ngobjserv]: Type mismatch in columns of ObjectServer property list results set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-082 [ngobjserv]: IDUC v2 Connection: Failed to unregister for iduc on table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-083 [ngobjserv]: IDUC v2 Connection:
Failed to register for iduc on table %0s .
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-084 [ngobjserv]: Failed to create the iduc
processing data set for reader %0s .
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-085 [ngobjserv]: Failed to create the iduc
processing data set for reader/writer %0s
. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-086 [ngobjserv]: %0s: Failed to find map
%1s for source table %2s in the map
manager. (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-087 [ngobjserv]: %0s: Failed to describe
the source table %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-088 [ngobjserv]: %0s: Failed to find
column %1s that is specified in map %2s
for the source table %3s . (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-089 [ngobjserv]: %0s: Failed to build the
ObjectServer selection list from map
%1s for the source table %2s . (%3d:%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-090 [ngobjserv]: %0s : Failed to parse the
table replication definition file %1s .
(%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-091 [ngobjserv]: %0s: Failed to read any
pending iduc data message from the
ObjectServer. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-092 [ngobjserv]: %0s: Failed to process
the iduc data message that was read
from the ObjectServer. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-093 [ngobjserv]: %0s: Failed to read any
pending iduc data message from the
ObjectServer. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-094 [ngobjserv]: %0s: Failed to process
the iduc data message that was read
from the ObjectServer. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-095 [ngobjserv]: Failed to send the processed iduc message to the mapper. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-096 [ngobjserv]: Failed to check and re-size all of the iduc processing data buffers. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-097 [ngobjserv]: Failed to get an iduc table data processing structure from the iduc data set pool. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-099 [ngobjserv]: IDUC v%0u Connection: Failed to build the data acquisition sets from iduc data for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-100 [ngobjserv]: Failed to fetch the iduc data from the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-101 [ngobjserv]: %0s: Failed to lookup and find the table %1s in the cache manager. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-102 [ngobjserv]: %0s: Failed to find the column, %1s in the map manager results set resolve callback function. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-103 [ngobjserv]: %0s: Failed to get the value of column, %1s in the map manager results set evaluation callback function. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-104 [ngobjserv]: %0s: Failed to insert a cache entry for the current column of source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-105 [ngobjserv]: %0s: Failed to create a mapped table row entry for an insert on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-106 [ngobjserv]: %0s: Failed to evaluate all required column values via provided map for insert row entry on on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-107 [ngobjserv]: %0s: Failed to create a mapped table row entry for an update on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-108 [ngobjserv]: %0s: Failed to evaluate all required column values via provided map for update row entry on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-109 [ngobjserv]: %0s: Failed to lookup column %1s in the insert/update results set for table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-110 [ngobjserv]: %0s: Failed to get all of the key column values for the current row from the insert/update results set for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-111 [ngobjserv]: %0s: Failed to get the value of column %1s , for the current row, from the insert/update results set for table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-112 [ngobjserv]: %0s: Failed to process all of the inserts and updates in the current iduc data batch for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-113 [ngobjserv]: %0s: Failed to process all of the deletes in the current iduc data batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-116 [ngobjserv]: %0s: Failed to create a mapped table row entry for a delete on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-117 [ngobjserv]: %0s: Failed to send mapped update table data to writer queue for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-118 [ngobjserv]: %0s: Failed to send mapped insert table data to writer queue for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-119 [ngobjserv]: %0s: Failed to send mapped delete table data to writer queue for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-120 [ngobjserv]: %0s: Failed to get a handle to the map column data in order to process the inserts and updates of table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-121 [ngobjserv]: %0s: Failed to lookup and delete a row in the cache for table %1s , due to an unexpected error. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-122 [ngobjserv]: %0s: Failed to lookup the table %1s from server %2s in the cache. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-124 [ngobjserv]: %0s: Failed to process all of the row inserts in the current batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-125 [ngobjserv]: %0s: Failed to flush and send the remaining buffered SQL commands to the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-126 [ngobjserv]: %0s: Failed to process all of the row updates in the current batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-127 [ngobjserv]: %0s: Failed to process all of the row deletes in the current batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-128 [ngobjserv]: %0s: Failed to send the constructed SQL command to the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-129 [ngobjserv]: %0s: Failed to lookup and delete all row entries from table %1s in the cache manager. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-130 [ngobjserv]: %0s: Failed to add inserted status table row to SNSS hash list table. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-131 [ngobjserv]: %0s: Failed to build the cache details fetching SQL command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-132 [ngobjserv]: Failed to build the after iduc SQL command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-133 [ngobjserv]: Failed to send the after iduc SQL command to the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-134 [ngobjserv]: Failed to send the iduc data fetch SQL command to the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-135 [ngobjserv]: Resync Manager has failed to start its thread group.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-136 [ngobjserv]: Resync Manager has failed to stop its thread group.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-137 [ngobjserv]: %0s: Failed to send cache details select SQL command to the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-138 [ngobjserv]: Transfer Manager has suffered an unexpected error on its request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-140 [ngobjserv]: %0s: No results have been returned in response to the cache details select SQL command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-141 [ngobjserv]: %0s: Failed to add the fetched cache details to the cache. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-142 [ngobjserv]: Failed to add the resynchronisation manager s properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-143 [ngobjserv]: Failed to add the resynchronisation manager s arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-144 [ngobjserv]: %0s: Failed to determine the name of destination ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-145 [ngobjserv]: Failed to find key column %0s in the results set from %1s for source table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-146 [ngobjserv]: Key column %0s in the results set from %1s for source table %2s has the wrong type. (%3d:%4d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-147 [ngobjserv]: [ngobjserv]: Failed to successfully fake the hash insert table for an Iduc V1 connection. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-148 [ngobjserv]: Specified resync type
%0s could not be identified. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-149 [ngobjserv]: Failed to place a resync
request message onto the Resync
Manager s request message queue.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-150 [ngobjserv]: Resync Manager: Failed
to lock the resynchronisation lock in
ObjectServer %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-151 [ngobjserv]: Resync Manager: Failed
to unlock the resynchronisation lock in
ObjectServer %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-152 [ngobjserv]: Resync Manager: Failed
to find the reader/writer object %0s
defined in the master option.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-153 [ngobjserv]: Resync Manager: Failed
to get the UpTime property from
ObjectServer %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-154 [ngobjserv]: Resync Manager: No results returned for the UpTime property from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-155 [ngobjserv]: Resync Manager: Incorrect number of columns in the results set for the UpTime property from ObjectServer %0s .Expected %1d, got %2d.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-156 [ngobjserv]: Resync Manager: Incorrect type for the UpTime property s value from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-157 [ngobjserv]: Resync Manager: Failed to get the value for the UpTime property from ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-158 [ngobjserv]: Resync Manager: Failed to find the reader/writer object %0s defined in the preferred option.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-159 [ngobjserv]: Resync Manager: Failed to rebuild the cache for table %0s in ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-160 [ngobjserv]: Resync Manager:
Resyncing of table %0s failed. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-161 [ngobjserv]: Failed to send resync
request to the resync manager in the
post-object startup handler. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-162 [ngobjserv]: Failed to describe the
table %0s in ObjectServer %1s for cache
entry creation. (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-163 [ngobjserv]: Failed to build column
description list for table %0s in
ObjectServer %1s for cache entry
creation. (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-164 [ngobjserv]: Failed to create cache
entry for table %0s in ObjectServer %1s
. (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-165 [ngobjserv]: %0s: Failed to connect to
the ObjectServer %1s . Failback check
has failed, keeping existing connection.
(%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-166 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-167 [ngobjserv]: %0s: Failed to validate table replication definitions maps. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-168 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-169 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-170 [ngobjserv]: %0s: Failed to describe the destination table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-171 [ngobjserv]: %0s: Failed to find column %1s that is specified in map %2s for the destination table %3s . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-172 [ngobjserv]: %0s: Failed to decompose the description of source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-173 [ngobjserv]: %0s: Failed to decompose the description of destination table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-174 [ngobjserv]: %0s: Reader failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-175 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-176 [ngobjserv]: %0s: Failed to validate table replication definitions maps. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-177 [ngobjserv]: %0s: Writer failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-178 [ngobjserv]: %0s: Failed to describe the source table %1s for transfer. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-179 [ngobjserv]: %0s: Failed to decompose the description source table %1s for transfer. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-180 [ngobjserv]: %0s: Failed to create a temporary dummy map for transfer of data from source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-181 [ngobjserv]: %0s: Failed to find map %1s in the map manager for transfer operation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-183 [ngobjserv]: Resync Manager: Failed to send data for table %0s to mapper object. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-184 [ngobjserv]: Resync Manager: Failed to wait for table data for %0s to be mapped and send to server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-185 [ngobjserv]: %0s: Failed to remove the SAF file. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-186 [ngobjserv]: %0s: Failed to replay the SAF file. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-187 [ngobjserv]: %0s: Failed to get all of the user defined column values for the current row from the insert/update results set for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-188 [ngobjserv]: %0s: Unable to send SQL command to ObjectServer as no valid connection to server is correctly held.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-189 [ngobjserv]: %0s: Failed to create an ObjectServer SQL command data message for writer queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-190 [ngobjserv]: %0s: Failed to send
ObjectServer SQL command data
message to writer queue. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-191 [ngobjserv]: Resync Manager: Failed
to find a data replication entry for the
status table. Unable to forward data for
table %0s as it is either the journal or
details table.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-192 [ngobjserv]: %0s: Failed to send skip
spid request to the ObjectServer.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-193 [ngobjserv]: %0s: Failed to get the
spid number from our counter-part
reader connection. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-194 [ngobjserv]: IDUC v%0u Connection:
Failed to find a data replication entry
for the status table. Unable to forward
data for table %1s as it is either the
journal or details table.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-195 [ngobjserv]: %0s: Failed to send data
to mapper via its input message queue.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-196 [ngobjserv]: %0s: Failed to wait for writer to process and send transfer data to the target server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-197 [ngobjserv]: %0s: Failed to execute the SQL command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-198 [ngobjserv]: %0s: Writer has failed to get a handle to its counter-part gateway object. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-199 [ngobjserv]: %0s: Writer has failed to wait for its counter-part gateway object to complete its start routine. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-200 [ngobjserv]: %0s: Writer has failed to get a handle to the source data table replication definition list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-201 [ngobjserv]: %0s: Writer has failed to validate the source data table replication definition list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-202 [ngobjserv]: Resync Manager:
Destination writer has terminated.
Aborting resync operation.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-203 [ngobjserv]: Failed to build the key
column reference string for the after
iduc command on table %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-204 [ngobjserv]: Failed to send the
constructed after iduc SQL command for
table %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-205 [ngobjserv]: %0s: Failed to create the
a mapper processing data structure for
the transfer of data from table %1s .
(%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-206 [ngobjserv]: %0s: Failed to build the
fake insert identification table for the
transfer of data from table %1s .
(%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-207 [ngobjserv]: %0s: Failed to build the
iduc message for the mapper, in order to
transfer the data from table %1s .
(%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-208 [ngobjserv]: Failed to find the primary key column %0s in results set for table %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-209 [ngobjserv]: %0s: Target ObjectServer does not support tables with multiple column keys. Unable to populate cache with target row data for table %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-213 [ngobjserv]: %0s: Failed to read and dump current iduc data message from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-214 [ngobjserv]: %0s: Failback thread fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-215 [ngobjserv]: %0s: Failed to start failback thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-216 [ngobjserv]: Resync Manager: Fatal error occurred during resynchronisation. Cannot continue without shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-217 [ngobjserv]: Resync Manager: A non-fatal error occurred during resynchronisation. Can continue without shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-218 [ngobjserv]: Resync Manager: Failed to send discard message to gateway object. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-219 [ngobjserv]: Resync Manager: Failed to send true discard message to gateway objects. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-220 [ngobjserv]: Resync Manager: Failed to send false discard message to gateway objects. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-221 [ngobjserv]: Resync Manager: Failed to wait for discard message to be processed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-222 [ngobjserv]: %0s: Connection loss to server %1s detected in connection poll handler.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-223 [ngobjserv]: Specified resync lock type %0s could not be identified. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-224 [ngobjserv]: Failed to add the iduc client library properties to the property manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-225 [ngobjserv]: Failed to add the iduc client library arguments to the argument manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-226 [ngobjserv]: Failed to create the iduc client library handle. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-227 [ngobjserv]: Failed to establish an iduc connection to the ObjectServer via the iduc client library handle. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-228 [ngobjserv]: Failed to read pending data on iduc connection via the iduc client library handle. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-229 [ngobjserv]: %0s: Failed to process the event fast track message that was read from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-230 [ngobjserv]: %0s: Failed to process the event fast track message that was read from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-231 [ngobjserv]: Failed to send the Event Fast Track row data fetch SQL command to the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-232 [ngobjserv]: %0s: Failed to evaluate all required sub-table mappings via provided map for insert row entry on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-233 [ngobjserv]: %0s: Failed to evaluate all required sub-table mappings via provided map for update row entry on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-234 [ngobjserv]: %0s: Failed to process all of the inserts and updates in the current sub-table data mapping from table %1s to table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-235 [ngobjserv]: %0s: Failed to get a handle to the map column data for map %1s . This is required for a sub-table mapping operation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-236 [ngobjserv]: %0s: Failed to evaluate the key columns values for a row within a sub-table mapping, using map %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-237 [ngobjserv]: %0s: Failed to find or create the required mapping data structures for a sub-table mapping operation. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-238 [ngobjserv]: %0s: Failed to get a handle to the map defined key columns set for map %1s . This is required for a sub-table mapping operation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-239 [ngobjserv]: %0s: Failed to lookup the IP Address values. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-240 [ngobjserv]: %0s: Valid connection not held by writer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-241 [ngobjserv]: %0s: Failed to construct event summary text. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-242 [ngobjserv]: %0s: Failed to copy additional information hash table from IDUC data message to insert mapped table for %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-243 [ngobjserv]: %0s: Failed to copy additional information hash table from IDUC data message to update mapped table for %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-244 [ngobjserv]: Resync Manager: Failed to raise the resynchronisation signal via command %0s in ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-245 [ngobjserv]: Failed to set acceptable Common Names for SSL Server Certificates. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-246 [ngobjserv]: Failed to create the key column data for the journal tablemapper. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-247 [ngobjserv]: Failed to send Post Iduc data message to writer queue. (%0s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-249 [ngobjserv]: Resync Manager: Failed to get the connection handle from %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-250 [ngobjserv]: Resync Manager: Failed to get the ActingPrimary property from ObjectServer %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-251 [ngobjserv]: Resync Manager: No results returned for the ActingPrimary property from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-252 [ngobjserv]: Resync Manager: Incorrect number of columns in the results set for the ActingPrimary property from ObjectServer %0s .Expected %1d, got %2d.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-253 [ngobjserv]: Resync Manager: Incorrect type for the ActingPrimary property s value from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-254 [ngobjserv]: Resync Manager: Failed to get the value for the ActingPrimary property from ObjectServer %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-255 [ngobjserv]: Resync Manager: Unable to set OldRow value in ObjectServer %0s . Deletes will not be passed across. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-256 [ngobjserv]: Resync Manager: Unable to determine LastIduc value for ObjectServer %0s . All events will be checked for updates. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-001 [ngobjserv]: %0s: Failed to disconnect from the backup server. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-002 [ngobjserv]: %0s: Failed to refresh the cache for server %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-003 [ngobjserv]: %0s: Failed to disconnect from the backup server. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-004 [ngobjserv]: %0s: Failed to refresh the cache for server %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-005 [ngobjserv]: %0s: Failed to disconnect from the backup server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-006 [ngobjserv]: %0s: Failed to refresh the cache for server %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-007 [ngobjserv]: %0s: Connection to server is down and SAF is not enabled. Dropping current SQL command data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-008 [ngobjserv]: %0s: Unable to process mapped update table data batch from %1s table %2s as source table uses a multi-column key and the destination ObjectServer is only capable of single key updates (OS SQL V1). Dropping update data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-009 [ngobjserv]: %0s: Unable to process mapped delete table data batch from %1s table %2s as source table uses a multi-column key and the destination ObjectServer is only capable of single key deletes (OS SQL V1). Dropping delete data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-010 [ngobjserv]: Resync Manager: An after iduc directive has been defined for table %0s . The source ObjectServer does not provide sufficient support for after iduc on this table, it is therefore not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-011 [ngobjserv]: An after iduc directive has been defined for table %0s . The source ObjectServer does not provide sufficient support for after iduc on this table, it is therefore not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-012 [ngobjserv]: %0s: Table cache for destination table %1s , does not have the same table keys as the source table %2s . Unable to clear deleted cache row entries in destination table cache.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-013 [ngobjserv]: %0s: SAF enabled. Entering SAF mode to store the SQL command buffer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-014 [ngobjserv]: %0s: Failed to send failover/failback message to the mapper. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-015

**W-GOB-103-015 [ngobjserv]: Resync Manager: Failed
to rebuild cache for resync disabled
table %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-104-211 [ngobjserv]: Resync Manager:
Uni-directional resync aborted due to
detection of gateway shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-104-212 [ngobjserv]: Resync Manager:
Bi-directional resync aborted due to
detection of gateway shutdown.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

GTK

Messages for the GTK component.

**E-GTK-102-004 [ngtk]: Failed to register gateway
toolkit return code set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-005 [ngtk]: Failed to initialise the
gateway toolkits property set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-006 [ngtk]: Failed to create the cache
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-007 [ngtk]: Failed to create the transfer
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-008 [ngtk]: Failed to create the data
message queue manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-009 [ngtk]: Failed to initialise the
gateway toolkit. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-010 [ngtk]: Installed gateway
initialisation handler has failed.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-011 [ngtk]: Failed to add the gateway
toolkits properties to the property
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-012 [ngtk]: Installed gateway property
definition handler has failed to add its
properties to the property manager.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-013 [ngtk]: Failed to add the gateway
toolkits arguments to the argument
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-014 [ngtk]: Installed gateway argument
definition handler has failed to add its
arguments to the argument manager.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-015 [ngtk]: Failed to update the gateway
toolkits properties with the property
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-016 [ngtk]: Installed gateway property update handler has failed to updates its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-017 [ngtk]: Failed to startup the gateway toolkit. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-018 [ngtk]: Installed gateway pre-object start handler has failed to startup specific gateway components. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-019 [ngtk]: Failed to create the user object thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-020 [ngtk]: Failed to start the user object thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-021 [ngtk]: Failed to stop the user object thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-029 [ngtk]: Reader object constructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-030 [ngtk]: Writer object constructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-032 [ngtk]: Reader object destructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-033 [ngtk]: Writer object destructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-035 [ngtk]: Reader object property definition handler function has failed to add its properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-036 [ngtk]: Writer object property definition handler function has failed to add its properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-038 [ngtk]: Reader object argument definition handler function has failed to add its arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-039 [ngtk]: Writer object argument definition handler function has failed to add its arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-041 [ngtk]: Reader object property update handler function has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-042 [ngtk]: Writer object property update handler function has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-044 [ngtk]: Reader object start handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-045 [ngtk]: Writer object start handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-047 [ngtk]: Reader object stop handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-048 [ngtk]: Writer object stop handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-050 [ngtk]: Failed to allocate the object thread group array.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-051 [ngtk]: Failed to lookup the output message queue for reader %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-052 [ngtk]: %0s: Thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-053 [ngtk]: %0s: Thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-054 [ngtk]: Failed to lookup the input message queue for writer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-055 [ngtk]: %0s: Thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-056 [ngtk]: %0s: Thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-057 [ngtk]: %0s: Reader thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-058 [ngtk]: %0s: Reader thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-059 [ngtk]: Failed to lookup the input message queue for reader/writer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-060 [ngtk]: Failed to lookup the output message queue for reader/writer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-061 [ngtk]: %0s: Writer thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-062 [ngtk]: %0s: Writer thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-063 [ngtk]: Failed to lookup the output message queue for reader %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-064 [ngtk]: Failed to lookup the input message queue for writer %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-065 [ngtk]: Failed to lookup the input message queue for reader %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-066 [ngtk]: Failed to lookup the output message queue for writer %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-067 [ngtk]: Mapper %0s reader-to-writer thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-068 [ngtk]: Mapper %0s reader-to-writer thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-069 [ngtk]: Mapper %0s writer-to-reader thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-070 [ngtk]: Mapper %0s writer-to-reader thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-071 [ngtk]: Failed to create the output message queue for %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-072 [ngtk]: Failed to create the input message queue for %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-073 [ngtk]: %0s: Reader connection handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-074 [ngtk]: %0s: Reader disconnection handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-075 [ngtk]: %0s: Writer component has failed to connect to the same server as the reader. Closing this connection and forcing the operation to be retried by the reader component.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-078 [ngtk]: %0s: Writer connection handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-079 [ngtk]: %0s: Writer disconnection handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-081 [ngtk]: %0s: Connect handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-082 [ngtk]: %0s: Disconnect handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-083 [ngtk]: %0s: Connect handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-084 [ngtk]: %0s: Disconnect handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-085 [ngtk]: %0s: Update data check and fetch operation has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-086 [ngtk]: %0s: Update data get handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-087 [ngtk]: %0s: Reader failback handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-088 [ngtk]: Thread %0s has failed to lock the reader mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-089 [ngtk]: Thread %0s has failed to unlock the reader mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-090 [ngtk]: Thread %0s has failed to lock the writer mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-091 [ngtk]: Thread %0s has failed to unlock the writer mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-092 [ngtk]: Reader/Writer object constructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-093 [ngtk]: Reader/Writer object destructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-094 [ngtk]: Reader/Writer object property definition handler function has failed to add its properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-095 [ngtk]: Reader/Writer object argument definition handler function has failed to add its arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-096 [ngtk]: Reader/Writer object property update handler function has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-097 [ngtk]: Reader/Writer object start handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-098 [ngtk]: Reader/Writer object stop handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-099 [ngtk]: Failed to inform the process agent %0s that we have started. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-100 [ngtk]: Shutting gateway down due to process agent notification failure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-102 [ngtk]: %0s: Failback attempt handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-103 [ngtk]: %0s: Reader component, update data check and fetch operation has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-104 [ngtk]: %0s: Writer component, has failed to read an input message and/or process it successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-105 [ngtk]: Thread %0s has failed to lock the reader/writer mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-106 [ngtk]: Thread %0s has failed to unlock the reader/writer mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-107 [ngtk]: %0s: Writer failback handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-108 [ngtk]: %0s: %1s component has aborted its wait for the %2s component to complete its part of the %3s operation, as a retry of the operation has been requested.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-109 [ngtk]: %0s: %1s component has aborted its wait for the %2s component to complete its part of the %3s operation, as the operation failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-110 [ngtk]: %0s: %1s component has aborted its wait for the %2s component to complete its part of the %3s operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-111 [ngtk]: %0s: %1s component has failed to wait for its action status to be cleared.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-113 [ngtk]: %0s: Reader component has failed to connect to the source system. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-114 [ngtk]: %0s: Writer component has failed to connect to the target system. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-115 [ngtk]: %0s: Failed to wait for synchronisation action acknowledgement. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-116 [ngtk]: %0s: Writer component has failed to fail back.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-117 [ngtk]: %0s: Reader component has failed to fail back.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-118 [ngtk]: %0s: Reader component has failed to fail back with an unexpected out come. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-119 [ngtk]: %0s: Writer component has failed to fail back with an unexpected out come. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-120 [ngtk]: Thread %0s has failed to lock the mutex of reader %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-121 [ngtk]: Thread %0s has failed to unlock the mutex of reader %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-122 [ngtk]: Thread %0s has failed to lock the mutex of writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-123 [ngtk]: Thread %0s has failed to unlock the mutex of writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-124 [ngtk]: Gateway Command Parser: Failed to parse language command. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-125 [ngtk]: Gateway Cmd: Parser Error:
msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-126 [ngtk]: Gateway Command Parser:
Failed to open startup command file
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-127 [ngtk]: Gateway Command Parser:
Failed to parse startup command file
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-128 [ngtk]: %0s: Reader update data fetch
handler function has failed to complete
successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-129 [ngtk]: Map File Parser: Failed to
parse map file definitions. Error:
nrc=%0s : msg=%1s : line=%2u :
token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-130 [ngtk]: Map File: Parser Error:
msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-131 [ngtk]: Map File Parser: Failed to open map file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-132 [ngtk]: Map File Parser: Failed to parse map file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-133 [ngtk]: Failed to create the map manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-134 [ngtk]: Failed to startup the map manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-135 [ngtk]: Failed to startup the transfer manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-136 [ngtk]: Failed to issue gateway shutdown request. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-138 [ngtk]: Mapper %0s : Mapping Data Message handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-142 [ngtk]: Failed to create the license manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-143 [ngtk]: Failed to startup the license manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-144 [ngtk]: %0s: Received invalid Mapper data message. Dropping message and generating an internal error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-145 [ngtk]: %0s: Reader failover handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-146 [ngtk]: %0s: Reader failback handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-147 [ngtk]: %0s: Table data pre-processing batch handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-148 [ngtk]: %0s: Table data post-processing batch handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-149 [ngtk]: %0s: Insert table data batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-150 [ngtk]: %0s: Update table data batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-151 [ngtk]: %0s: Delete table data batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-152 [ngtk]: %0s: Failback attempt handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-153 [ngtk]: %0s: Writer component has received an invalid Mapper data message. Dropping message and generating an internal error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-154 [ngtk]: %0s: Writer table data
post-processing batch handler function
has failed to complete successfully.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-155 [ngtk]: %0s: Writer delete table data
batch processing handler function has
failed to complete successfully.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-156 [ngtk]: %0s: Writer update table data
batch processing handler function has
failed to complete successfully.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-157 [ngtk]: %0s: Writer insert table data
batch processing handler function has
failed to complete successfully.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-158 [ngtk]: %0s: Writer reader fallback
handler function has failed to complete
successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-159 [ngtk]: %0s: Writer reader failover
handler function has failed to complete
successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-160 [ngtk]: %0s: Writer table data
pre-processing batch handler function
has failed to complete successfully.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-161 [ngtk]: Thread %0s : Failed to acquire
a read lock on the cache manager.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-162 [ngtk]: Thread %0s : Failed to acquire
a write lock on the cache manager.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-163 [ngtk]: Thread %0s : Failed to release
a lock on the cache manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-164 [ngtk]: %0s: Failed to put the discard
message onto the output message queue.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-165 [ngtk]: %0s: Failed to put the failover
message onto the output message queue.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-166 [ngtk]: %0s: Failed to put the failback message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-167 [ngtk]: %0s: Failed to put a table data message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-168 [ngtk]: %0s: Failed to put a user data message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-169 [ngtk]: Transfer Manager has failed to start its thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-170 [ngtk]: Transfer Manager has failed to stop its thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-171 [ngtk]: Transfer Manager: Transfer request thread has suffered an unexpected error on its request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-172 [ngtk]: Failed to place a transfer request message onto the Transfer Manager's request message queue. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-173 [ngtk]: Failed to create a transfer request message. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-180 [ngtk]: %0s: Failed to wait for all pending synchronised messages in the output data queue to be processed. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-181 [ngtk]: Transfer Manager: Data source object %0s does not exist. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-182 [ngtk]: Transfer Manager: Data destination object %0s does not exist. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-183 [ngtk]: Transfer Manager: The source and destination of transfer is the same object. Transfer request is invalid, operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-184 [ngtk]: Transfer Manager: Data source object %0s is not of the right object type. It should be a reader or reader/writer. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-185 [ngtk]: Transfer Manager: Data destination object %0s is not of the right object type. It should be a writer or reader/writer. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-188 [ngtk]: Gateway Command Parser: Attempt to call GET LOGIN TOKEN from non-interactive client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-190 [ngtk]: Failed to login client via secure token login. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-191 [ngtk]: Reader/Writer object transfer data get handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-192 [ngtk]: Reader/Writer object transfer data send handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-193 [ngtk]: Reader/Writer object transfer data free handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-194 [ngtk]: Reader object transfer data get handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-195 [ngtk]: Reader object transfer data send handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-196 [ngtk]: Reader object transfer data free handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-197 [ngtk]: Reader/Writer object transfer data delete handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-198 [ngtk]: Writer object transfer data delete handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-199 [ngtk]: Failed to get the size of the SAF file. Assuming file has no header. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-200 [ngtk]: Received interrupted system call in read(), retrying read operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-201 [ngtk]: Read operation via read() failed. Unable to read data from SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-202 [ngtk]: Received interrupted system call in write(), retrying write operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-203 [ngtk]: Write operation via write() failed. Unable to write data to SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-204 [ngtk]: Invalid SAF file header contained in SAF attribute data structure.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-205 [ngtk]: Failed to write the SAF file header to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-206 [ngtk]: Failed to write the architecture sub header to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-207 [ngtk]: File is too small in size to contain the complete SAF header.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-208 [ngtk]: Failed to read the SAF file header from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-209 [ngtk]: Invalid SAF header detected in the file. SAF file specified, is not an SAF file for this gateway.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-210 [ngtk]: Failed to read the architecture sub header from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-211 [ngtk]: Invalid architectural sub header detected. Architectures do not match.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-212 [ngtk]: Insufficient bytes left in the file for an item header. File contents error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-213 [ngtk]: Failed to read the stored item header from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-214 [ngtk]: Insufficient bytes left in the SAF file to contain specified data item of %0u bytes. File contents error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-215 [ngtk]: Failed to read the stored item data from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-216 [ngtk]: Failed to decode the stored item data read from SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-217 [ngtk]: Failed to send the decoded stored item to the target system. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-218 [ngtk]: No SAF filename has been given. SAF syb-system disabled.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-219 [ngtk]: SAF sub-system error. All of the necessary handlers have not been provided.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-220 [ngtk]: Failed to open the SAF file %0s for write. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-221 [ngtk]: Failed to encode the stored item data that is to be written to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-222 [ngtk]: Failed to write the data item header to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-223 [ngtk]: Failed to write the data item to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-224 [ngtk]: SAF sub-system error. Replay SAF file indicator unexpectantly set already. !!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-225 [ngtk]: Failed to get the size of the store file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-226 [ngtk]: Failed to open the SAF file %0s for read. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-227 [ngtk]: Failed to close SAF file %0s with file ID %1d . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-228 [ngtk]: Failed to removed SAF file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-229 [ngtk]: Failed to replay the SAF file due to read failure of the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-230 [ngtk]: Failed to startup the cache manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-231 [ngtk]: Installed gateway post-object start handler has failed to startup specific gateway components. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-232 [ngtk]: Failed to create the gateway support var directory. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-233 [ngtk]: Failed to write the updated data item header to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-234 [ngtk]: Failed to get the current file position via lseek(). (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-235 [ngtk]: Failed to set the current file position via lseek(). (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-237 [ngtk]: Output of property %0s to stderr not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-240 [ngtk]: Transfer Manager: Transfer FSync thread has suffered an unexpected error on its request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-241 [ngtk]: Transfer Manager: Attempt to add failover sync item for object %0s , table %1s that already exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-242 [ngtk]: Transfer Manager: Failed to find failover sync item for object %0s , table %1s to remove.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-243 [ngtk]: Transfer Manager: Transfer FSync thread has failed to send transfer request for object %0s , table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-244 [ngtk]: Failed to create a transfer failover sync message. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-245 [ngtk]: Failed to place a failover sync transfer message onto the fsync message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-246 [ngtk]: Failed to add the transfer managers properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-247 [ngtk]: Failed to add the transfer managers arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-248 [ngtk]: Specified failover sync rate is too low. Minimum value is %0u minutes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-249 [ngtk]: %0s: User data message handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-250 [ngtk]: %0s: Writer component user data message handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-252 [ngtk]: Transfer Manager: Gateway has been signalled to stop. Transfer request of data from %0s to %1s , will be dropped.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-254 [ngtk]: PAM message for user %0s: %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-255 [ngtk]: Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-256 [ngtk]: Failed to initialise the underlining OS PAM sub-system. PAM Error [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-257 [ngtk]: Failed to set the user name on the PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-258 [ngtk]: User authentication of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-259 [ngtk]: User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-260 [ngtk]: Unknown error has occurred during authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-261 [ngtk]: Account Management of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-262 [ngtk]: Cannot authenticate user \ %0s\ via PAM. PAM Error = %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-264 [ngtk]: Cannot authenticate user \ %0s\ via UNIX authentication.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-266 [ngtk]: No %0s group entry: connection refused.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-267 [ngtk]: User %0s is not a member of the %1s group: connection refused.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-268 [ngtk]: Failed to acquire user record for user %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-269 [ngtk]: Failed to authenticate client login for user %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-270 [ngtk]: %0s: Connection poll handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-271 [ngtk]: Map Mgr: NvpExpand(): Failed to locate map %0s in map manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-272 [ngtk]: Map Mgr: NvpExpand(): Failed to extract all name-value pairs from input string value. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-273 [ngtk]: Map Mgr: NvpExpand(): Application installed sub-table mapping function failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-274 [ngtk]: Map Mgr: Lookup(): Invalid datatype for lookup table name argument. This argument must be a static string.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-275 [ngtk]: Map Mgr: Lookup(): Failed to find lookup table %0s in the map managers lookup table manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-276 [ngtk]: Map Mgr: Lookup(): Failed to determine the return data type of the default value for lookup table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-277 [ngtk]: Map Mgr: Lookup(): Data type mismatch between the lookup tables return and the its default value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-278 [ngtk]: Map Mgr: RegMatch(): Failed to compile the regular expression %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-279 [ngtk]: Map Mgr: Extract(): Failed to compile the regular expression %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-280 [ngtk]: Map Mgr: %0s(): Function called with incorrect number of arguments. Expected %1u got %2u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-281 [ngtk]: Map Mgr: Failed to validate the arguments of function %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-282 [ngtk]: Map Mgr: NvpGet(): Failed to extract all name-value pairs from input string value. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-283 [ngtk]: Failed to determine gateways local hostname and IP address. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-284 [ngtk]: %0s: Writer post iducbatch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-285 [ngtk]: %0s: Writer post iducbatch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-286

E-GTK-102-286 [ngtk]: %0s: Failed to put a table data message onto the output message queue.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-287 [ngtk]: UNIX Authentication being used is not FIPS compliant. Use PAM for external authentication.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GTK-103-002

W-GTK-103-002 [ngtk]: Hash Table Size of %0u is set too low. Ignoring setting and using minimum setting of %1u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GTK-103-003 [ngtk]: Failed to determine gateways local hostname and IP address, loopback address will be used.(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

IDC

Messages for the IDC component.

E-IDC-102-001 Iduc Client: Failed to create and setup the command structure for RPC %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-002 Iduc Client: Failed to call the ObjectServer RPC %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-003 Iduc Client: Invalid number of results in results list for RPC %0s . Expected 1, got %1d result sets.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-004 Iduc Client: Invalid number of columns in RPC %0s . Expected %1d columns, but got %2d columns.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-005 Iduc Client: Invalid number of rows in RPC %0s . Expected 1 row, but got %1d rows.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-006 Iduc Client: Invalid datatype for column %0d RPC %1s . Expecting type %2d , but got %3d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-007 Iduc Client: Failed to get IDUC host name details. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-008 Iduc Client: Failed to get IDUC port number details. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-009 Iduc Client: Failed to get IDUC connection details. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-010 Iduc Client: Failed to establish physical IDUC connection. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-011 Iduc Client: Failed to send SPID link message to the server. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-012 Iduc Client: Failed to wait on the Iduc connection for the acknowledgement message. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-013 Iduc Client: Failed to get the number of bytes to read on IDUC connection. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-014 Iduc Client: ObjectServer disconnection detected on the IDUC connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-015 Iduc Client: Failed to read %0d bytes from IDUC connection. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-016 Iduc Client: Unexpected message received on Iduc channel. Message = %0s . Dropping.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-017 Iduc Client: Failed to read and fetch all of the iduc data from the ObjectServer. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-018 Iduc Client: Insufficient bytes pending for IDUC v2 header. Expected %0d only have %1d pending

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-019 Iduc Client: Failed to extract payload size in message. Message = %0s . Dropping.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-020 Iduc Client: Failed to create language command structure for SQL command %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-021 Iduc Client: Failed to send the ObjectServer SQL command %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-022 Iduc Client: Failed to extract the version ID for command %0s from iduc message. [%1s] (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-023 Iduc Client: Received unsupported command from server on iduc connection. Version ID of message %0u , is greater than max supported ID %1u . Dropping message.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-024 Iduc Client: Failed to find extent of table name in event fast track iduc command. Dropping message.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-025 Iduc Client: Failed to extract the primary key values from event fast track iduc command. Dropping message.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-026 Iduc Client: Failed to extract the summary column values from event fast track iduc command. Dropping message.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-027 Iduc Client: Insufficient columns in iduc data results set for table %0s .
Expected %1d , but got %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-028 Iduc Client: Failed to determine whether server connection is dead.
Assuming that it is dead. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-029 Iduc Client: Failed to find extent of channel name in event fast track iduc command. Dropping message.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-030 Iduc Client: Failed to determine the action type for %0c in event fast track iduc command. Dropping message.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDC-103-001

W-IDC-103-001 Iduc Client: Failed to get the change data for all tables in the iduc set.
Attempting to process *%0d* set(s) of data that has been received.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDC-103-002 Iduc Client: Failed to get the actual change data for table %0s . No results data was returned. Return empty data set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

IDS

Messages for the IDS component.

E-IDS-102-001 Failed to allocate a results set.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-002 Failed to describe column %0s .
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-003 Iduc Mgr: No status table has been registered. Iduc V1 not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-004 Iduc Mgr: Failed to lookup up status table %0s.%1s . Iduc V1 not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-005 Iduc Mgr: No journal table has been registered. Iduc V1 not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-006 Iduc Mgr: Failed to lookup up journal table %0s.%1s . Iduc V1 not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-007 Iduc Mgr: Registered journal table does not have expected string key columnn. Iduc V1 not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-008 Iduc Mgr: Failed to create Iduc V1 results set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-009 Iduc Mgr: Problems in building associated journal Iduc V1 results set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-010 Iduc Mgr: Failed to create Iduc V2 results set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-011 Iduc Mgr: Failed to find or create a row element for change on table object %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-012 Iduc Mgr: Failed to add change element for table object %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-013 Iduc Mgr: Failed to lookup up table
%0s.%1s . Iduc on table not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-015 Failed to register RPC %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-016 Iduc Ctrl: Unable to determine the
number of bytes to read from %0s on
socket %1d . Disconnecting the client.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-017 Iduc Ctrl: Failed to allocate memory
for receipt of pending data from %0s on
socket %1d . Disconnecting client.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-018 Iduc Ctrl: Failed to read %0d bytes of
data from %1s on socket %2d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-019 Iduc Ctrl: Invalid data written by %0s
on socket %1d . Disconnecting client.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-020 Iduc Ctrl: Unable to lookup associated
real-time client entry ID %0d as
provided by %1s on socket %2d .
Disconnecting client.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-021 Iduc Ctrl: Attempt to connect client %0d , when it is already connected with %1s on socket %2d . Disconnecting client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-022 Iduc Ctrl: Failed to associate client connection. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-023 Iduc Ctrl: Failed to lock mutex. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-024 Iduc Ctrl: Failed to accept a client connection. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-025 Iduc Ctrl: Unable to determine if any changes are pending for client %0d at %1s on socket %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-026 Iduc Ctrl: Failed to build IDUC update message for client at %0s on socket %1d . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-027 Iduc Ctrl: Failed to send IDUC update message to client at %0s on socket %1d . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-028 Iduc Ctrl: Unable to lookup associated real-time client by socket for %0s on socket %1d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-029 Iduc Ctrl: Unable to lookup real-time client for id %0d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-031 Iduc Ctrl: Client at %0s on socket %1d will be retried on its next time-slot.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-032 Iduc Ctrl: Only able to update %0d out of %1d client(s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-033 Iduc Ctrl: Unexpected error received while waiting for connections. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-034 Client ID %0d already registered !!!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-035 Attempt to unregister a Client ID %0d that has not been registered.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-036 Attempt to set IDUC level on unregistered Client ID %0d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-037 Attempt to get IDUC level from unregistered Client ID %0d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-038 Attempt to send client message to unregistered Client ID %0d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-039 Iduc Ctrl: Failed to send client message %0s to client %1d on socket %2d . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-040 Attempt to send client message to Client ID %0d which does not currently hold a valid Iduc socket connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-041 Iduc Ctrl: Incorrect format for Iduc V2 link message by %0s on socket %1d . Separator character missing. Disconnecting client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-042 Iduc Ctrl: User installed connection callback had an error for client %0d from %1s on socket %2d . Disconnecting the client connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-043 Iduc Ctrl: User installed disconnection callback had an error for client %0d from %1s on socket %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-044 Iduc Ctrl: Failed to get the value for property %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-045 Iduc Ctrl: Failed to create the Iduc listening socket on port %0d . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-046 Iduc Mgr: Installed interest callback function failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-047 Iduc Mgr: Install no interest callback function failed to complete successfully.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-048 Iduc Mgr: Attempt by client %0d to registered for iduc on table %1s.%2s. when it is already registered. Request ignored.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-049 Iduc Mgr: Attempt by client %0d to unregister for iduc on table %1s.%2s. when it is not registered. Request ignored.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-050 Iduc Ctrl: Failed to send IDUC connection ack message to client at %0s on socket %1d . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-051 Attempt to get IDUC socket file descriptor from unregistered Client ID %0d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-052 Iduc Ctrl: Failed to resolved system listening hostname for client. Using default name %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-053 Iduc Ctrl: Failed to create the iduc client message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-054 Iduc Ctrl: Failed to check and get a message from iduc client message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-055 Iduc Ctrl: Iduc Command Message: Client ID resolver callback has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-056 Iduc Ctrl: Iduc Command Message: Client message formatter callback has failed for client ID %0d . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-057 Iduc Ctrl: Iduc Command Message: Attempt to send message to unregistered client ID %0d . Client dropped.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-058 Attempt to send client command message to Client ID %0d which does not currently hold a valid Iduc socket connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-059 Iduc Ctrl: Failed to send client command message %0s to client %1d on socket %2d . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-060 Iduc Ctrl: Iduc Command Message: Client send message pre-processing callback has failed for client ID %0d . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-061 Iduc Ctrl: Iduc Command Message: Client send message post-processing callback has failed for client ID %0d . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-062 Iduc Ctrl: Iduc Command Message: Client send set pre-processing callback has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-063 Iduc Ctrl: Iduc Command Message: Client send set post-processing callback has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-064 Iduc Ctrl: Iduc Command Message: Failed to build message payload for client command message. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-065 Iduc Ctrl: User installed IducMissed
callback had an error for client %0d
from %1s on socket %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDS-103-001

W-IDS-103-001 Iduc Ctrl: Iduc Command Message:
Attempt to send message to non-Iduc
V2.1 client. Client ID %0d dropped.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDS-103-002 Iduc Ctrl: Iduc Command Message:
Attempt to send message to client with
unknown Iduc level. Client ID %0d
dropped.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDS-103-003 Iduc Ctrl: Failed to set accepted client
IDUC connection file description %0d to
non-blocking. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

IVM

Messages for the IVM component.

W-IVM-002-001 User property has overridden the
mutli-threaded server setting

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-002 RPC hash table: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-006 Failed to set module log file

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-007 Failed to set module log file size

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-008 Failed to set module log file
truncation

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-009 Failed to set interfaces file

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-010 Failed to set thread stack size

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-011 Failed to set IPC multi-threaded mode

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-015 Failed to set number of client connections: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-016 Failed to set internal queue size: %0dk

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-017 Failed to install the internal error handler function

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-018 Failed to initialise vendor middleware

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-019 Failed to install start handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-020 Failed to install shutdown handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IVM-002-021 Failed to create module callback
mutex: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IVM-002-022 Failed to create module RPC mutex:
%0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IVM-002-024 Failed to install module language
handler**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IVM-002-025 Failed to install module connection
handler**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IVM-002-026 Failed to install module
disconnection handler**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-027 Failed to install module RPC handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-028 Failed to spawn the stop thread

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-029 Failed to create dogsbody thread

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-036 Failed to terminate dogsbody thread

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-037 Failed to initialise secure login module

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-038 Failed to set vendor server library version property %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-042 Failed to get server language value: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-043 Failed to set server language properties: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-044 Failed to disable api checking

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-002-045 Deprecated SSL property or
command line option specified. This
property has no effect

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-006 Failed to create module session: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-011 Failed to retrieve module session
from disconnection handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-012 Failed to fetch application description
from client: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-013 Failed to attach module session to
connection handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-014 Failed to retrieve module session
from language handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-019 Language handler called for connection which has no session information (proc = %0p)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-020 RPC handler called for connection which has no session information (proc = %0p)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-003 Failed to create parameter list for RPC %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-005 Failed to send RPC %0s result set: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-006 Failed to send result set for RPC %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-007 Process %0p requesting execution of an unregistered RPC %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-014 Failed to retrieve module session
from RPC handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-007-001 Vendor log file size too small (min:
16k): %0uk

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-007-002 Unable to set Connections property to
%0d. Connections property has been
limited to %1d.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-001 Failed to set interfaces file %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-002 Failed to initialise vendor context

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-003 Failed to allocate vendor connection

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-004 Failed to bind username to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-005 Failed to bind password to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-006 Failed to bind application name to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-007 Failed to bind hostname to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-008 Failed to set timeout

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-009 Failed to set vendor session user data

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-010 Failed to install session callbacks

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-011 Failed to extract login token from provided password

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-051-012 Could not set OpenClient debug property. Ensure to link against OpenClient devlibs.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-013 Failed to set vendor client library version property: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-052-001 A command returned a result set with an unexpected number of columns (%0d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-052-002 Error in row %0d of result set

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-052-003 Failed to describe a result set: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-053-001 Session name callback failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-053-002 Session name callback (%0p) returned NULL session name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-009 Challenge callback (%0p) failed: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-010 Challenge callback (%0p) failed on session %1s : %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-011 Challenge callback not installed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-012 Challenge callback not installed on session %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-013 Notification callback (%0p) failed: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-014 Notification callback (%0p) failed on session %1s : %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-015 Notification callback not installed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-016 Notification callback not installed on session %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-017 Dropping notification event for procedure %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-018 Dropping notification event for procedure %0s on session %1s : %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-053-023 Application description response has been truncated

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-054-001 Notifier polling thread encountered an error using ct_poll using session %0p : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-054-002 Notifier polling thread encountered an error using ct_poll using session %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-102-002 Secure login housekeeping thread
failed to open cursor

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-103-002

W-IVM-103-002 Secure login housekeeper thread
received error on wake-up

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

OAM

Messages for the OAM component.

E-OAM-102-001 Failed to open authentication

module: `\%0s\:` `%1s`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OAM-102-002

E-OAM-102-002 Module %0s is not an authentication module

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OAM-102-003 Authentication module %0s has an
incompatible version (%1d vs. %2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OAM-102-004 Failed to call access function

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

OBJ

Messages for the OBJ component.

E-OBJ-102-001 Permission check on unregistered
object: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-002 %0s at or near %1s on line %2d of %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-003 Failed to recover %0d of %1d
restriction filters

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-004 Restriction filter recovery failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-005 alter user %0s ... : Denied

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBJ-103-001 Invalid name value pair: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBJ-103-002 Class name %0s and number %1d
must be unique, row discarded

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBJ-103-003 Class %0d and parent %1d would
introduce a loop, row discarded

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

OBX

Messages for the OBX component.

E-OBX-102-004 Failed to initialise the command
library.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-005 Failed to allocate application data
structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-006 Failed to initialise default server
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-008 Failed to define libnsecurity
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-009 Failed to define libnstore properties.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-010 Failed to define server properties.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-011 Failed to define libnsecurity arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-012 Failed to define libnstore arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-013 Failed to define server arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-014 Failed to initialise security system: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-018 Failed to resolve parsed language command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-019 Failed to execute parsed language command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-020 Failed to start the storage system. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-021 Failed to stop the storage system.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-023 Failed to authenticate user %0s.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-024 NSecContextProcess failed.(%0d:%1s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-025 Failed to start the automation
subsystem: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-026 Failed to define automation
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-027 Could not time backup operation:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-028 Could not raise internal event: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-029 Failed to raise system event: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-030 Failed to stop the automation system: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-031 Failed to stop the procedure system: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-032 Failed to create backdoors: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-033 Failed to define Iduc Manager properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-034 Failed to define Iduc Controller properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-035 Failed to define Iduc Manager arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-036 Failed to define Iduc Controller arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-037 Failed to register client %0d for status table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-038 Failed to register client %0d for journal table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-039 Failed to unregister client %0d for status table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-040 Failed to unregister client %0d for journal table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-041 Failed to return client ID to IDUC Manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-042 Failed to unregister client with the IDUC controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-043 Failed to register client with the IDUC controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-044 Failed to start the profiling subsystem: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-045 Failed to install the %0s callback on table %1s.%2s . Iduc on table not possible. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-046 Failed to remove the %0s callback from table %1s.%2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-047 Failed to create Iduc Change data set for table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-048 Failed to find column %0s in table %1s.%2s . Cannot push Iduc changes for table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-049 Failed to add row update to iduc
change set for table %0s.%1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-050 Failed to get value for column %0s of
table %1s.%2s . Cannot push Iduc
changes for table. (%3d:%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-051 Failed to create the Iduc Manager.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-052 Failed to create the Iduc Controller.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-053 Failed to startup the Iduc Manager.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-054 Failed to startup the Iduc Controller.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-055 Failed to retrieve the user name.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-056 Proxy@%0s (ConnectionID=%1u)
attempting to execute restricted SQL

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-057 User %0s@%1s failed to login: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-058 Did not recover %0s table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-059 Did not recover security database

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-060 Failed to create/populate function
manager: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-061 Failed to define automation
arguments: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-062 User %0s tried to connect with an
unsupported administration client type
(%1s) from host %2s. Please use
nco_config.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-063 Failed to allocate memory for the
Iduc table data hash table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-064 Failed to create a pre-resolved iduc
table entry for table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-065 Failed to find a pre-resolved iduc
table entry for table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-066 Failed to send result set to client with
connection ID = %0u: %1s (%2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-067 Failed to send done to client with
connection ID = %0u: %1s (%2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-068 Failed to send wait message to client
blocked meta/data wait. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-069 Failed to set value for property
ClientHeartbeatRate , as value specified
is lower than minimum value %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-070 Did not recover transfer database

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-071 Did not recover persist database

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-072 Removing stale security object for trigger %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-073 Failed to set value for property RegexpLibrary to %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-074 Failed to add client ID %0u to resolution list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-075 Failed to walk the real-time client list of the Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-076 Failed to obtain a pre-allocated iduc operation processing data set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-077 Failed to build the key column value list for Event Fast Track of row for table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-078 Failed to build the summary column value list for Event Fast Track of row for table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-079 Failed to create the iduc command user data structure for message delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-080 Failed to create the Event Fast Track command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-081 Failed to send the Event Fast Track command structure to the Iduc Controller for execution. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-082 Failed to create the Action Command command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-083 Failed to send the Action Command command structure to the Iduc Controller for execution. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-084 Failed to create the Send Message command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-085 Failed to send the Send Message command structure to the Iduc Controller for execution. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-086 Failed to install the alter table callback with the storage system. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-087 Failed to remove the alter table callback from the storage system. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-088 Failed to create iduc data handles for row during construction of the Event Fast Track command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-089 Failed to find column %0s in table %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-090 Column %0s in table %1s.%2s has unexpected type. Expected %3s , but column is %4s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-091 Failed to find table %0s.%1s within the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-092 Failed to build a memory reference cache of the servers known iduc channels. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-093 Failed to walk the table %0s.%1s . Unable to resolve all of the required iduc channel details within the server. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-094 Failed to lookup and find the iduc channel %0s within the channel table. Iduc command dropped as channel is unknown to the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-095 No channel handle found in channel connection ID resolution. Cannot resolve recipient list

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-096 Failed to get the required column values for current row in table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-097 Failed to create lookup cache entry for channel %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-098 Failed to create channel summary column lookup cache entry for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-099 Failed to create table summary lookup cache for table %0s.%1s in channel %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-100 Failed to create channel interest lookup cache entry for channel %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-101 Unable to locate summary column entry for index %0d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-102 Unable to locate channel interest element for channel %0s . Channel interest entry [%1s][%2d][%3s][%4s][%5s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-103 Failed to build the user, group and group membership table cache for determining user interest. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-104 Failed to find group %0s within the group table cache. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-105 Failed to process and add all members of group %0s to the name resolution list of iduc channel interest row entry. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-106 Failed to rebuild iduc channel data after resync. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-107 Failed to generate an IDUC connection system event for client id
 %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-108 Failed to generate an IDUC disconnection system event for client id
 %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-109 Iduc Channel: Failed to create the channel statistics table %0s.%1s .
 (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-110 Iduc Channel: Failed to find the channel statistics table %0s.%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-111 Iduc Channel: Failed to destroy the channel statistics table %0s.%1s .
 (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-112 Iduc Channel: Failed to insert channel %0s **into statistics table** %1s.%2s
 . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-113 Iduc Channel: Failed to update
channel %0s in statistics table %1s.%2s .
(%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-114 Iduc Channel: Failed to delete
channel %0s from statistics table
%1s.%2s . (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-115 Failed to start IDUC channel
execution stop watch timer. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-116 Failed to stop IDUC channel
execution stop watch timer. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-117 Failed to update statistics of IDUC
channel %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-118 Iduc Channel: Failed to start the
channel statistics period thread.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-119 Attempt to fast track row that is not yet inserted. Dropping attempted Event Fast Track for row in table %0s.%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-120 Failed to recover indexes. (%0d;%1s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-121 Failed to generate an IDUC missedsystem event for client id %0u . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-122 Client %0u has missed %1d IDUC cycles for user %2s on host %3s from application %4s;%5s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-123 WTPasswordCheck property %0s is not valid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-124 PasswordEncryption is not FIPS compliant. Switching to AES.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-125 GET LOGIN TOKEN command is not FIPS compliant.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-126 Failed to generate an IDUC data request system event for client id %0u . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-127 Unable to lookup real-time client for id %0u . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-128 Failed to enable UTF8Enabled property

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-129 Failed to create system events: (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-001 Probe language command from %0s@%1s failed. %2s on line %3u of statement %4s at or near %5s . Continuing with the default SQL processing.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-002 Probe language command from
 %0s@%1s failed. %2s on line %3u of
 statement %4s . Continuing with the
 default SQL processing.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-004 Failed to lookup and find table
 %0s.%1s in data store.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-005 Removing %0s from security
 repositories

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-006 Profiler thread failed to read a
 message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-007 Profiler thread encountered an error
 whilst processing a message of type %0d
 on behalf of connection ID %1d: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-008 Profiler report waker thread failed to
 read a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-009 Profiler report waker thread failed to create a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-010 Profiler report waker thread failed to post a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-011 Failed to find table %0s.%1s . Locale safe IDUC messages not possible.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-012 Failed to remove pending row iduc from iduc change set for table %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-013 Failed to lookup and find the iduc channel %0s within the channel table. Iduc command to connection ID %1d will be processed with default settings.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-014 Failed to lookup and find a summary list for table %0s.%1s in iduc channel %2s . Using the tables primary key as summary list for Event Fast Track message.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-015 Unable to locate channel %0d for channel interest entry defined in table %1s.%2s . Unassociated entry detected. [%3s][%4d][%5s][%6s][%7s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-016 Unable to locate channel %0d for channel summary entry defined in table %1s.%2s . Unassociated entry detected. [%3s][%4s][%5d]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-017 Unable to locate summary list %0d for channel summary column entry defined in table %1s.%2s . Unassociated entry detected. [%3s][%4d]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-018 Failed to resolve and find all required tables and columns for iduc channel resolution. Iduc channel syb-system will be unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-019 Failed to find user ID %0d within the user table cache. Dropping user ID from processing set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-020 Position order of columns within the summary list for table %0s.%1s in iduc channel %2s is NOT defined in numerical sequence order. Column extraction will be inefficient for Event Fast Track messages on this table. Please correct the order.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-021 Iduc Channel: Failed to successfully update the statistics for all known IDUC channels. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-022 Iduc Channel: Failed to successfully insert the statistics for all known IDUC channels. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-023 Iduc Channel: Failed to successfully delete the statistics for all known IDUC channels. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-024 Failed to lookup and find a summary list for table %0s.%1s with id %2d for iduc channel %3s in table cache.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-025 No per thread cpu-time clock source available. Profile times will be overestimated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-026 The profile_report trigger failed to run

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-027

W-OBX-103-027 Dropping channel interest entry for channel %0s due to error %1s . Dropped interest entry is ElementName= %2s ,IsGroup=%3d,Hostname= %4s ,AppName= %5s ,AppDescription= %6s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

POS

Messages for the POS component.

W-POS-103-001 Cache file level warning! Cache exceeds %0d%% of %1d bytes. Currently %2d bytes

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

PRO

Messages for the PRO component.

E-PRO-002-001 Failed to recover procedure %0s. %1s on line %2d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-002-002 Failed to recover procedure %0s. %1s on line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-002-004 Failed to parse procedure %0s. %1s on line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-002-005 Failed to recompile procedure %0s. %1s on line %2d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-002-006 Failed to recompile procedure %0s. %1s on line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-001 Failed to send request to Process Agent: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-002

E-PRO-004-002 Attempted to re-enter procedure

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-003 Could not execute %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-004

E-PRO-004-004 Connection to Process Agent failed.
Dropping external action %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-005 Connection to Process Agent failed.

Reconnecting: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-006

E-PRO-004-006 Reconnection to Process Agent failed.
Dropping external action %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-007 Could not remove procedure %0s
from persistent store

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

PRX

Messages for the PRX component.

E-PRX-102-002 [ProxyServer]: Failed to initialise
property manager with the NIPC client
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-003 [ProxyServer]: Failed to initialise
property manager with the proxy servers
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-004 [ProxyServer]: Failed to initialise
argument manager with the NIPC client
arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-005 [ProxyServer]: Failed to initialise
argument manager with the proxy
servers arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-006 [ProxyServer]: Failed to update
property manager with the proxy servers
properties affected by name change.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-007 [ProxyServer]: Failed to initialise the NIPC client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-008 [ProxyServer]: Failed to fetch all of the required server property values. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-009 [ProxyServer]: Failed to start the servers action support thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-010 [ProxyServer]: Failed to stop the servers action support thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-011 [ProxyServer]: Failed to lock the servers main data mutex. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-012 [ProxyServer]: Failed to create a client data connection structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-013 [ProxyServer]: Failed to assign a client to a specific data connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-014 [ProxyServer]: Failed to unassign a client from its data connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-015 [ProxyServer]: A client that is not assigned to a connection data thread has issued an SQL language command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-016 [ProxyServer]: Failed to create SQL command structure for client language command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-017 [ProxyServer]: Failed to send the created SQL command structure to the clients assigned data connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-018 [ProxyServer]: Client language command failed to complete successfully against remote ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-019 [ProxyServer]: Failed to join connection processing thread and wait for it to shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-020 [ProxyServer]: Failed to join the action support processing thread and wait for it to shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-021 [ProxyServer]: Failed to spawn the action support processing thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-022 [ProxyServer]: Failed to create the action support processing input message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-023 [ProxyServer]: Action support processing thread has terminated with a failure condition. Shutting down the server. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-024 [ProxyServer]: Action support processing thread has failed to process an action message of type %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-025 [ProxyServer]: Action support processing thread has failed to fetch a message from its input message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-026 [ProxyServer]: Failed to place action command on the action support processing threads input message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-027 [ProxyServer]: Connection Thread: Failed to connect to remote ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-028 [ProxyServer]: Connection Thread: The thread has terminated unexpectantly. Server may be shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-029 [ProxyServer]: Connection Thread: Failed to spawn the connection handling thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-030 [ProxyServer]: Connection Thread: Failed to wait on synchronisation semaphore and wait for thread start-up. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-031 [ProxyServer]: Connection Thread: Spawned thread failed to start-up successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-032 [ProxyServer]: Connection Thread:
Failed to create a stop request to
shutdown connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-033 [ProxyServer]: Connection Thread:
Failed to send a stop request for
shutdown connection thread to the
action support thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-034 [ProxyServer]: Failed to create
connection thread data structure.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-035 [ProxyServer]: Connection Thread:
Failed to fetch a message from its input
message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-036 [ProxyServer]: Connection Thread:
Failed to create an NIPC client
command structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-037 [ProxyServer]: Connection Thread:
Failed to send an NIPC client command
structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-038 [ProxyServer]: Connection Thread:
Failed to process a message from its
input message queue. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-039 [ProxyServer]: Connection Thread:
Failed to create session structure.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-040 [ProxyServer]: Client Thread: Failed to
send results set back to client. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-041 [ProxyServer]: Client Thread: Failed to
create session structure. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-042 [ProxyServer]: Client Thread: Failed to
connect to remote ObjectServer %0s .
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-043 [ProxyServer]: Failed to challenge
client for login details. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-044 [ProxyServer]: Failed to validate clients login credentials. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-045 [ProxyServer]: Connection Thread: Failed to set user data on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-046 [ProxyServer]: Connection Thread: Failed to install challenge callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-047 [ProxyServer]: Connection Thread: Failed to install session name callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-048 [ProxyServer]: Client Thread: Failed to install challenge callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-049 [ProxyServer]: Client Thread: Failed to install session name callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-050 [ProxyServer]: Connection Thread:
 Failed to determine status of
 ObjectServer connection. Assuming the
 connection is dead. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-051 [ProxyServer]: Connection Thread:
 Connection is dead. Execution of SQL
 failed due to loss of connectivity.
 Shutting down server to simulate
 ObjectServer loss.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-052 [ProxyServer]: Connection Thread:
 Connection is not dead. Execution of
 SQL failed for alternate reason.
 Attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-053 [ProxyServer]: Client Thread: Failed to
 disconnect from remote ObjectServer
 %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-054 [ProxyServer]: Client Thread: Failed to
 destroy the session structure. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-055 [ProxyServer]: Connection Thread:
 Client %0s is not permitted to connect
 via proxy server. Enable
 AllowAllClients property to permit this
 client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-056

E-PRX-102-056 [ProxyServer]: Failed to inform the
process agent %0s that we have started. (
%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-PRX-103-001 [ProxyServer]: Failed to send a connection heart-beat to an currently active client connection. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

REG

Messages for the REG component.

E-REG-002-001 Logging failed: \%%0s\ : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-021 Failed to open tabfile \%%0s\ - data has NOT been synced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-022 Failed to write file header - data has NOT been synced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-023 Failed to write all data to \%%0s\ - data has NOT been synced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-025 Region %%0s , from directory %1s , has been recovered in a corrupt state: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-029 Soft limit exceeded for region : %%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-003-005 Problem with file %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-003-006 Unable to open or create file %0s:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-001 %0s: Failed to free the hash table
entry. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-002 %0s: Failed to allocate volatile space.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-003 %0s: Failed to create segment. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-004 %0s: Failed to allocate space for
persistent store. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-005 %0s: Hash and comparison functions
must be specified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-006 %0s: Failed to open segment. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-007 %0s: Segment Scan Begin failed. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-008 %0s: NSegmentScanNext failed. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-009 %0s: NSegmentScanEnd failed. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-010 %0s: Failed to allocate memory for
cursor. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-011 %0s: Failed to allocate memory for
region list. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-012 %0s: Node is out of range.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-013 Hash table %0d in region \%1s\ has
wrong version number (%2d != %3d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

SEC

Messages for the SEC component.

E-SEC-102-001 Failed to open security repository:
\%0s\: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-002 Syntax error in repository
specification: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-003 Module %0s is not a security module

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-004 Security module %0s has an
incompatible version (%1d vs. %2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-005 Security table file name not defined

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-006 Failed to open security table \%0s\
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-007 Failed to read security table \%*0s***:**
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-008 Failed to allocate space for security
table \%*0s***:** *%1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-024 Retrieve error from repository *%0s* -
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-025 Failed to delete role grant for user
%0s **from repository** *%1s* - *%2s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-026 Failed to delete permissions for user
%0s **from repository** *%1s* - *%2s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-027 Failed to delete group assignments for
group *%0s* **from repository** *%1s* - *%2s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-028 Failed to delete group assignments for
user *%0s* **from repository** *%1s* - *%2s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-029 Failed to delete restriction filter assignments for user %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-030 Failed to delete restriction filter assignments for group %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-031 Failed to initialise the underlining OS PAM sub-system. PAM Error [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-032 Failed to set the user name on the PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-033 User authentication of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-034 User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-035 Unknown error has occurred during authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-036 Authentication Token Update has failed. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-037 Unknown error has occurred during authentication token update. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-038 Account Management of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-040 Password encryption property set to unknown scheme %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-041 Password format property set to invalid value %0s . Format should be in format <int>:<int>:<int>:<int> .</int></int></int></int>

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-042 Cannot change password encryption to DES while in FIPS mode. scheme %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-SEC-103-003 Security negotiation changing
principal from \%0s\ to \%1s\ ignored

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-009 %0s : Cannot set thread specific data:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-010 %0s : Cannot get thread specific data:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-011 PAM message for user %0s: %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-012 Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-017 Failed to create object: can t find
parent object_type (%0d,%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-018 Failed to create object: can t find
object_type (%0d,%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-039 %0s : PAM module in use is broken.

**Application user data has not been
passed to conversation function.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-999-015

E-SEC-999-015 User %0s disabled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STB

Messages for the STB component.

E-STB-102-002 Cannot find security table %0s.%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-003

E-STB-102-003 Cannot find security column
%0s.%1s.%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-004 Have read lock when write lock
required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-005

E-STB-102-005 Illegal use of non-system database
%0s as permission repository

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-006 PasswordEncryption is not FIPS compliant. Use AES.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STK

Messages for the STK component.

E-STK-102-001 [nstk]: Failed to inform daemon interface of run state.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-002 [nstk]: User installed stop handler(s) failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-003 [nstk]: User installed client language handler(s) failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-004 [nstk]: User installed client connection handler(s) failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-005 [nstk]: User installed client disconnection handlers failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-006 [nstk]: Failed to create client user entry. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-007 [nstk]: Failed to initialise IPC library via NlpcServerInitialise(). (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-008 [nstk]: Failed to install the server start handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-009 [nstk]: Failed to install the server stop handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-010 [nstk]: Failed to install the client language handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-011 [nstk]: Failed to install the client connection handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-012 [nstk]: Failed to install the client disconnection handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-013 [nstk]: %0s: Failed to register server s
PID. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-014

E-STK-102-014 [nstk]: %0s: Failed to start server
processing loop. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-026 [nstk]: User installed client post
connection handler(s) failed to complete
successfully. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-027

E-STK-102-027 [nstk]: Invalid message level (%0s).
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-028 [nstk]: Problem in determining FIPS status - Defaulting to NON FIPS.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STK-103-001

W-STK-103-001 [nstk]: Client connection in
non-multiuser mode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STK-103-002 [nstk]: Client disconnection in non-multiuser mode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STO

Messages for the STO component.

E-STO-102-001 Could not recover table %0s.%1s (NRC: %2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-002 Could not find the default store: %0s (NRC: %1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-003 Cannot create persistent table %0s.%1s. (%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-004 Cannot create virtual table %0s.%1s. (%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-005 Cannot create temporary table %0s.%1s. (%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-007 Failed to begin a read transaction on table %0s.%1s : (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-008 Failed to begin a write transaction on table %0s.%1s : (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-009 Failed to end transaction on table %0s.%1s : (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-010 Failed to set thread specific data. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-011 Failed to recompile object %0s, the object has been dropped. The object sql is %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-001 Truncating column %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-003 Used memory thread encountered an error whilst processing a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-004 Used memory thread failed to receive tick event: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-005 Used memory thread encountered an error whilst processing a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-006

W-STO-103-006 Unable to recreate file %0s in
previous directory. File moved to %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STR

Messages for the STR component.

W-STR-001-009 Maximum hardlimit exceeded.
Restricting hardlimit to %0uMB

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

Chapter 2. Error messages generated by the Web GUI component

The following error messages are generated by the Web GUI component of Tivoli Netcool/OMNIBus.

HEMAW

Messages for the HEMAW component.

HEMAW0000E **WAAP:** {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0001E **WAAP:** {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0002E **WAAP:** {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0003E **WAAP:** {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0004E **WAAP:** {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0005W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0006W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0007W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0008E View {0} of category {1} doesn't exist.
Filter collection - unable to setView.
nova:{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0009W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0010W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0011W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0012W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0025E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0026E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0027E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0029E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0030E Attribute name is required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0031W The view attribute is not specified.
The {0} View is used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0033E A type attribute with user value is
specified. A user attribute is required in
this respect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0034E A user attribute is specified. The type
attribute must be set to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0035E The user {0} does not exist. Make sure
that all user(s) ({1}) exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0036E The FilterCollection {0} does not exist.
Make sure that all FilterCollection(s)
({1}) exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0037W The type attribute does not exist. Set type of View to system

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0038E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0039E Found Duplicate View Name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0040W The type attribute does not exist. A system View will be created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0041E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0043W The type attribute does not exist. A system View will be created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0044E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0045W The type attribute does not exist.
The type has been set to system .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0046E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0047E Unable to save View: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0048E Error converting nova view data to
xml - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0049E {0}.getFieldType()
NCWDataSourceException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0050E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0052E View {0} of category {1} doesn t exist.
Filter collection - unable to setView for
filterCollectionName:{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0053E Unable to save Filter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0054E MetricOf is invalid: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0055E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0056W DEPRECATED WAAPI Entity
entity.list method usage. Please use
filter.list method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0057W DEPRECATED WAAPI Entity
entity.addEntity method usage. Please
use filter.addFilter method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0058E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0059W DEPRECATED WAAPI Entity
entity.deleteEntity method usage. Please
use filter.deleteFilter method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0060E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0061W DEPRECATED WAAPI Entity
entity.modifyEntity method usage.
Please use filter.modifyFilter method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0062E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0063W DEPRECATED WAAPI Entity
entity.deleteEntityForced method usage.
Please use filter.deleteFilter method

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0064W The WAAPI entity.deleteEntityForced
method call will be forwarded to
entity.deleteEntity

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0065W DEPRECATED WAAPI Entity
entity.createOrReplaceEntity method
usage.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0066E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0067W DEPRECATED WAAPI Entity
entity.list method usage. Please use
view.list method

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0068E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0069E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0070E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0071E Map {0} exists - can t duplicate
resources to this name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0072E Configuration database is down, can t
duplicate resources to this map name{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0073E Can t duplicate a resource from {0} to {1} ;{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0074E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0075E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0076E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0077E Error while trying to authenticate user for waapi request - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0079E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0080E Error during user log out after finishing waapi request - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0081E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0082E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0084E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0085E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0086E Upload failed: NoSuchMapException:
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0087E Upload failed:
StoreAccessGatewayException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0088E Background image {0} for map {1} not
found in either the map or common
resources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0091E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0092E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0093E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0094E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMAW0096E Unable to establish SSL protocol.
Retrying with TLS...****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0097E {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0098E Problem loading server properties{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0101W No XML configuration file was specified!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0102E Server authentication schema error - waapi.host is an IP address

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0103E Server authentication schema error - waapi.host doesn't match server certificate CN

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0104E Server authentication schema error - no trusted IP found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0105E Invalid XML - line {0}, {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0107E Method after server.shutdown cannot be executed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0108E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0109E XmlRpc Exception: {0}; {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0110E

HEMAW0110E MyTimer is interrupted{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0112E Unable to forward default map image request because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT

Messages for the HEMBT component.

HEMBT0000E Unable to run a SQL tool. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0001E Unable to run a journal tool. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0002E Unable to set the locale in a tool transaction: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0003W The type ({0}) of a parameter in a tool request is incorrect. Supply a parameter of the correct type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0004E Unable to get the locale from a transaction: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0005E Unable to copy the menu definition {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0006E Unable to check the menu permissions for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0007E {1} does not contain the property {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0008E Unable to extract the data sources from request {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0009E Unable to get a value for {0} in {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0010E Unable to complete the processing of submenu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0011E Unable to get the label and mnemonic from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0012E Unable to translate the label and mnemonic from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0013E Unable to save the menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0014E Unable to create menu from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0016E Unable to find the configuration for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0017E Unable to process a request to the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0018E Unable to process a request to the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0019E Unable to process a request to the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0020E Unable to read an object in the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0021E Unable to get data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0022E Unable to check for valid fields on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0023E Unable to create a tool from its definition: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0024E Unable to store the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0025E Unable to get the data sources for a request: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0026E The prompt request {0} does not have a prompt name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0027E Cannot find the prompt {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0028E The definition of prompt {0} does not have a type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0029E Unable to augment prompt {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0031E Unable to obtain the prompt choices from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0032W There are no available choices for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0033W The choice list has more than two columns: {0} for {1}. Attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0034E The choice list has less than two columns: {0} for {1}. The choice list is unusable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0035E {1} does not contain {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0036W Unable to find the specified locale a prompt. Using the default locale.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0037W The choice prompt {0} contains no data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0040E Unable to obtain the prompt choices from the file: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0041W Unable to get the prompt choices from {0} because the file is empty.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0042E Unable to remove {0} from {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0043E Unable to find the prompt definition for key {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0044E Unable to find the prompt key for prompt {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0045E Unable to find the prompt definition for key {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0047E The tool passed for deletion has no name. No action taken.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0048E Unable to delete the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0050E Unable to process the the last tool request. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0051E Unable to load the data source definition from the tool definition. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0052E There is an inconsistent class definition. The class {0} has the name {1} in data source {2} but already has the name {3} in another data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0053W {0} classes are not available for tools.
Check your configuration using
nco_config.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0054E Unable to extract the access criterion
from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0055E Unable to use the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0056E Unable to extract the access criterion
from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0057E Unable to get the class conversions for
data source {0}. No class conversions
will be available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0058E Unable to get the available fields for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0059E Unable to get the available fields for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0060E Unable to get the available fields for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0061E Unable to get the available fields for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0062W {0} is not one of the available tool access criteria. Use one of the supplied criteria ({1} or {2}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0063W {0} is not one of the available tool security criteria. Use one of the supplied criteria ({1} or {2}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0064W {0} is not one of the available tool ObjectServer field access criteria. Use one of the supplied criteria ({1} or {2}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0065E Unable to load the data source property from the tool definition. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0066E Unrecognized request method: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0067W The CGI tool {0} has an empty target window name. The default value of {1} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0068W The CGI tool {0} has an open method {1} that is not recognized. Use one of the supplied methods ({2} or {3}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0069W {0} is not one of the available tool types. Use one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0070W Unrecognized compatibility mode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0071W {0} is not one of the available tool parameter types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0072W {0} is not one of the available tool parameter types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0073E Unable to encode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0074E Unable to save the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0075E Unable to rename the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0076E Unable to validate the tool definition
for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0077E Unable to get the name of the default
data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0078E The tool passed for editing has no
name. No action taken.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0079E Unable to get default data source
name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0080E Unable to get the tool definition for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0081E Unable to get the prompt name for a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0082E Unable to encode the target URL for a tool prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0083E The type of a tool is not one of the available types. Use one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0084E Unable to construct a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0085E Unable to construct a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0086E Unable to construct a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0087E Unable to build tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0088E Unable to add runnable tool from tool definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0089E Unable to add tool command from tool definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0090E Unable to add SQL to tool from definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0091E Unable to add journal to tool from definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0092E Unable to update a tool prompt request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0093E Unable to get other tool parameters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0094E Unable to set the properties of a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0096E The definition of a tool in the file {0}
is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0097E The definition of a tool in the file {0}
is corrupt: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0098E The definition of a tool in the file {0}
is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0099E The definition of a tool in the file {0}
is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0100E Unable to delete the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0101E Unable to add the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0102E Unable to add the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0103E Unable to set the content of a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0104E Unable to convert a component of a
command-line tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0113E Unable to encode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0114W {0} is not one of the available tool
components. Choose one of the supplied
types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0115E Unable to convert the CGI component:
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0116W Unable to convert a CGI tool because
its type ({0}) is not one of the available
types. Choose one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0117E Unable to validate a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0118E Unable to remove the default value from a time prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0119E Unable to create a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0120E Unable to modify a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0121E Unable to create a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0122W Unable to save a tool through WAAPI.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0123E Unable to delete a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0124W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0125E Unable to save a tool through WAAPI.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0126E Unable to delete a tool through WAAPI.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0127E Unable to load the data source property from a tool definition. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0128W {0} is not one of the available tool components. Choose one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0129E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0130E Unable to generate the menu choices for a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0131E Unable to validate a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0136E Unable to get the description for tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0137W The details for prompt {0} are incorrect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0138W A prompt type {0} is incorrect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0139E Unable to convert a component of a prompt for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0140E Unable to initialize the description component of a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0141E Unable to get a field name from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0142E Unable to validate a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0143E Unable to generate a menu variable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0144E Unable to generate a menu choice.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMBT0145E Unable to convert a SQL component
for the following reason: {0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0146E Unable to set the encoded prompts {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0147E Unable to get the encoded prompts.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMBT0148E Unable to validate a prompt for a
password.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0149E Unable to convert a component of a journal tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0150W Unable to transform a parameter from the new format to the old. The type {0} is not one of the available values.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0151W {0} is not one of the available prompt label values. Choose one of the supplied label values.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0152W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0153W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0154E Unable to save a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0155E Unable to delete a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0156E Unable to generate a menu variable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0157E Unable to generate a menu choice.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0158E Unable to find the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0159E Unable to read the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0160E The required type for {0} is menu, but it has the type {1}. Use the correct type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0161E Unable to get the menu from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0162E Unable to get the name from the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0163E Unable to back up the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0168E Unable to decode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0169E Unable to add menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0170E Unable to add menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0171E Unable to add menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0172E Unable to get the description of menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0173E Unable to migrate the menu: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0177E Menu {0} was not migrated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0178E Unable to encode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0179E Unable to decode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0180E Unable to update menu contents.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0181E Unable to get the menu label for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0182E Unable to decode the menu label for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0183W Unable to get tool {0}. Check that the tool exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0184E

HEMBT0184E User {0} does not exist in the
ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0185E Exception occurred while trying to get the user {0} from the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA

Messages for the HEMDA component.

HEMDA0000E There was an error during decryption of the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0001E There was an error when reading the decryption key.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0002E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0003E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0004E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0005E There was an error when reading the decryption key.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0006E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0007E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0008E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0009E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0010E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0011E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0012E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0013E Unable to get the value from the selected row.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0014E Unable to query the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0015E Unable to obtain the user identifier for {0} from the data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0016E Unable to update the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0017E Unable to obtain the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0018E Unable to construct an update request for the journal.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0019E Unable to obtain user identifier for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0020E Unable to obtain user identifier for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0021E Unable to obtain the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0022E Unable to get information on the root user.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0023E Unable to get information on the user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0037E Invoking a connection event failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0038E Unable to get sets of row identifiers.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0039E An SQL update on the master server failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0040E Unable to start data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0041E Unable to fail over on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0042E Unable to authenticate with
datasource {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0043E Unable to get the field descriptor.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0044E Unable to check that a field exists on
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0045E Unable to get the version number of
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0050E Unable to resynchronize color data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0051E Unable to resynchronize color data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0052E Unable to resynchronize color data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0053E Unable to create a color.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0062E The resynchronization of users failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0063E The resynchronization of users failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0064E The resynchronization of profiles failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0065E The resynchronization of profiles failed..

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0066E Unable to create a user object.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0067E Unable to find a profile for the user.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0068E Processing of a user profile failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0074E Unable to get conversion for key {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0075E Unable to resynchronize conversion data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0076E Unable to resynchronize conversion data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0077E Unable to create a conversion.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0078E The creation of a conversion key failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0085E The resynchronzation of groups failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0086E The resynchronzation of groups failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0087E The processing of group membership failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0088E The processing of group membership failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0089E Unable to create a group from the row in the master.groups table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0090E The processing of a group member from a row of the master.members table failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0091E The processing of a group member from a row of the master.members table failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0092E Unable to convert the string {0} to a boolean.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0093E Unable to convert the string {0} to an integer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0094E Unable to create a conversion key for field {0} and value {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0099E Unable to resynchronize with the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0101E Unable to resynchronize with the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0102E Unable to resynchronize with the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0107E Unable to resynchronize the column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0108E Unable to resynchronize the column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0109E Unable to resynchronize the column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0110E Unable to create a column visual.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0111E An unknown type was specified for an event to change the configuration. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0113E Unable to resynchronize the configuration of the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0118E Unable to resynchronize properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0119E Unable to resynchronize properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0120E Unable to resynchronize properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0121E Unable to create a property from the row data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0122E Unable to get a report.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0129E Unable to add servers to the server map.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0131E Unable to read the definition of a data source from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0132E Unable to add the definition of a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0133E Unable to add the definition of a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0134E Unable to get the type string for the definition of a datasource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0136E Unable to set the cache properties specified in the data source definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0137W The maximum age of {2} passed to {0} was incorrect. The age cannot be less than 0, so using {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0138W The cleaner time of {3} sent to {0} is incorrect. The time cannot be less than {2}. Using the minimum value of {4}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0140E Unable to get the default data source list from ncwDataSourceDefinitions.xml.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0142E The generation of the data source credentials failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0143E The generation of an Objectserver definition failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0144E Unable to convert the backoff multiplier {0} to an integer value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0145E Unable to convert the value of the base polling time {0} to a long number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0146E Unable to convert the value of the heartbeat time {0} to a long number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0147E When generating a definition, {0} caught this exception for a malformed definition of a datasource: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0149E Unable to get the definition of the read cloud.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0150E Unable to convert the base value of the wait time for synchronization {0} to a long number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0154E An SQL update in data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0155E An SQL update in data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0156E A request to carry out a simple update on data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0157E A query on data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0158E Failed to start data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0159E Unable to authenticate with data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0160E Unable to get the failover state of data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0161E The processing of a connection event for data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0162E Unable to get a field descriptor on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0163E Unable to check that a field exists on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0164E Invoking a connection event to data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0165E Unable to get the version information from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0174E An update request failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0175E Unable to get the value of the Alert Security Model from the data source configuration.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0176E Unable to get a row set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0177E Unable to apply security settings due to a configuration problem with the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0178E Unable to obtain user privileges.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0179E Unable to create a socket on {0};{1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0181E Unable to interrupt the data source s failback thread.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0184E Failed to add the datasource {0}. {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0185E Failed to add the datasource. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0188E Unable to start data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0189E The initialization of the data source factory failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0192E Unable to load definitions of the data sources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0193E Unable to get row identifiers.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0194E {0} is not a valid ObjectServer. {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0195E An error occurred when fetching the type of field {0} in data source {1}; {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0197E Unable to validate filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0200W Unknown type of data source: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0209E Unable to connect to the heartbeat connection of a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0210E Unable to initialize {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0211E Unable to get a connection to a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0212E Unable to get a connection to a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0213E Unable to get a connection to a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0216E A query for a monitor box failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0217E A query for a monitor box failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0218E Unable to get the version information from the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0219E Unable to get the version information from the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0220E Unable to read metadata from the alerts.status table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0221E Unable to obtain the descriptor for field {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0222E Unable to get the field descriptors.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0223E Unable to get the field descriptors.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0225E Unable to get the field names for the {0},{1} table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0227E Unable to check that a field exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0228E Unable to check that a field exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0229E Unable to set the type of connection event to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0230E Unable to set field type to {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0231E Unable to get the columns from schema {0} and table {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0239E Incorrect AES-encrypted password.
The password cannot contain more than
16 characters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0240E Caught an SQL exception. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0241E Unable to get the name of the local
host.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0242E Unable to decrypt the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0243E Unable to decrypt the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0244E Unable to decrypt the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0245E The request does not contain any
SQL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0249E Unable to retrieve the result of a query from the cache.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0250E Unable to clean results cache because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0251E The initialization of the connection pool failed. Unable to load the database driver {0}. A required class could not be found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0252E The initialization of the connection pool failed. Unable to instantiate the database driver.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0253E The initialization of the connection pool failed. There was an `IllegalAccessException`.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0256W Cannot set the minimum connection pool size for {0} to {1}. This is greater than the maximum pool size of {2}. The minimum pool size has been set to the same as the maximum pool size value of {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0258W Attempt to set minimum connection pool size for {0} to {1} was ignored. The pool size must be at least 1. The minimum pool size has been set to 1.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0263E Unable to determine the maximum supported connections at {0} using query {1}. The default value of {2} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0264E Unable to create a connection at {0}. The server may be down or the maximum number of connections supported by {1} may have been reached. There are currently {2} connection(s) in the connection pool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0265E Failed to initialize connection pool for {0}. The server may be down.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0266E Unable to get connection to the specified ObjectServer: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0267E A fatal SQLException occurred. The connection will not be returned to the connection pool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0268E

HEMDA0268E SQLException occurred while attempting to close a pooled database connection {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0269E Exception occurred while attempting to resynchronize users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC

Messages for the HEMEC component.

HEMEC0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0001E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0003E Running without PA support (bad id)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0007E Unable to find PA server named {0} in interfaces

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0008E Unable to load Sybase driver

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0009E Unable to make connection to PA server {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0011E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0013E {0}.init() ProductHomeException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0015E Problem loading server properties: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0025E {0}.getRegistrationException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0026E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0027E Could not process file: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0028E Could not process file: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0029E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0030E Bad entry in interfaces file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0031E Problem processing line {0} in file {1} :
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0032E

HEMEC0032E Unable to start OMNIBus Web GUI properly.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0033E Unable to initialize logging.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE

Messages for the HEMEE component.

HEMEE0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0008E {0}.doGet() caught exception
registering transient entity: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0009E {0}.doGet() caught exception
registering transient entity: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0010E {0}.processRequest() caught exception
registering transient entity: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0025W Name unavailable for entity,
discarding entity.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0026W Name unavailable for entity

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0027W List unavailable for entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0029E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0030E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0031E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0032E Unable to load base entities file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0033E Failed to read group {0} . Check the directory {1} exists and contains a valid group definition file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0034E Entity Loader(type 2): Unable to load file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0035E Entity Loader(type 2): Unable to load file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0036W Name unavailable for entity, discarding entity.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0037W Name unavailable for entity

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0038W List unavailable for entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0040E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0041E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0044W Entity: unknown default store type
defaulting to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0045W Entity: unknown default store type
defaulting to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0046E The entity: {0} is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0047W The entity: {0} contains a circular reference.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0049E Error saving file : {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0055E caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0058W Forced Delete Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0059E Error saving group file for {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0061E Error saving group file for {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0062E {0}.getUserEntity(String, HttpSession)
DEPRECATED API. DO NOT USE!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0063E Error trying to save group - {0} no group exists with this name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0064E Error saving entity file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0065E {0}.getEntityStatus(String, String, String, String, DataHolder) THIS METHOD IS DEPRECATED

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0066E The default entity group does not exist!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0067W processDeleteGroup: Group {0} is not empty: contains either subgroups or entities

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0068E processDeleteGroup: IOException while saving group {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0071E doDeleteGroup: SecurityException attempting to delete group {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0072E doDeleteGroup: SecurityException
attempting to delete file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0073E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0074E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0075E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0076E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0077E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0078E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0080E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0081E

HEMEE0081E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0082E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0083E

HEMEE0083E Error saving file for entity group: {0} -
 {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0084E Error saving entity: {0} - {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0085W

HEMEE0085W No {0} Directory

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0086E {0} could not be backed up because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM

Messages for the HEMEM component.

HEMEM0000E Unable to save a metric. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0001W The following errors occurred while saving a metric: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0002E Unable to delete a metric. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0003W The following errors occurred while deleting a metric: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0005E Unable to read metric {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0006E Metric {0} is corrupted in storage.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0007E Unable to read a required attribute {0} from metric {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0008E Unable to read the required {0} attribute from a metric definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0009E The configuration for the metric {0} contains the following errors: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0010E An exception occurred whilst processing the metric {0}. The error was: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0011E An invalid request parameter was passed to the Metric Data Provider. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0012W Processing of the metric {0} timed out at data source {1}. The metric cannot be evaluated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0013W The value of threshold1 for a gauge is outside the range 1 to 100. Using the default value of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0014W The value of threshold2 for a gauge is outside the range 1 to 100. Using the default value of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0015W Threshold1 has a greater value than threshold2 for a gauge. Setting both thresholds to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0016E Unable to convert {0} to a double value. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0017E Unable to convert {0} to an integer value. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0018E Unable to convert {0} to a long value. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0019E Unable to convert {0} to a valid gauge type. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0020E Unable to parse and draw the SVG {0} due to this I/O exception: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0021E Invalid gauge layout configuration. Using the default values.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0022E Failed to save the gauge layout. The error was {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0023E Failed to set the gauge refresh time. The default value {0} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0024E An error occurred while setting the request attribute {0} for the resource {1}. The error was: {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0025E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0026E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0027E

HEMEM0027E Port Number incorrectly formatted.
Unable to determine server port from
{0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0028E Unable to determine timeout for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN

Messages for the HEMEN component.

HEMEN0000E

HEMEN0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0002E

HEMEN0002E Unable to enable BiDi in a portlet
because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0003E Unable to save Bidi parameters in the session because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0004E

HEMEN0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0005E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO

Messages for the HEMEO component.

HEMEO0000E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0001E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0002E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0003E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0004E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0005E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0009E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0015E

HEMEO0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0017E

HEMEO0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0019E

HEMEO0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0021E

HEMEO0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP

Messages for the HEMEP component.

HEMEP0000E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES

Messages for the HEMES component.

HEMES0000E The following SQL update failed: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0001E {0}: VMM user credentials
synchronisation iteration: FAILED**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0003W NCOSyncWoker[{0}] DataSource
unavailable, resync will happen when
DataSource is up again.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0004E NCOSyncWoker[{0}] Thread
Interrupted Exception: {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0005E NCOSyncWoker[{0}] Thread
Exception: {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0006E [{0}] failed to get VMM user
credentials{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0007E [{0}]: **NullPointerException: {1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0008E [{0}]: **IllegalArgumentException: {1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0009E [{0}]: **NCOSyncException: {1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0010E **NCOSyncWorker[{0}]: Get DataSource
groups failed: {1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0011E **NCOSyncWorker[{0}]: Get DataSource
groups failed: {1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0012E **NCOSyncWorker[{0}]: Create {1} group
in DataSource failed: {2}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0013E **NCOSyncWorker[{0}]: Create {1} group
in DataSource failed: {2}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0014E `[[0]]: IllegalArgumentException{1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0015E `[[0]]: Cannot retrieve synchronised users from DataSource{1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0016E `[[0]]: Couldn't delete users from DataSource{1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0017E `[[0]]: Get extended user information failed: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0018E `[[0]]: IllegalArgumentException: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0020E `[[0]]: DataSource query failed.{1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0021E `[[0]]: DataSource query failed.{1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0022E [{0}]: DataSource query failed.{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0023E [{0}]: DataSource update failed.{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0024W [{0}]: The resyncTime is lower than 60.
Synchronisation time will be set to 60!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0025W [{0}]: Couldn't retrieve
resynchronisation time for DataSource
{1} . Set value to 3600: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0050E Thread Interrupted Exception{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0051E Thread Exception{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0052E cannot find server.init {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0053E server.init IOException{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0054E cannot close {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0055E couldn t get DataSource object for {0}
{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0056E Thread Interrupted Exception{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0057E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0058E Unable to read the key file {0} because
{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0059E Unable to close stream because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0060E

HEMES0060E Unable to read the key file {0} because
{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0061E Unable to read the key file {0} because
{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0062E

HEMES0062E Unable to close stream because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0063E An error occurred looking for the
ObjectServer user repository, user
synchronization will be disabled as a
fail-safe. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0065E [{0}] VMM returns 0 OMNIBus Web GUI users. No synchronisation is necessary. Check your role mappings or VMM configuration. Resynchronisation will be re-attempted in 60 seconds.

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

HEMEU

Messages for the HEMEU component.

HEMEU0002W Caught InterruptedException. Stopping thread...

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

HEMEU0003E Caught exception {0}

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

HEMEU0004E Caught exception {0}

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

HEMEU0005E Caught exception {0}

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

HEMEU0006E Caught BringUpException. Stopping thread...

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

HEMEU0007E Unable to load default user preferences. Falling back to the hard coded defaults.

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

HEMEU0008E Problem loading Browser Property file
 {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0012E Error while closing reader of file {0}
 {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0017E Problem loading illegal char: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0018E Illegal first character {0} in string {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0019E Illegal character {0} in string {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0022W {0} is not added

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0023E Problem obtaining illegalChar props
 file. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0027E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEU0028E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEU0029E Bad entity parsed in EntityEngine : {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEU0030E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEU0031E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEU0032E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEU0033E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEU0039E {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEU0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0043E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0044E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0045E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0046E The Web GUI server cannot start
because it cannot obtain its host name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0047W Missing Resource: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0048W Unable to load default user
preferences. Falling back to the hard
coded defaults.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0049E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMFV

Messages for the HEMFV component.

HEMFV0000E Unable to add a view from data source {0}.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMFV0001E Unable to add a view from file {0}.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMFV0002E Unable to add a view from file {0}.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMFV0003E Unable to add a view from file {0}.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMFV0004E Unable to add a sort column for view.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMFV0005W Attempted to delete filter {0} from {1} data store. The filter does not exist in this data store - another user may have already deleted it.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMFV0007E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0009E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0012E Unable to create view from file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0013E Unable to save the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0016E Unable to get the filtered visual
entries for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0017E Unable to get the filtered fields for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0019E Unable to save the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0022E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0023E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0024E Unable to process a view file because:
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0025E Unable to process a visual entry
because it is corrupt. The corrupt visual
entry is: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0026E Unable to determine the type of a
field from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0027W The views directory {0} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0028E Unable to find the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0029E Unable to read the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0031W {0}.createView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0032W {0}.createView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0033W {0}.createOrReplaceView{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0034W {0}.createView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0035E Unable to create the view {0} because another view has that name. Supply a name that is unique to this view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0037E Unable to create the view {0} because another view has that name. Supply a name that is unique to this view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0038E Unable to save view {0} because: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0039W {0}.deleteView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0041E Unable to check if field {0} is present
in data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0044E Unable to change the type of the view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0045E Unable to change the type of the view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0046E Unable to change the type of the view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0047E Cannot load view storage for {0} - {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0050W The format of the view name {0} is incorrect or contains characters that are not allowed in a view name. Specify a name in the correct format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0051E Unable to convert the view data to XML.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0052E Unable to copy the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0053E Unable to copy the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0055E Unable to save the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0060E Unable to copy view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0062E There are no views available in the user session.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0071E Cannot load the views for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0075E Unable to load the filters for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0081E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0083E Unable to initialize the internal data
for the filter and view builder.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0084E Unable to get the filtered sort columns
for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0085E Unable to get the filtered visual
entries for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0086E The advanced SQL statement {0} is
invalid for the following reason: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0087E Unable to add the dependency {0} to {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0092E Unable to create view storage for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0095E Unable to create filter storage for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0099E The filter storage {0} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0100E Unable to save data for the new user {0} to {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0101E Unable to load {0} data from {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0102E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0103E Unable to parse the XML data for the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0104E Unable to determine the type of field {0} in data source {1}. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0105E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0106E Unable to parse the XML data for the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0108E The specified view category for filter {0} is not one of the available types. Use one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0109W The SQL statement {0} is not valid. The filter mode will be changed to advanced for filter {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0111E Unable to delete view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0113W The format of the filter name {0} is incorrect or contains characters that are not allowed in a view name. Specify a name in the correct format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0114W No data source selected.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0115W The filter {0} could not be retrieved from the {1} data store, it may have been removed by another user. This filter will be recreated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0117E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0119E Unable to save a filter. The SQL statement {0} is incorrect for at least one of the selected data sources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0120E Unable to copy filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0121E Unable to save filter {0} because its category is not one of the available types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0122E Unable to save filter {0} because the file does not exist in the specified location.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0123E Unable to save filter {0} because there is a recursive dependency.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0124E Unable to save filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0125E Unable to save filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0126E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0127E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0128E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0129E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0130E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0131E Unable to copy the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0136E Unable to edit view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0138E View data is invalid {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0141E Error copying properties to form.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0143E Unable to edit a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0144E Unable to edit a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0145E Unable to find data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0150E Unable to delete filter {0} because
another filter is dependent on it.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0151E Unable to delete filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0152E Unable to change filter type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0153E Unable to change filter type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0155E Cannot load filter storage for {0} {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0156E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0157E Unable to write {0} data store for {1}
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0158E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0159E Unable to write {0} data store for {1}
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0160E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0161E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0162E

HEMFV0162E Unable to find {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0163E IO Error writing {0} data store for {1}
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0164E

HEMFV0164E Unable to find {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0165E Caught exception {0} whilst loading {1}
data store for {2} {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0166E

HEMFV0166E Unable to find {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0167E Error writing {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA

Messages for the HEMHA component.

HEMHA0001E Unable to notify node {0} of a change in the cluster configuration. The response code to the notification request is: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0003E Unable to notify node {0} of a change in the cluster configuration. Check that the node s URI is correct.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0004E Unable to notify node {0} of a change in the cluster configuration. An exception occurred while connecting to the node.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0005E Unable to set store properties. The configuration database may be unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0006E Unable to add the current node to the load balancing cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0007E Unable to add the current node to the load balancing cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0008E Unable to remove the current node from the load balancing cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0009W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0010W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0011W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0012W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0013W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0014E Unable to update the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0015E An incorrect file hashing algorithm was specified: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0016W An attempt was made to remove the following item from the configuration database, but it did not exist in the database. {0} {1} {2} {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0017E The synchronization of configuration items failed because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0018E Unable to add the current node to the HA cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0019E Unable to resynchronize the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0020E Unable to resynchronize the new configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0021E Failed to add the new configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0022E Failed to obtain configuration item references for {0} {1}. Unable to determine if items from this namespace have been deleted on other nodes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0023E Failed to remove the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0024E Unable to resynchronize the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0025E The synchronization of configuration
items failed because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0026E

HEMHA0026E The notification inhibitor thread was interrupted. The error was: *{0}*.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0027E The delayed notification thread was interrupted. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB

Messages for the HEMHB component.

HEMHB0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0001E Chart error: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0001W No IlvChart object found for request: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0009E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0015E

HEMHB0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0017E Chart exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM

Messages for the HEMIM component.

HEMIM0000E Failed to add resource {0} because the image type {1} is unsupported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0002W No resources sumamary for map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0004E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0005E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0006E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0008W Resource not found {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0009W No map of name {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0010E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0011E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0012E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0013E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0014E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0015E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0016E Error in map {0}: ignored - {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0017E Error in map {0}: ignored - {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0018E Error in map {0}: ignored - {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0019E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0020E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0021E Bad map file: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0022E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0023E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0025E problem with map data - {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0026W {0} does not exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0027E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0028E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0029E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0030E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0032W {0} already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0033W Attempt to save a map with no
definition was ignored.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0034E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0036E Problem with map data - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0037E {0} does not exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0038E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0040W {0} does not exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0041E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0044E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0045E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0046E

HEMIM0046E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0047E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0048E

HEMIM0048E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0049E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0050E

HEMIM0050E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0051E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP

Messages for the HEMIP component.

HEMIP0000W Invalid dashboard layout configuration. Filter names, categories and owners do not match.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0002E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0009E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0015E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS

Messages for the HEMJS component.

HEMJS0000E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0001E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0002E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0003E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0004E {0}.processResults() unexpected
response type:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0005E {0}.processResults() status:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0006E LEL Handler recieved error {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0010E Error attempting to set the datasource
name:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0011E getDatasourceName(): Error getting OS
- {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0012E {0}.setView() caught
IllegalCategoryException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0013E {0}.setView() caught
IllegalCategoryException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0019W The value for tableview.pixelmultiply
must be greater than 0.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0024E getDatasource(): Error getting OS - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0025E Init(): Error getting OS - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0027E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0029E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0030E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0031E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0032E getDatasourceName(): Error getting OS
- {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0033E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0034E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0035E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0036E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0037E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0038E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0039E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0040W Invalid template file :{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0043E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0044E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0045E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0046E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0047E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0048E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0049E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0050E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0051E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0052E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0054W {0} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0055W {0} not empty.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0057W {0} does not exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0059E Cannot delete file {0} in {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0060E Cannot recursive remove directory {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0061E Cannot remove directory {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0062E Cannot remove directory {0} - I/O error occurs.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0063E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0065E {0} in {1} cannot be deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0066E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0067E {0}.processResults() unexpected
response type:{1}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0068E {0}.processResults() status:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0069E LEL Handler recieved error {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0070E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0071E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0073E {0} not found**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0074E IOException reading {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0075E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0076E Exception in inserter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0077W Invalid Map refresh rate in SmartPage
tag for {0} Map! Using value from
server.init...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0078W The tableview.pixelmultiply value is
not of type int: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0080E Exception whilst reformatting date {0}
in static table for user:

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0081E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0082E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0083E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0084E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0085E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0086E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0088E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0089E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0090E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0091E Caught exception getting property {0}
for user {1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0092E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0093E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0094E Unable to process user removed page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0095W Invalid insertion command:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0096E No page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0097E Unable to process page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0098E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0100E No log-out page found! {0}, file base {1}, {2}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0101E Unable to process log-out page**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0102E No table-view file.{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0103E Unable to read table-view file.{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0104E Error while parsing System property printtabletitle.{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0106E Error while parsing line of tableview template. Unknown inserter command.{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0107W Invalid insertion command:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0108E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0109E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0112W {0} Not found! needs to start with {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0113E Unable to process {0} page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0114E Caught UnsupportedEncodingException. {0} Check the value of System property html.charset in server.init is correct. Current value is {1}, reset to {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0115E caught exception for user:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0116E caught exception for user:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0117E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0118E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0119E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0122E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0123E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0124E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0125E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0126E Unable to get Colors for data source {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0127E Unable to get Conversions for data source {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0128E caught NoSuchElementException.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0129E Servlet error: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0130E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0131E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0132E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0133E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0134E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0136E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0137E No Such Map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0138E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0139E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0140E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0141E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0142E Unable to process cgi-file using defined perlengine, ie first line that start with !#, on top of command:{0}
Using {1} HEMJS0143W=Unauthorized user {0} attempted to access CGI {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0147E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0148E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0149E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0150E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0151E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0152E Colors.processRequest() caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0154E **FieldNameHandler.processRequest()**
caught Exception: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0156E **Caught Exception loading user filters**
for {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0157E **File is unreadable {0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0158W **Unauthorized attempt by {0} to add a**
journal entry to serials {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0159E **Failed to add journal entry for Serials**
{0}; Response code {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0160E **Failed to add journal entry for Serials**
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0165E **Caught exception {0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0166E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0167E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0168E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0169E caught Exception: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0170E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0171E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0173E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0175E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0176E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0178E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0179E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0180E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0181E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0182E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0183E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0184E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0185E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0186W TimedOut:Invalid insertion
command:{0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0187E No unavailable page found!**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0188E Unable to process unavailable page**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0189E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0190E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0191E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0192E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0194E Failed to uploaded file from {0} to {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0195E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0196W File Not Found {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0197E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0198E Unregistration of Cgi {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0199E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0200E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0201E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0202E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0203E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0204E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0205E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0206E No map called:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0207E HA database is down, cannot create map:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0208E HA database is down, cannot modify
map:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0209E HA database is down, cannot delete
map:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0210E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0211E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0212E Problem removing resource {0} for map
{1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0213E Problem removing resource {0} for map
{1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0214E Problem Creating resource dir for map
{0} - Map already exists!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0216E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0217E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0218E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0219E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0220E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0221E {0} already in {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0222E {0} caused IOException when saving

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0223E {0} user not found when removing

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0224E {0} caused IOException when saving
after removing User

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0225E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0226E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0227E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0228E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0229E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0230E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0231E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0232E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0233E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0234E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0235E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0236E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0237E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0238E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0239E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0240E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0241E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0242E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0243E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0244E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0245W Deletion of reserved Menu{0} was prevented.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0246E Deletion of Menu {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0250E No DataSources currently available.
Webtop service unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0251E Unexpected exception

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0252E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0253E No log-in page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0254E Unable to process log-in page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0255E No log-in in progress page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0256E Unable to process log-in in progress page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0257E No log-in (access denied) page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0258E Unable to process log-in (access denied) page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0260W Unknown User

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0261E Unexpected exception

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0262E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0263E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0264E Error invoking CGI. - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0265E The header contains a corrupt line

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0266E Failed to execute CGI HEMJS0267E={0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0268W NCHOME not defined, using {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0270W expiry time in cookie null - time not set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0271E UTF-8 encoding is not supported

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0272E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0274E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0275E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0276E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0279W AEL launch parameter, view could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0280E AEL launch parameter, view could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0281E caught exception registering transient entity. filter:{0} view:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0282W AEL launch parameter, filtertype not specified. Using the {0} category for the specified filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0283E AEL launch parameter, filtername could not be resolved. The specified filter does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0284E AEL launch parameter, filtername could not be resolved. The specified filter does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0285E Number of {0} and {1} parameters do not match.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0286W Deprecated AEL launch parameter used. The {0} parameter is deprecated. Use the {1} parameter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0287W AEL launch parameter, view could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0288E CreateDynamicTransientEntity failed to create transient with filter {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0290E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0291E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0292E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0294E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0295E caught NoSuchViewException

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0297E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0298E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0300E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0320E Problem adding user: {0} - {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0321E Unexpected exception in Login

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0322E Error while getting the users homepage.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0323E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0400E Unexpected response type:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0401E Status:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0402W LEL Handler recieved error {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0403E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0404E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0423E No DataSources currently available.
Webtop service unavailable.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0424E Problem adding user: {0} - {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0425E Unexpected exception in Login

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0426E Error while getting the users
homepage.{0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0427E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0428E Unable to enable BiDi in the Chart portlet because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0429E Unable to enable BiDi in the LEL portlet because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0430E Unable to enable BiDi in the TableView portlet because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0431E Unable to fill the BiDi bean because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0432E Unable to get BiDi support settings for user {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0433E Unable to get preference {0} from user preferences because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0434E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0435E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0436E Failed to save user preferences. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0437E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0438E Unable to get calendar type from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0439E Unable to get calendar type from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0440E Unable to get {0} from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0441E Unable to get {0} from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0442E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0443E Unable to forward default map image request because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP

Messages for the HEMUP component.

HEMUP0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0006E The backup of relevent files that needs to be upgraded failed. The upgrade process has been stopped due to an IOException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0009E Could not delete deprecated file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0012W The {0} system View already exists. Skipping migration for {1} Entity View.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0025E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0026E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0027E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0032E Deletion of {0} file after upgrade failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0033E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0034E Can t read file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0035E Can t close file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0036E Can t write file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0037E Can t close file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0038E Can t create file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0039E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0040E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0041E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0043E Can't read file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0044E Can't close file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0045E ParseException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0046E EntityException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0047E **OverwriteException:** {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0048E **FilterSaveException:** {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0049E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0050E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0051E **Cannot add {0} as dependent Filter to**
{1}System Filter.
IllegalCategoryException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0052E **Cannot add {0} as dependent Filter to**
{1}System Filter.
IllegalArgumentException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0053E **Cannot add {0} as dependent Filter to**
{1}System Filter.
FilterNotFoundException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0054E Cannot add {0} as dependent Filter to
{1}System Filter.
RecursiveDependencyException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0055E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0056E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0059E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0060E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0061E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0062E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0063E Attribute name is required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0064E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0065E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0066E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0067E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0068E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

Notices

This information was developed for products and services offered in the U.S.A.

IBM® may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106-0032, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
958/NH04
IBM Centre, St Leonards
601 Pacific Hwy
St Leonards, NSW, 2069
Australia

IBM Corporation
896471/H128B
76 Upper Ground
London SE1 9PZ
United Kingdom

IBM Corporation
JBF1/SOM1
294 Route 100
Somers, NY, 10589-0100
United States of America

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

Trademarks

AIX, DB2, IBM, the IBM logo, ibm.com®, iSeries, Netcool, Passport Advantage, pSeries, Service Request Manager, System p, System z, Tivoli®, Tivoli Enterprise Console, TotalStorage, WebSphere, and zSeries are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both.

Adobe, Acrobat, Portable Document Format (PDF), PostScript, and all Adobe-based trademarks are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, other countries, or both.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.



Java and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, or service names may be trademarks or service marks of others.

Index

A

accessibility vii
arch
 operating system directory vii

C

conventions, typeface vii

E

E-ALD-102-001 1
E-ALD-102-002 1
E-ALD-102-003 1
E-ALD-102-004 1
E-ALD-102-005 1
E-ALD-102-006 2
E-ALD-102-007 2
E-ALD-102-008 2
E-ALD-102-009 2
E-ALD-102-010 2
E-ALD-102-011 2
E-ALD-102-012 2
E-ALD-102-013 3
E-ALD-102-014 3
E-ALD-102-015 3
E-ALD-102-016 3
E-ALD-102-017 3
E-ALD-102-018 3
E-ALD-102-019 3
E-ALD-102-020 4
E-ALD-102-021 5
E-ALD-102-022 6
E-ALD-102-023 7
E-ALD-102-024 8
E-ALD-102-025 9
E-APM-102-001 10
E-APM-102-003 10
E-APM-102-004 10
E-APM-102-005 10
E-APM-102-006 10
E-APM-102-007 10
E-APM-102-008 11
E-APM-102-009 12
E-APM-102-010 13
E-APM-104-002 14
E-APM-104-011 15
E-AUT-001-013 15
E-AUT-001-014 15
E-AUT-001-015 15
E-AUT-002-006 15
E-AUT-002-009 15
E-AUT-003-001 15
E-AUT-003-002 16
E-AUT-003-004 16
E-AUT-003-005 16
E-AUT-003-007 16
E-AUT-003-008 16
E-AUT-003-009 16
E-AUT-003-010 16

E-AUT-003-011 17
E-BRI-102-002 21
E-BRI-102-003 21
E-BRI-102-004 21
E-BRI-102-005 21
E-BRI-102-006 21
E-BRI-102-007 22
E-BRI-102-008 22
E-BRI-102-009 22
E-BRI-102-010 22
E-BRI-102-011 22
E-BRI-102-012 22
E-BRI-102-013 23
E-BRI-102-014 23
E-BRI-102-015 23
E-BRI-102-016 23
E-BRI-102-017 23
E-BRI-102-018 23
E-BRI-102-019 24
E-BRI-102-020 24
E-BRI-102-021 24
E-BRI-102-022 24
E-BRI-102-023 24
E-BRI-102-024 24
E-BRI-102-025 25
E-BRI-102-026 25
E-BRI-102-027 25
E-BRI-102-028 25
E-BRI-102-029 25
E-BRI-102-030 25
E-BRI-102-031 26
E-BRI-102-032 26
E-BRI-102-033 26
E-BRI-102-034 26
E-BRI-102-035 26
E-BRI-102-036 26
E-BRI-102-037 27
E-BRI-102-038 27
E-BRI-102-039 27
E-BRI-102-040 27
E-BRI-102-041 27
E-BRI-102-042 27
E-BRI-102-043 28
E-BRI-102-044 28
E-BRI-102-045 28
E-BRI-102-046 28
E-BRI-102-047 28
E-BRI-102-048 28
E-BRI-102-049 29
E-BRI-102-050 29
E-BRI-102-051 29
E-BRI-102-052 29
E-BRI-102-053 29
E-BRI-102-054 30
E-BRI-102-055 30
E-BRI-102-056 30
E-BRI-102-057 30
E-BRI-102-058 30
E-BRI-102-059 31
E-BRI-102-060 31
E-BRI-102-061 31

E-BRI-102-062 31
E-BRI-102-063 31
E-BRI-102-064 32
E-BRI-102-065 32
E-BRI-102-066 32
E-BRI-102-067 32
E-BRI-102-068 32
E-BRI-102-069 32
E-BRI-102-070 33
E-BRI-102-071 33
E-BRI-102-072 33
E-BRI-102-073 33
E-BRI-102-074 33
E-BRI-102-075 33
E-BRI-102-076 34
E-BRI-102-077 34
E-BRI-102-078 34
E-BRI-102-079 34
E-BRI-102-080 34
E-BRI-102-081 34
E-BRI-102-082 35
E-BRI-102-083 35
E-BRI-102-084 35
E-BRI-102-085 35
E-BRI-102-086 35
E-BRI-102-087 35
E-BRI-102-088 36
E-BRI-102-097 36
E-BRI-102-100 36
E-BRI-102-101 36
E-BRI-102-103 36
E-BRI-102-104 36
E-BRI-102-105 37
E-BRI-102-106 37
E-BRI-102-107 37
E-BRI-102-108 37
E-BRI-102-109 37
E-BRI-102-110 37
E-BRI-102-111 37
E-BRI-102-114 38
E-BRI-102-115 38
E-BRI-102-116 38
E-BRI-102-117 38
E-BRI-102-118 38
E-BRI-102-119 38
E-BRI-102-120 38
E-BRI-102-121 39
E-BRI-102-122 39
E-BRI-102-123 39
E-BRI-102-124 39
E-BRI-102-125 39
E-BRI-102-126 39
E-BRI-102-127 40
E-BRI-102-128 41
E-CHE-001-001 45
E-CMD-001-002 46
E-DBI-002-001 46
E-DBI-002-002 46
E-DBI-002-003 46
E-DBI-002-004 46
E-DBI-002-005 46

E-DBI-002-008	46	E-GOB-102-036	66	E-GOB-102-120	77
E-DBI-002-028	47	E-GOB-102-037	66	E-GOB-102-121	77
E-DBI-002-029	48	E-GOB-102-038	66	E-GOB-102-122	78
E-DBI-002-030	49	E-GOB-102-039	67	E-GOB-102-124	78
E-DBI-002-031	50	E-GOB-102-040	67	E-GOB-102-125	78
E-DBI-002-032	51	E-GOB-102-041	67	E-GOB-102-126	78
E-DBI-002-033	52	E-GOB-102-042	67	E-GOB-102-127	78
E-ETC-003-012	53	E-GOB-102-043	67	E-GOB-102-128	78
E-ETC-003-013	53	E-GOB-102-044	67	E-GOB-102-129	79
E-ETC-003-014	53	E-GOB-102-049	68	E-GOB-102-130	79
E-ETC-003-015	53	E-GOB-102-050	68	E-GOB-102-131	79
E-ETC-003-016	53	E-GOB-102-051	68	E-GOB-102-132	79
E-ETC-004-001	53	E-GOB-102-052	68	E-GOB-102-133	79
E-ETC-004-002	54	E-GOB-102-053	68	E-GOB-102-134	79
E-ETC-004-008	54	E-GOB-102-054	68	E-GOB-102-135	80
E-ETC-102-002	54	E-GOB-102-055	69	E-GOB-102-136	80
E-ETC-102-003	54	E-GOB-102-057	69	E-GOB-102-137	80
E-ETC-102-004	55	E-GOB-102-059	69	E-GOB-102-138	80
E-ETC-102-005	55	E-GOB-102-060	69	E-GOB-102-140	80
E-ETC-102-006	55	E-GOB-102-061	69	E-GOB-102-141	80
E-ETC-102-007	55	E-GOB-102-063	69	E-GOB-102-142	81
E-ETC-102-008	56	E-GOB-102-064	70	E-GOB-102-143	81
E-ETC-102-009	56	E-GOB-102-066	70	E-GOB-102-144	81
E-ETC-102-010	56	E-GOB-102-067	70	E-GOB-102-145	81
E-ETC-102-011	56	E-GOB-102-073	70	E-GOB-102-146	81
E-ETC-102-021	56	E-GOB-102-075	70	E-GOB-102-147	81
E-ETC-102-022	56	E-GOB-102-076	70	E-GOB-102-148	82
E-ETC-102-023	56	E-GOB-102-077	71	E-GOB-102-149	82
E-ETC-102-024	57	E-GOB-102-078	71	E-GOB-102-150	82
E-ETC-102-025	57	E-GOB-102-079	71	E-GOB-102-151	82
E-ETC-102-026	57	E-GOB-102-080	71	E-GOB-102-152	82
E-ETC-102-027	57	E-GOB-102-081	71	E-GOB-102-153	82
E-ETC-102-028	57	E-GOB-102-082	71	E-GOB-102-154	83
E-ETC-102-029	57	E-GOB-102-083	72	E-GOB-102-155	83
E-ETC-102-030	57	E-GOB-102-084	72	E-GOB-102-156	83
E-ETC-102-031	58	E-GOB-102-085	72	E-GOB-102-157	83
E-ETC-102-032	58	E-GOB-102-086	72	E-GOB-102-158	83
E-ETC-102-033	58	E-GOB-102-087	72	E-GOB-102-159	83
E-ETC-102-034	58	E-GOB-102-088	72	E-GOB-102-160	84
E-ETC-102-035	58	E-GOB-102-089	73	E-GOB-102-161	84
E-ETC-102-036	58	E-GOB-102-090	73	E-GOB-102-162	84
E-GOB-102-001	62	E-GOB-102-091	73	E-GOB-102-163	84
E-GOB-102-002	62	E-GOB-102-092	73	E-GOB-102-164	84
E-GOB-102-003	62	E-GOB-102-093	73	E-GOB-102-165	84
E-GOB-102-004	62	E-GOB-102-094	73	E-GOB-102-166	85
E-GOB-102-005	62	E-GOB-102-095	74	E-GOB-102-167	85
E-GOB-102-006	63	E-GOB-102-096	74	E-GOB-102-168	85
E-GOB-102-007	63	E-GOB-102-097	74	E-GOB-102-169	85
E-GOB-102-008	63	E-GOB-102-099	74	E-GOB-102-170	85
E-GOB-102-009	63	E-GOB-102-100	74	E-GOB-102-171	86
E-GOB-102-010	63	E-GOB-102-101	74	E-GOB-102-172	86
E-GOB-102-011	63	E-GOB-102-102	75	E-GOB-102-173	86
E-GOB-102-012	64	E-GOB-102-103	75	E-GOB-102-174	86
E-GOB-102-013	64	E-GOB-102-104	75	E-GOB-102-175	86
E-GOB-102-014	64	E-GOB-102-105	75	E-GOB-102-176	86
E-GOB-102-015	64	E-GOB-102-106	75	E-GOB-102-177	87
E-GOB-102-016	64	E-GOB-102-107	75	E-GOB-102-178	87
E-GOB-102-017	64	E-GOB-102-108	76	E-GOB-102-179	87
E-GOB-102-018	65	E-GOB-102-109	76	E-GOB-102-180	87
E-GOB-102-019	65	E-GOB-102-110	76	E-GOB-102-181	87
E-GOB-102-020	65	E-GOB-102-111	76	E-GOB-102-183	87
E-GOB-102-021	65	E-GOB-102-112	76	E-GOB-102-184	88
E-GOB-102-022	65	E-GOB-102-113	76	E-GOB-102-185	88
E-GOB-102-023	65	E-GOB-102-116	77	E-GOB-102-186	88
E-GOB-102-024	66	E-GOB-102-117	77	E-GOB-102-187	88
E-GOB-102-025	66	E-GOB-102-118	77	E-GOB-102-188	88
E-GOB-102-035	66	E-GOB-102-119	77	E-GOB-102-189	88

E-GOB-102-190	89	E-GTK-102-006	104	E-GTK-102-090	115
E-GOB-102-191	89	E-GTK-102-007	104	E-GTK-102-091	115
E-GOB-102-192	89	E-GTK-102-008	104	E-GTK-102-092	115
E-GOB-102-193	89	E-GTK-102-009	104	E-GTK-102-093	116
E-GOB-102-194	89	E-GTK-102-010	105	E-GTK-102-094	116
E-GOB-102-195	89	E-GTK-102-011	105	E-GTK-102-095	116
E-GOB-102-196	90	E-GTK-102-012	105	E-GTK-102-096	116
E-GOB-102-197	90	E-GTK-102-013	105	E-GTK-102-097	116
E-GOB-102-198	90	E-GTK-102-014	105	E-GTK-102-098	116
E-GOB-102-199	90	E-GTK-102-015	105	E-GTK-102-099	117
E-GOB-102-200	90	E-GTK-102-016	106	E-GTK-102-100	117
E-GOB-102-201	90	E-GTK-102-017	106	E-GTK-102-102	117
E-GOB-102-202	91	E-GTK-102-018	106	E-GTK-102-103	117
E-GOB-102-203	91	E-GTK-102-019	106	E-GTK-102-104	117
E-GOB-102-204	91	E-GTK-102-020	106	E-GTK-102-105	117
E-GOB-102-205	91	E-GTK-102-021	106	E-GTK-102-106	118
E-GOB-102-206	91	E-GTK-102-029	107	E-GTK-102-107	118
E-GOB-102-207	91	E-GTK-102-030	107	E-GTK-102-108	118
E-GOB-102-208	92	E-GTK-102-032	107	E-GTK-102-109	118
E-GOB-102-209	92	E-GTK-102-033	107	E-GTK-102-110	118
E-GOB-102-213	92	E-GTK-102-035	107	E-GTK-102-111	118
E-GOB-102-214	92	E-GTK-102-036	107	E-GTK-102-113	119
E-GOB-102-215	92	E-GTK-102-038	108	E-GTK-102-114	119
E-GOB-102-216	92	E-GTK-102-039	108	E-GTK-102-115	119
E-GOB-102-217	93	E-GTK-102-041	108	E-GTK-102-116	119
E-GOB-102-218	93	E-GTK-102-042	108	E-GTK-102-117	119
E-GOB-102-219	93	E-GTK-102-044	108	E-GTK-102-118	119
E-GOB-102-220	93	E-GTK-102-045	108	E-GTK-102-119	120
E-GOB-102-221	93	E-GTK-102-047	109	E-GTK-102-120	120
E-GOB-102-222	93	E-GTK-102-048	109	E-GTK-102-121	120
E-GOB-102-223	94	E-GTK-102-050	109	E-GTK-102-122	120
E-GOB-102-224	94	E-GTK-102-051	109	E-GTK-102-123	120
E-GOB-102-225	94	E-GTK-102-052	109	E-GTK-102-124	120
E-GOB-102-226	94	E-GTK-102-053	109	E-GTK-102-125	121
E-GOB-102-227	94	E-GTK-102-054	110	E-GTK-102-126	121
E-GOB-102-228	94	E-GTK-102-055	110	E-GTK-102-127	121
E-GOB-102-229	95	E-GTK-102-056	110	E-GTK-102-128	121
E-GOB-102-230	95	E-GTK-102-057	110	E-GTK-102-129	121
E-GOB-102-231	95	E-GTK-102-058	110	E-GTK-102-130	121
E-GOB-102-232	95	E-GTK-102-059	110	E-GTK-102-131	122
E-GOB-102-233	95	E-GTK-102-060	111	E-GTK-102-132	122
E-GOB-102-234	95	E-GTK-102-061	111	E-GTK-102-133	122
E-GOB-102-235	96	E-GTK-102-062	111	E-GTK-102-134	122
E-GOB-102-236	96	E-GTK-102-063	111	E-GTK-102-135	122
E-GOB-102-237	96	E-GTK-102-064	111	E-GTK-102-136	122
E-GOB-102-238	96	E-GTK-102-065	111	E-GTK-102-138	122
E-GOB-102-239	96	E-GTK-102-066	112	E-GTK-102-142	123
E-GOB-102-240	96	E-GTK-102-067	112	E-GTK-102-143	123
E-GOB-102-241	97	E-GTK-102-068	112	E-GTK-102-144	123
E-GOB-102-242	97	E-GTK-102-069	112	E-GTK-102-145	123
E-GOB-102-243	97	E-GTK-102-070	112	E-GTK-102-146	123
E-GOB-102-244	97	E-GTK-102-071	112	E-GTK-102-147	123
E-GOB-102-245	97	E-GTK-102-072	113	E-GTK-102-148	124
E-GOB-102-246	97	E-GTK-102-073	113	E-GTK-102-149	124
E-GOB-102-247	98	E-GTK-102-074	113	E-GTK-102-150	124
E-GOB-102-249	98	E-GTK-102-075	113	E-GTK-102-151	124
E-GOB-102-250	98	E-GTK-102-078	113	E-GTK-102-152	124
E-GOB-102-251	98	E-GTK-102-079	113	E-GTK-102-153	124
E-GOB-102-252	98	E-GTK-102-081	114	E-GTK-102-154	125
E-GOB-102-253	98	E-GTK-102-082	114	E-GTK-102-155	125
E-GOB-102-254	99	E-GTK-102-083	114	E-GTK-102-156	125
E-GOB-102-255	99	E-GTK-102-084	114	E-GTK-102-157	125
E-GOB-102-256	99	E-GTK-102-085	114	E-GTK-102-158	125
E-GOB-104-211	103	E-GTK-102-086	114	E-GTK-102-159	125
E-GOB-104-212	104	E-GTK-102-087	115	E-GTK-102-160	126
E-GTK-102-004	104	E-GTK-102-088	115	E-GTK-102-161	126
E-GTK-102-005	104	E-GTK-102-089	115	E-GTK-102-162	126

E-GTK-102-163	126	E-GTK-102-242	137	E-IDC-102-026	151
E-GTK-102-164	126	E-GTK-102-243	137	E-IDC-102-027	151
E-GTK-102-165	126	E-GTK-102-244	137	E-IDC-102-028	151
E-GTK-102-166	127	E-GTK-102-245	138	E-IDC-102-029	151
E-GTK-102-167	127	E-GTK-102-246	138	E-IDC-102-030	151
E-GTK-102-168	127	E-GTK-102-247	138	E-IDS-102-001	153
E-GTK-102-169	127	E-GTK-102-248	138	E-IDS-102-002	153
E-GTK-102-170	127	E-GTK-102-249	138	E-IDS-102-003	153
E-GTK-102-171	127	E-GTK-102-250	138	E-IDS-102-004	153
E-GTK-102-172	128	E-GTK-102-252	139	E-IDS-102-005	153
E-GTK-102-173	128	E-GTK-102-254	139	E-IDS-102-006	153
E-GTK-102-180	128	E-GTK-102-255	139	E-IDS-102-007	154
E-GTK-102-181	128	E-GTK-102-256	139	E-IDS-102-008	154
E-GTK-102-182	128	E-GTK-102-257	139	E-IDS-102-009	154
E-GTK-102-183	128	E-GTK-102-258	139	E-IDS-102-010	154
E-GTK-102-184	129	E-GTK-102-259	140	E-IDS-102-011	154
E-GTK-102-185	129	E-GTK-102-260	140	E-IDS-102-012	154
E-GTK-102-188	129	E-GTK-102-261	140	E-IDS-102-013	155
E-GTK-102-190	129	E-GTK-102-262	140	E-IDS-102-015	155
E-GTK-102-191	129	E-GTK-102-264	140	E-IDS-102-016	155
E-GTK-102-192	129	E-GTK-102-266	140	E-IDS-102-017	155
E-GTK-102-193	130	E-GTK-102-267	140	E-IDS-102-018	155
E-GTK-102-194	130	E-GTK-102-268	141	E-IDS-102-019	155
E-GTK-102-195	130	E-GTK-102-269	141	E-IDS-102-020	155
E-GTK-102-196	130	E-GTK-102-270	141	E-IDS-102-021	156
E-GTK-102-197	130	E-GTK-102-271	141	E-IDS-102-022	156
E-GTK-102-198	130	E-GTK-102-272	141	E-IDS-102-023	156
E-GTK-102-199	131	E-GTK-102-273	141	E-IDS-102-024	156
E-GTK-102-200	131	E-GTK-102-274	142	E-IDS-102-025	156
E-GTK-102-201	131	E-GTK-102-275	142	E-IDS-102-026	156
E-GTK-102-202	131	E-GTK-102-276	142	E-IDS-102-027	157
E-GTK-102-203	131	E-GTK-102-277	142	E-IDS-102-028	157
E-GTK-102-204	131	E-GTK-102-278	142	E-IDS-102-029	157
E-GTK-102-205	132	E-GTK-102-279	142	E-IDS-102-031	157
E-GTK-102-206	132	E-GTK-102-280	143	E-IDS-102-032	157
E-GTK-102-207	132	E-GTK-102-281	143	E-IDS-102-033	157
E-GTK-102-208	132	E-GTK-102-282	143	E-IDS-102-034	158
E-GTK-102-209	132	E-GTK-102-283	143	E-IDS-102-035	158
E-GTK-102-210	132	E-GTK-102-284	143	E-IDS-102-036	158
E-GTK-102-211	133	E-GTK-102-285	143	E-IDS-102-037	158
E-GTK-102-212	133	E-GTK-102-286	144	E-IDS-102-038	158
E-GTK-102-213	133	E-GTK-102-287	145	E-IDS-102-039	158
E-GTK-102-214	133	E-IDC-102-001	147	E-IDS-102-040	158
E-GTK-102-215	133	E-IDC-102-002	147	E-IDS-102-041	159
E-GTK-102-216	133	E-IDC-102-003	147	E-IDS-102-042	159
E-GTK-102-217	134	E-IDC-102-004	147	E-IDS-102-043	159
E-GTK-102-218	134	E-IDC-102-005	147	E-IDS-102-044	159
E-GTK-102-219	134	E-IDC-102-006	148	E-IDS-102-045	159
E-GTK-102-220	134	E-IDC-102-007	148	E-IDS-102-046	159
E-GTK-102-221	134	E-IDC-102-008	148	E-IDS-102-047	160
E-GTK-102-222	134	E-IDC-102-009	148	E-IDS-102-048	160
E-GTK-102-223	135	E-IDC-102-010	148	E-IDS-102-049	160
E-GTK-102-224	135	E-IDC-102-011	148	E-IDS-102-050	160
E-GTK-102-225	135	E-IDC-102-012	148	E-IDS-102-051	160
E-GTK-102-226	135	E-IDC-102-013	149	E-IDS-102-052	160
E-GTK-102-227	135	E-IDC-102-014	149	E-IDS-102-053	161
E-GTK-102-228	135	E-IDC-102-015	149	E-IDS-102-054	161
E-GTK-102-229	135	E-IDC-102-016	149	E-IDS-102-055	161
E-GTK-102-230	136	E-IDC-102-017	149	E-IDS-102-056	161
E-GTK-102-231	136	E-IDC-102-018	149	E-IDS-102-057	161
E-GTK-102-232	136	E-IDC-102-019	150	E-IDS-102-058	161
E-GTK-102-233	136	E-IDC-102-020	150	E-IDS-102-059	162
E-GTK-102-234	136	E-IDC-102-021	150	E-IDS-102-060	162
E-GTK-102-235	136	E-IDC-102-022	150	E-IDS-102-061	162
E-GTK-102-237	137	E-IDC-102-023	150	E-IDS-102-062	162
E-GTK-102-240	137	E-IDC-102-024	150	E-IDS-102-063	162
E-GTK-102-241	137	E-IDC-102-025	151	E-IDS-102-064	162

E-IDS-102-065	163	E-IVM-054-001	176	E-OBX-102-064	192
E-IVM-002-002	166	E-IVM-054-002	176	E-OBX-102-065	192
E-IVM-002-006	166	E-IVM-102-002	177	E-OBX-102-066	192
E-IVM-002-007	166	E-OAM-102-001	179	E-OBX-102-067	192
E-IVM-002-008	166	E-OAM-102-002	180	E-OBX-102-068	192
E-IVM-002-009	166	E-OAM-102-003	181	E-OBX-102-069	192
E-IVM-002-010	167	E-OAM-102-004	182	E-OBX-102-070	193
E-IVM-002-011	167	E-OBJ-102-001	182	E-OBX-102-071	193
E-IVM-002-015	167	E-OBJ-102-002	182	E-OBX-102-072	193
E-IVM-002-016	167	E-OBJ-102-003	182	E-OBX-102-073	193
E-IVM-002-017	167	E-OBJ-102-004	182	E-OBX-102-074	193
E-IVM-002-018	167	E-OBJ-102-005	182	E-OBX-102-075	193
E-IVM-002-019	167	E-OBX-102-004	184	E-OBX-102-076	193
E-IVM-002-020	168	E-OBX-102-005	184	E-OBX-102-077	194
E-IVM-002-021	168	E-OBX-102-006	184	E-OBX-102-078	194
E-IVM-002-022	168	E-OBX-102-008	184	E-OBX-102-079	194
E-IVM-002-024	168	E-OBX-102-009	184	E-OBX-102-080	194
E-IVM-002-025	168	E-OBX-102-010	184	E-OBX-102-081	194
E-IVM-002-026	168	E-OBX-102-011	185	E-OBX-102-082	194
E-IVM-002-027	168	E-OBX-102-012	185	E-OBX-102-083	195
E-IVM-002-028	169	E-OBX-102-013	185	E-OBX-102-084	195
E-IVM-002-029	169	E-OBX-102-014	185	E-OBX-102-085	195
E-IVM-002-036	169	E-OBX-102-018	185	E-OBX-102-086	195
E-IVM-002-037	169	E-OBX-102-019	185	E-OBX-102-087	195
E-IVM-002-038	169	E-OBX-102-020	185	E-OBX-102-088	195
E-IVM-002-042	169	E-OBX-102-021	186	E-OBX-102-089	196
E-IVM-002-043	169	E-OBX-102-023	186	E-OBX-102-090	196
E-IVM-002-044	170	E-OBX-102-024	186	E-OBX-102-091	196
E-IVM-003-006	170	E-OBX-102-025	186	E-OBX-102-092	196
E-IVM-003-011	170	E-OBX-102-026	186	E-OBX-102-093	196
E-IVM-003-012	170	E-OBX-102-027	186	E-OBX-102-094	196
E-IVM-003-013	170	E-OBX-102-028	186	E-OBX-102-095	197
E-IVM-003-014	170	E-OBX-102-029	187	E-OBX-102-096	197
E-IVM-003-019	171	E-OBX-102-030	187	E-OBX-102-097	197
E-IVM-003-020	171	E-OBX-102-031	187	E-OBX-102-098	197
E-IVM-004-003	171	E-OBX-102-032	187	E-OBX-102-099	197
E-IVM-004-005	171	E-OBX-102-033	187	E-OBX-102-100	197
E-IVM-004-006	171	E-OBX-102-034	187	E-OBX-102-101	198
E-IVM-004-007	171	E-OBX-102-035	187	E-OBX-102-102	198
E-IVM-004-014	172	E-OBX-102-036	188	E-OBX-102-103	198
E-IVM-007-001	172	E-OBX-102-037	188	E-OBX-102-104	198
E-IVM-007-002	172	E-OBX-102-038	188	E-OBX-102-105	198
E-IVM-051-001	172	E-OBX-102-039	188	E-OBX-102-106	198
E-IVM-051-002	172	E-OBX-102-040	188	E-OBX-102-107	199
E-IVM-051-003	172	E-OBX-102-041	188	E-OBX-102-108	199
E-IVM-051-004	172	E-OBX-102-042	188	E-OBX-102-109	199
E-IVM-051-005	173	E-OBX-102-043	189	E-OBX-102-110	199
E-IVM-051-006	173	E-OBX-102-044	189	E-OBX-102-111	199
E-IVM-051-007	173	E-OBX-102-045	189	E-OBX-102-112	199
E-IVM-051-008	173	E-OBX-102-046	189	E-OBX-102-113	200
E-IVM-051-009	173	E-OBX-102-047	189	E-OBX-102-114	200
E-IVM-051-010	173	E-OBX-102-048	189	E-OBX-102-115	200
E-IVM-051-011	173	E-OBX-102-049	190	E-OBX-102-116	200
E-IVM-051-013	174	E-OBX-102-050	190	E-OBX-102-117	200
E-IVM-052-001	174	E-OBX-102-051	190	E-OBX-102-118	200
E-IVM-052-002	174	E-OBX-102-052	190	E-OBX-102-119	201
E-IVM-052-003	174	E-OBX-102-053	190	E-OBX-102-120	201
E-IVM-053-009	175	E-OBX-102-054	190	E-OBX-102-121	201
E-IVM-053-010	175	E-OBX-102-055	190	E-OBX-102-122	201
E-IVM-053-011	175	E-OBX-102-056	191	E-OBX-102-123	201
E-IVM-053-012	175	E-OBX-102-057	191	E-OBX-102-124	201
E-IVM-053-013	175	E-OBX-102-058	191	E-OBX-102-125	202
E-IVM-053-014	175	E-OBX-102-059	191	E-OBX-102-126	202
E-IVM-053-015	175	E-OBX-102-060	191	E-OBX-102-127	202
E-IVM-053-016	176	E-OBX-102-061	191	E-OBX-102-128	202
E-IVM-053-017	176	E-OBX-102-062	191	E-OBX-102-129	202
E-IVM-053-018	176	E-OBX-102-063	192	E-PRO-002-001	207

E-PRO-002-002	207	E-REG-002-021	223	E-STK-102-009	238
E-PRO-002-004	207	E-REG-002-022	223	E-STK-102-010	238
E-PRO-002-005	207	E-REG-002-023	223	E-STK-102-011	238
E-PRO-002-006	207	E-REG-002-025	223	E-STK-102-012	238
E-PRO-004-001	207	E-REG-002-029	223	E-STK-102-013	239
E-PRO-004-002	208	E-REG-003-005	224	E-STK-102-014	240
E-PRO-004-003	209	E-REG-003-006	224	E-STK-102-026	241
E-PRO-004-004	210	E-REG-102-001	224	E-STK-102-027	242
E-PRO-004-005	211	E-REG-102-002	224	E-STK-102-028	243
E-PRO-004-006	212	E-REG-102-003	224	E-STO-102-001	245
E-PRO-004-007	213	E-REG-102-004	224	E-STO-102-002	245
E-PRX-102-002	213	E-REG-102-005	224	E-STO-102-003	245
E-PRX-102-003	213	E-REG-102-006	225	E-STO-102-004	245
E-PRX-102-004	213	E-REG-102-007	225	E-STO-102-005	245
E-PRX-102-005	213	E-REG-102-008	225	E-STO-102-007	245
E-PRX-102-006	213	E-REG-102-009	225	E-STO-102-008	246
E-PRX-102-007	214	E-REG-102-010	225	E-STO-102-009	246
E-PRX-102-008	214	E-REG-102-011	225	E-STO-102-010	246
E-PRX-102-009	214	E-REG-102-012	225	E-STO-102-011	246
E-PRX-102-010	214	E-REG-102-013	226	education	
E-PRX-102-011	214	E-SEC-102-001	226	see Tivoli technical training	vii
E-PRX-102-012	214	E-SEC-102-002	226	environment variables, notation	vii
E-PRX-102-013	214	E-SEC-102-003	226		
E-PRX-102-014	215	E-SEC-102-004	226		
E-PRX-102-015	215	E-SEC-102-005	226		
E-PRX-102-016	215	E-SEC-102-006	226		
E-PRX-102-017	215	E-SEC-102-007	227		
E-PRX-102-018	215	E-SEC-102-008	227		
E-PRX-102-019	215	E-SEC-102-024	227		
E-PRX-102-020	216	E-SEC-102-025	227		
E-PRX-102-021	216	E-SEC-102-026	227		
E-PRX-102-022	216	E-SEC-102-027	227		
E-PRX-102-023	216	E-SEC-102-028	227		
E-PRX-102-024	216	E-SEC-102-029	228		
E-PRX-102-025	216	E-SEC-102-030	228		
E-PRX-102-026	217	E-SEC-102-031	228		
E-PRX-102-027	217	E-SEC-102-032	228		
E-PRX-102-028	217	E-SEC-102-033	228		
E-PRX-102-029	217	E-SEC-102-034	228		
E-PRX-102-030	217	E-SEC-102-035	228		
E-PRX-102-031	217	E-SEC-102-036	229		
E-PRX-102-032	218	E-SEC-102-037	229		
E-PRX-102-033	218	E-SEC-102-038	229		
E-PRX-102-034	218	E-SEC-102-040	229		
E-PRX-102-035	218	E-SEC-102-041	229		
E-PRX-102-036	218	E-SEC-102-042	229		
E-PRX-102-037	218	E-SEC-104-009	230		
E-PRX-102-038	219	E-SEC-104-010	230		
E-PRX-102-039	219	E-SEC-104-011	230		
E-PRX-102-040	219	E-SEC-104-012	230		
E-PRX-102-041	219	E-SEC-104-017	230		
E-PRX-102-042	219	E-SEC-104-018	230		
E-PRX-102-043	219	E-SEC-104-039	231		
E-PRX-102-044	220	E-SEC-999-015	232		
E-PRX-102-045	220	E-STB-102-002	233		
E-PRX-102-046	220	E-STB-102-003	234		
E-PRX-102-047	220	E-STB-102-004	235		
E-PRX-102-048	220	E-STB-102-005	236		
E-PRX-102-049	220	E-STB-102-006	237		
E-PRX-102-050	221	E-STK-102-001	237		
E-PRX-102-051	221	E-STK-102-002	237		
E-PRX-102-052	221	E-STK-102-003	237		
E-PRX-102-053	221	E-STK-102-004	237		
E-PRX-102-054	221	E-STK-102-005	237		
E-PRX-102-055	221	E-STK-102-006	238		
E-PRX-102-056	222	E-STK-102-007	238		
E-REG-002-001	223	E-STK-102-008	238		

H

HEMAW0000E	251
HEMAW0001E	251
HEMAW0002E	251
HEMAW0003E	251
HEMAW0004E	251
HEMAW0005W	251
HEMAW0006W	252
HEMAW0007W	252
HEMAW0008E	252
HEMAW0009W	252
HEMAW0010W	252
HEMAW0011W	252
HEMAW0012W	252
HEMAW0013E	253
HEMAW0014E	253
HEMAW0015E	253
HEMAW0016E	253
HEMAW0017E	253
HEMAW0018E	253
HEMAW0019E	253
HEMAW0020E	253
HEMAW0021E	254
HEMAW0022E	254
HEMAW0023E	254
HEMAW0024E	254
HEMAW0025E	254
HEMAW0026E	254
HEMAW0027E	254
HEMAW0028E	254
HEMAW0029E	255
HEMAW0030E	255
HEMAW0031W	255
HEMAW0033E	255
HEMAW0034E	255
HEMAW0035E	255
HEMAW0036E	255
HEMAW0037W	256
HEMAW0038E	256
HEMAW0039E	256
HEMAW0040W	256
HEMAW0041E	256
HEMAW0043W	256

HEMAW0044E	256	HEMBT0008E	268	HEMBT0081E	278
HEMAW0045W	257	HEMBT0009E	268	HEMBT0082E	278
HEMAW0046E	257	HEMBT0010E	268	HEMBT0083E	278
HEMAW0047E	257	HEMBT0011E	268	HEMBT0084E	278
HEMAW0048E	257	HEMBT0012E	268	HEMBT0085E	278
HEMAW0049E	257	HEMBT0013E	269	HEMBT0086E	278
HEMAW0050E	257	HEMBT0014E	269	HEMBT0087E	279
HEMAW0052E	257	HEMBT0016E	269	HEMBT0088E	279
HEMAW0053E	258	HEMBT0017E	269	HEMBT0089E	279
HEMAW0054E	258	HEMBT0018E	269	HEMBT0090E	279
HEMAW0055E	258	HEMBT0019E	269	HEMBT0091E	279
HEMAW0056W	258	HEMBT0020E	269	HEMBT0092E	279
HEMAW0057W	258	HEMBT0021E	270	HEMBT0093E	279
HEMAW0058E	258	HEMBT0022E	270	HEMBT0094E	280
HEMAW0059W	258	HEMBT0023E	270	HEMBT0096E	280
HEMAW0060E	259	HEMBT0024E	270	HEMBT0097E	280
HEMAW0061W	259	HEMBT0025E	270	HEMBT0098E	280
HEMAW0062E	259	HEMBT0026E	270	HEMBT0099E	280
HEMAW0063W	259	HEMBT0027E	270	HEMBT0100E	280
HEMAW0064W	259	HEMBT0028E	271	HEMBT0101E	280
HEMAW0065W	259	HEMBT0029E	271	HEMBT0102E	281
HEMAW0066E	260	HEMBT0031E	271	HEMBT0103E	281
HEMAW0067W	260	HEMBT0032W	271	HEMBT0104E	281
HEMAW0068E	260	HEMBT0033W	271	HEMBT0113E	281
HEMAW0069E	260	HEMBT0034E	271	HEMBT0114W	281
HEMAW0070E	260	HEMBT0035E	271	HEMBT0115E	281
HEMAW0071E	260	HEMBT0036W	272	HEMBT0116W	281
HEMAW0072E	260	HEMBT0037W	272	HEMBT0117E	282
HEMAW0073E	261	HEMBT0040E	272	HEMBT0118E	282
HEMAW0074E	261	HEMBT0041W	272	HEMBT0119E	282
HEMAW0075E	261	HEMBT0042E	272	HEMBT0120E	282
HEMAW0076E	261	HEMBT0043E	272	HEMBT0121E	282
HEMAW0077E	261	HEMBT0044E	272	HEMBT0122W	282
HEMAW0079E	261	HEMBT0045E	273	HEMBT0123E	282
HEMAW0080E	261	HEMBT0047E	273	HEMBT0124W	283
HEMAW0081E	262	HEMBT0048E	273	HEMBT0125E	283
HEMAW0082E	262	HEMBT0050E	273	HEMBT0126E	283
HEMAW0084E	262	HEMBT0051E	273	HEMBT0127E	283
HEMAW0085E	262	HEMBT0052E	273	HEMBT0128W	283
HEMAW0086E	262	HEMBT0053W	274	HEMBT0129E	283
HEMAW0087E	262	HEMBT0054E	274	HEMBT0130E	283
HEMAW0088E	262	HEMBT0055E	274	HEMBT0131E	284
HEMAW0091E	263	HEMBT0056E	274	HEMBT0136E	284
HEMAW0092E	263	HEMBT0057E	274	HEMBT0137W	284
HEMAW0093E	263	HEMBT0058E	274	HEMBT0138W	284
HEMAW0094E	263	HEMBT0059E	274	HEMBT0139E	284
HEMAW0096E	263	HEMBT0060E	275	HEMBT0140E	284
HEMAW0097E	263	HEMBT0061E	275	HEMBT0141E	284
HEMAW0098E	263	HEMBT0062W	275	HEMBT0142E	285
HEMAW0101W	264	HEMBT0063W	275	HEMBT0143E	285
HEMAW0102E	264	HEMBT0064W	275	HEMBT0144E	285
HEMAW0103E	264	HEMBT0065E	275	HEMBT0145E	285
HEMAW0104E	264	HEMBT0066E	276	HEMBT0146E	285
HEMAW0105E	264	HEMBT0067W	276	HEMBT0147E	285
HEMAW0107E	264	HEMBT0068W	276	HEMBT0148E	285
HEMAW0108E	264	HEMBT0069W	276	HEMBT0149E	286
HEMAW0109E	265	HEMBT0070W	276	HEMBT0150W	286
HEMAW0110E	266	HEMBT0071W	276	HEMBT0151W	286
HEMAW0112E	267	HEMBT0072W	276	HEMBT0152W	286
HEMBT0000E	267	HEMBT0073E	277	HEMBT0153W	286
HEMBT0001E	267	HEMBT0074E	277	HEMBT0154E	286
HEMBT0002E	267	HEMBT0075E	277	HEMBT0155E	286
HEMBT0003W	267	HEMBT0076E	277	HEMBT0156E	287
HEMBT0004E	267	HEMBT0077E	277	HEMBT0157E	287
HEMBT0005E	267	HEMBT0078E	277	HEMBT0158E	287
HEMBT0006E	268	HEMBT0079E	277	HEMBT0159E	287
HEMBT0007E	268	HEMBT0080E	278	HEMBT0160E	287

HEMBT0161E	287	HEMDA0085E	298	HEMDA0195E	307
HEMBT0162E	287	HEMDA0086E	298	HEMDA0197E	308
HEMBT0163E	288	HEMDA0087E	298	HEMDA0200W	308
HEMBT0168E	288	HEMDA0088E	298	HEMDA0209E	308
HEMBT0169E	288	HEMDA0089E	298	HEMDA0210E	308
HEMBT0170E	288	HEMDA0090E	298	HEMDA0211E	308
HEMBT0171E	288	HEMDA0091E	299	HEMDA0212E	308
HEMBT0172E	288	HEMDA0092E	299	HEMDA0213E	308
HEMBT0173E	288	HEMDA0093E	299	HEMDA0216E	309
HEMBT0177E	289	HEMDA0094E	299	HEMDA0217E	309
HEMBT0178E	289	HEMDA0099E	299	HEMDA0218E	309
HEMBT0179E	289	HEMDA0101E	299	HEMDA0219E	309
HEMBT0180E	289	HEMDA0102E	299	HEMDA0220E	309
HEMBT0181E	289	HEMDA0107E	300	HEMDA0221E	309
HEMBT0182E	289	HEMDA0108E	300	HEMDA0222E	309
HEMBT0183W	289	HEMDA0109E	300	HEMDA0223E	310
HEMBT0184E	290	HEMDA0110E	300	HEMDA0225E	310
HEMBT0185E	291	HEMDA0111E	300	HEMDA0227E	310
HEMDA0000E	291	HEMDA0113E	300	HEMDA0228E	310
HEMDA0001E	291	HEMDA0118E	300	HEMDA0229E	310
HEMDA0002E	291	HEMDA0119E	301	HEMDA0230E	310
HEMDA0003E	291	HEMDA0120E	301	HEMDA0231E	310
HEMDA0004E	291	HEMDA0121E	301	HEMDA0239E	311
HEMDA0005E	291	HEMDA0122E	301	HEMDA0240E	311
HEMDA0006E	292	HEMDA0129E	301	HEMDA0241E	311
HEMDA0007E	292	HEMDA0131E	301	HEMDA0242E	311
HEMDA0008E	292	HEMDA0132E	301	HEMDA0243E	311
HEMDA0009E	292	HEMDA0133E	302	HEMDA0244E	311
HEMDA0010E	292	HEMDA0134E	302	HEMDA0245E	311
HEMDA0011E	292	HEMDA0136E	302	HEMDA0249E	312
HEMDA0012E	292	HEMDA0137W	302	HEMDA0250E	312
HEMDA0013E	293	HEMDA0138W	302	HEMDA0251E	312
HEMDA0014E	293	HEMDA0140E	302	HEMDA0252E	312
HEMDA0015E	293	HEMDA0142E	303	HEMDA0253E	312
HEMDA0016E	293	HEMDA0143E	303	HEMDA0256W	312
HEMDA0017E	293	HEMDA0144E	303	HEMDA0258W	313
HEMDA0018E	293	HEMDA0145E	303	HEMDA0263E	313
HEMDA0019E	293	HEMDA0146E	303	HEMDA0264E	313
HEMDA0020E	294	HEMDA0147E	303	HEMDA0265E	313
HEMDA0021E	294	HEMDA0149E	303	HEMDA0266E	313
HEMDA0022E	294	HEMDA0150E	304	HEMDA0267E	313
HEMDA0023E	294	HEMDA0154E	304	HEMDA0268E	314
HEMDA0037E	294	HEMDA0155E	304	HEMDA0269E	315
HEMDA0038E	294	HEMDA0156E	304	HEMEC0000E	315
HEMDA0039E	294	HEMDA0157E	304	HEMEC0001E	315
HEMDA0040E	295	HEMDA0158E	304	HEMEC0003E	315
HEMDA0041E	295	HEMDA0159E	304	HEMEC0007E	315
HEMDA0042E	295	HEMDA0160E	305	HEMEC0008E	315
HEMDA0043E	295	HEMDA0161E	305	HEMEC0009E	315
HEMDA0044E	295	HEMDA0162E	305	HEMEC0011E	316
HEMDA0045E	295	HEMDA0163E	305	HEMEC0013E	316
HEMDA0050E	295	HEMDA0164E	305	HEMEC0015E	316
HEMDA0051E	296	HEMDA0165E	305	HEMEC0019E	316
HEMDA0052E	296	HEMDA0174E	305	HEMEC0020E	316
HEMDA0053E	296	HEMDA0175E	306	HEMEC0021E	316
HEMDA0062E	296	HEMDA0176E	306	HEMEC0022E	316
HEMDA0063E	296	HEMDA0177E	306	HEMEC0023E	316
HEMDA0064E	296	HEMDA0178E	306	HEMEC0024E	317
HEMDA0065E	296	HEMDA0179E	306	HEMEC0025E	317
HEMDA0066E	297	HEMDA0181E	306	HEMEC0026E	317
HEMDA0067E	297	HEMDA0184E	306	HEMEC0027E	317
HEMDA0068E	297	HEMDA0185E	307	HEMEC0028E	317
HEMDA0074E	297	HEMDA0188E	307	HEMEC0029E	317
HEMDA0075E	297	HEMDA0189E	307	HEMEC0030E	317
HEMDA0076E	297	HEMDA0192E	307	HEMEC0031E	317
HEMDA0077E	297	HEMDA0193E	307	HEMEC0032E	318
HEMDA0078E	298	HEMDA0194E	307	HEMEC0033E	319

HEMEE0000E	319	HEMEM0006E	333	HEMES0016E	357
HEMEE0001E	319	HEMEM0007E	334	HEMES0017E	357
HEMEE0005E	319	HEMEM0008E	334	HEMES0018E	357
HEMEE0006E	319	HEMEM0009E	334	HEMES0020E	357
HEMEE0007E	319	HEMEM0010E	334	HEMES0021E	357
HEMEE0008E	319	HEMEM0011E	334	HEMES0022E	358
HEMEE0009E	320	HEMEM0012W	334	HEMES0023E	358
HEMEE0010E	320	HEMEM0013W	335	HEMES0024W	358
HEMEE0017E	320	HEMEM0014W	335	HEMES0025W	358
HEMEE0018E	320	HEMEM0015W	335	HEMES0050E	358
HEMEE0019E	320	HEMEM0016E	335	HEMES0051E	358
HEMEE0020E	320	HEMEM0017E	335	HEMES0052E	358
HEMEE0021E	320	HEMEM0018E	335	HEMES0053E	359
HEMEE0024E	321	HEMEM0019E	336	HEMES0054E	359
HEMEE0025W	321	HEMEM0020E	336	HEMES0055E	359
HEMEE0026W	321	HEMEM0021E	336	HEMES0056E	359
HEMEE0027W	321	HEMEM0022E	336	HEMES0057E	359
HEMEE0028E	321	HEMEM0023E	336	HEMES0058E	359
HEMEE0029E	321	HEMEM0024E	336	HEMES0059E	359
HEMEE0030E	321	HEMEM0025E	336	HEMES0060E	360
HEMEE0031E	322	HEMEM0026E	337	HEMES0061E	361
HEMEE0032E	322	HEMEM0027E	338	HEMES0062E	362
HEMEE0033E	322	HEMEM0028E	339	HEMES0063E	363
HEMEE0034E	322	HEMEN0000E	340	HEMES0065E	364
HEMEE0035E	322	HEMEN0001E	341	HEMEU0002W	364
HEMEE0036W	322	HEMEN0002E	342	HEMEU0003E	364
HEMEE0037W	322	HEMEN0003E	343	HEMEU0004E	364
HEMEE0038W	323	HEMEN0004E	344	HEMEU0005E	364
HEMEE0040E	323	HEMEN0005E	345	HEMEU0006E	364
HEMEE0041E	323	HEMEO0000E	345	HEMEU0007E	364
HEMEE0042E	323	HEMEO0001E	345	HEMEU0008E	365
HEMEE0044W	323	HEMEO0002E	345	HEMEU0012E	365
HEMEE0045W	323	HEMEO0003E	345	HEMEU0017E	365
HEMEE0046E	323	HEMEO0004E	345	HEMEU0018E	365
HEMEE0047W	324	HEMEO0005E	345	HEMEU0019E	365
HEMEE0049E	324	HEMEO0006E	346	HEMEU0022W	365
HEMEE0055E	324	HEMEO0007E	346	HEMEU0023E	365
HEMEE0058W	324	HEMEO0008E	346	HEMEU0027E	366
HEMEE0059E	324	HEMEO0009E	346	HEMEU0028E	366
HEMEE0061E	324	HEMEO0010E	346	HEMEU0029E	366
HEMEE0062E	324	HEMEO0011E	346	HEMEU0030E	366
HEMEE0063E	325	HEMEO0012E	346	HEMEU0031E	366
HEMEE0064E	325	HEMEO0013E	346	HEMEU0032E	366
HEMEE0065E	325	HEMEO0014E	347	HEMEU0033E	366
HEMEE0066E	325	HEMEO0015E	348	HEMEU0039E	366
HEMEE0067W	325	HEMEO0016E	349	HEMEU0042E	367
HEMEE0068E	325	HEMEO0017E	350	HEMEU0043E	367
HEMEE0071E	325	HEMEO0018E	351	HEMEU0044E	367
HEMEE0072E	326	HEMEO0019E	352	HEMEU0045E	367
HEMEE0073E	326	HEMEO0020E	353	HEMEU0046E	367
HEMEE0074E	326	HEMEO0021E	354	HEMEU0047W	367
HEMEE0075E	326	HEMEP0000E	355	HEMEU0048W	367
HEMEE0076E	326	HEMES0000E	355	HEMEU0049E	368
HEMEE0077E	326	HEMES0001E	355	HEMFV0000E	368
HEMEE0078E	326	HEMES0003W	355	HEMFV0001E	368
HEMEE0080E	327	HEMES0004E	355	HEMFV0002E	368
HEMEE0081E	328	HEMES0005E	355	HEMFV0003E	368
HEMEE0082E	329	HEMES0006E	355	HEMFV0004E	368
HEMEE0083E	330	HEMES0007E	356	HEMFV0005W	368
HEMEE0084E	331	HEMES0008E	356	HEMFV0007E	369
HEMEE0085W	332	HEMES0009E	356	HEMFV0009E	369
HEMEE0086E	333	HEMES0010E	356	HEMFV0012E	369
HEMEM0000E	333	HEMES0011E	356	HEMFV0013E	369
HEMEM0001W	333	HEMES0012E	356	HEMFV0016E	369
HEMEM0002E	333	HEMES0013E	356	HEMFV0017E	369
HEMEM0003W	333	HEMES0014E	357	HEMFV0019E	369
HEMEM0005E	333	HEMES0015E	357	HEMFV0022E	370

HEMFV0023E	370	HEMFV0141E	379	HEMIM0004E	398
HEMFV0024E	370	HEMFV0143E	380	HEMIM0005E	398
HEMFV0025E	370	HEMFV0144E	380	HEMIM0006E	398
HEMFV0026E	370	HEMFV0145E	380	HEMIM0008W	398
HEMFV0027W	370	HEMFV0150E	380	HEMIM0009W	399
HEMFV0028E	370	HEMFV0151E	380	HEMIM0010E	399
HEMFV0029E	371	HEMFV0152E	380	HEMIM0011E	399
HEMFV0031W	371	HEMFV0153E	380	HEMIM0012E	399
HEMFV0032W	371	HEMFV0155E	381	HEMIM0013E	399
HEMFV0033W	371	HEMFV0156E	381	HEMIM0014E	399
HEMFV0034W	371	HEMFV0157E	381	HEMIM0015E	399
HEMFV0035E	371	HEMFV0158E	381	HEMIM0016E	399
HEMFV0037E	371	HEMFV0159E	381	HEMIM0017E	400
HEMFV0038E	372	HEMFV0160E	381	HEMIM0018E	400
HEMFV0039W	372	HEMFV0161E	381	HEMIM0019E	400
HEMFV0041E	372	HEMFV0162E	382	HEMIM0020E	400
HEMFV0044E	372	HEMFV0163E	383	HEMIM0021E	400
HEMFV0045E	372	HEMFV0164E	384	HEMIM0022E	400
HEMFV0046E	372	HEMFV0165E	385	HEMIM0023E	400
HEMFV0047E	372	HEMFV0166E	386	HEMIM0025E	400
HEMFV0050W	373	HEMFV0167E	387	HEMIM0026W	401
HEMFV0051E	373	HEMHA0001E	387	HEMIM0027E	401
HEMFV0052E	373	HEMHA0003E	387	HEMIM0028E	401
HEMFV0053E	373	HEMHA0004E	387	HEMIM0029E	401
HEMFV0055E	373	HEMHA0005E	387	HEMIM0030E	401
HEMFV0060E	373	HEMHA0006E	387	HEMIM0032W	401
HEMFV0062E	373	HEMHA0007E	388	HEMIM0033W	401
HEMFV0071E	374	HEMHA0008E	388	HEMIM0034E	402
HEMFV0075E	374	HEMHA0009W	388	HEMIM0036E	402
HEMFV0081E	374	HEMHA0010W	388	HEMIM0037E	402
HEMFV0083E	374	HEMHA0011W	388	HEMIM0038E	402
HEMFV0084E	374	HEMHA0012W	388	HEMIM0040W	402
HEMFV0085E	374	HEMHA0013W	389	HEMIM0041E	402
HEMFV0086E	374	HEMHA0014E	389	HEMIM0042E	402
HEMFV0087E	375	HEMHA0015E	389	HEMIM0044E	402
HEMFV0092E	375	HEMHA0016W	389	HEMIM0045E	403
HEMFV0095E	375	HEMHA0017E	389	HEMIM0046E	404
HEMFV0099E	375	HEMHA0018E	389	HEMIM0047E	405
HEMFV0100E	375	HEMHA0019E	390	HEMIM0048E	406
HEMFV0101E	375	HEMHA0020E	390	HEMIM0049E	407
HEMFV0102E	375	HEMHA0021E	390	HEMIM0050E	408
HEMFV0103E	376	HEMHA0022E	390	HEMIM0051E	409
HEMFV0104E	376	HEMHA0023E	390	HEMIP0000W	409
HEMFV0105E	376	HEMHA0024E	390	HEMIP0001E	409
HEMFV0106E	376	HEMHA0025E	391	HEMIP0002E	409
HEMFV0108E	376	HEMHA0026E	392	HEMIP0003E	409
HEMFV0109W	376	HEMHA0027E	393	HEMIP0004E	409
HEMFV0111E	377	HEMHB0000E	393	HEMIP0005E	409
HEMFV0113W	377	HEMHB0001E	393	HEMIP0006E	410
HEMFV0114W	377	HEMHB0001W	393	HEMIP0007E	410
HEMFV0115W	377	HEMHB0003E	393	HEMIP0008E	410
HEMFV0117E	377	HEMHB0004E	393	HEMIP0009E	410
HEMFV0119E	377	HEMHB0005E	393	HEMIP0010E	410
HEMFV0120E	378	HEMHB0006E	394	HEMIP0011E	410
HEMFV0121E	378	HEMHB0007E	394	HEMIP0012E	410
HEMFV0122E	378	HEMHB0008E	394	HEMIP0013E	410
HEMFV0123E	378	HEMHB0009E	394	HEMIP0014E	411
HEMFV0124E	378	HEMHB0010E	394	HEMIP0015E	412
HEMFV0125E	378	HEMHB0011E	394	HEMJS0000E	412
HEMFV0126E	378	HEMHB0012E	394	HEMJS0001E	412
HEMFV0127E	379	HEMHB0013E	394	HEMJS0002E	412
HEMFV0128E	379	HEMHB0014E	395	HEMJS0003E	412
HEMFV0129E	379	HEMHB0015E	396	HEMJS0004E	412
HEMFV0130E	379	HEMHB0016E	397	HEMJS0005E	412
HEMFV0131E	379	HEMHB0017E	398	HEMJS0006E	413
HEMFV0136E	379	HEMIM0000E	398	HEMJS0007E	413
HEMFV0138E	379	HEMIM0002W	398	HEMJS0008E	413

HEMJS0010E	413	HEMJS0086E	422	HEMJS0171E	431
HEMJS0011E	413	HEMJS0088E	422	HEMJS0173E	431
HEMJS0012E	413	HEMJS0089E	422	HEMJS0175E	431
HEMJS0013E	413	HEMJS0090E	422	HEMJS0176E	432
HEMJS0014E	414	HEMJS0091E	423	HEMJS0178E	432
HEMJS0015E	414	HEMJS0092E	423	HEMJS0179E	432
HEMJS0016E	414	HEMJS0093E	423	HEMJS0180E	432
HEMJS0017E	414	HEMJS0094E	423	HEMJS0181E	432
HEMJS0018E	414	HEMJS0095W	423	HEMJS0182E	432
HEMJS0019W	414	HEMJS0096E	423	HEMJS0183E	432
HEMJS0021E	414	HEMJS0097E	423	HEMJS0184E	432
HEMJS0022E	415	HEMJS0098E	424	HEMJS0185E	433
HEMJS0023E	415	HEMJS0100E	424	HEMJS0186W	433
HEMJS0024E	415	HEMJS0101E	424	HEMJS0187E	433
HEMJS0025E	415	HEMJS0102E	424	HEMJS0188E	433
HEMJS0027E	415	HEMJS0103E	424	HEMJS0189E	433
HEMJS0028E	415	HEMJS0104E	424	HEMJS0190E	433
HEMJS0029E	415	HEMJS0106E	424	HEMJS0191E	433
HEMJS0030E	415	HEMJS0107W	425	HEMJS0192E	434
HEMJS0031E	416	HEMJS0108E	425	HEMJS0194E	434
HEMJS0032E	416	HEMJS0109E	425	HEMJS0195E	434
HEMJS0033E	416	HEMJS0112W	425	HEMJS0196W	434
HEMJS0034E	416	HEMJS0113E	425	HEMJS0197E	434
HEMJS0035E	416	HEMJS0114E	425	HEMJS0198E	434
HEMJS0036E	416	HEMJS0115E	425	HEMJS0199E	434
HEMJS0037E	416	HEMJS0116E	426	HEMJS0200E	434
HEMJS0038E	417	HEMJS0117E	426	HEMJS0201E	435
HEMJS0039E	417	HEMJS0118E	426	HEMJS0202E	435
HEMJS0040W	417	HEMJS0119E	426	HEMJS0203E	435
HEMJS0042E	417	HEMJS0122E	426	HEMJS0204E	435
HEMJS0043E	417	HEMJS0123E	426	HEMJS0205E	435
HEMJS0044E	417	HEMJS0124E	426	HEMJS0206E	435
HEMJS0045E	417	HEMJS0125E	426	HEMJS0207E	435
HEMJS0046E	417	HEMJS0126E	427	HEMJS0208E	436
HEMJS0047E	418	HEMJS0127E	427	HEMJS0209E	436
HEMJS0048E	418	HEMJS0128E	427	HEMJS0210E	436
HEMJS0049E	418	HEMJS0129E	427	HEMJS0211E	436
HEMJS0050E	418	HEMJS0130E	427	HEMJS0212E	436
HEMJS0051E	418	HEMJS0131E	427	HEMJS0213E	436
HEMJS0052E	418	HEMJS0132E	427	HEMJS0214E	436
HEMJS0054W	418	HEMJS0133E	428	HEMJS0216E	437
HEMJS0055W	418	HEMJS0134E	428	HEMJS0217E	437
HEMJS0057W	419	HEMJS0136E	428	HEMJS0218E	437
HEMJS0059E	419	HEMJS0137E	428	HEMJS0219E	437
HEMJS0060E	419	HEMJS0138E	428	HEMJS0220E	437
HEMJS0061E	419	HEMJS0139E	428	HEMJS0221E	437
HEMJS0062E	419	HEMJS0140E	428	HEMJS0222E	437
HEMJS0063E	419	HEMJS0141E	428	HEMJS0223E	437
HEMJS0065E	419	HEMJS0142E	429	HEMJS0224E	438
HEMJS0066E	420	HEMJS0147E	429	HEMJS0225E	438
HEMJS0067E	420	HEMJS0148E	429	HEMJS0226E	438
HEMJS0068E	420	HEMJS0149E	429	HEMJS0227E	438
HEMJS0069E	420	HEMJS0150E	429	HEMJS0228E	438
HEMJS0070E	420	HEMJS0151E	429	HEMJS0229E	438
HEMJS0071E	420	HEMJS0152E	429	HEMJS0230E	438
HEMJS0073E	420	HEMJS0154E	430	HEMJS0231E	439
HEMJS0074E	421	HEMJS0156E	430	HEMJS0232E	439
HEMJS0075E	421	HEMJS0157E	430	HEMJS0233E	439
HEMJS0076E	421	HEMJS0158W	430	HEMJS0234E	439
HEMJS0077W	421	HEMJS0159E	430	HEMJS0235E	439
HEMJS0078W	421	HEMJS0160E	430	HEMJS0236E	439
HEMJS0080E	421	HEMJS0165E	430	HEMJS0237E	439
HEMJS0081E	421	HEMJS0166E	431	HEMJS0238E	439
HEMJS0082E	422	HEMJS0167E	431	HEMJS0239E	440
HEMJS0083E	422	HEMJS0168E	431	HEMJS0240E	440
HEMJS0084E	422	HEMJS0169E	431	HEMJS0241E	440
HEMJS0085E	422	HEMJS0170E	431	HEMJS0242E	440

HEMJS0243E 440
 HEMJS0244E 440
 HEMJS0245W 440
 HEMJS0246E 441
 HEMJS0250E 441
 HEMJS0251E 441
 HEMJS0252E 441
 HEMJS0253E 441
 HEMJS0254E 441
 HEMJS0255E 441
 HEMJS0256E 442
 HEMJS0257E 442
 HEMJS0258E 442
 HEMJS0260W 442
 HEMJS0261E 442
 HEMJS0262E 442
 HEMJS0263E 442
 HEMJS0264E 443
 HEMJS0265E 443
 HEMJS0266E 443
 HEMJS0268W 443
 HEMJS0270W 443
 HEMJS0271E 443
 HEMJS0272E 443
 HEMJS0274E 444
 HEMJS0275E 444
 HEMJS0276E 444
 HEMJS0279W 444
 HEMJS0280E 444
 HEMJS0281E 444
 HEMJS0282W 444
 HEMJS0283E 445
 HEMJS0284E 445
 HEMJS0285E 445
 HEMJS0286W 445
 HEMJS0287W 445
 HEMJS0288E 445
 HEMJS0290E 446
 HEMJS0291E 446
 HEMJS0292E 446
 HEMJS0294E 446
 HEMJS0295E 446
 HEMJS0297E 446
 HEMJS0298E 446
 HEMJS0300E 446
 HEMJS0320E 447
 HEMJS0321E 447
 HEMJS0322E 447
 HEMJS0323E 447
 HEMJS0400E 447
 HEMJS0401E 447
 HEMJS0402W 447
 HEMJS0403E 448
 HEMJS0404E 448
 HEMJS0423E 448
 HEMJS0424E 448
 HEMJS0425E 448
 HEMJS0426E 448
 HEMJS0427E 448
 HEMJS0428E 449
 HEMJS0429E 449
 HEMJS0430E 449
 HEMJS0431E 449
 HEMJS0432E 449
 HEMJS0433E 449
 HEMJS0434E 449
 HEMJS0435E 450

HEMJS0436E 450
 HEMJS0437E 450
 HEMJS0438E 450
 HEMJS0439E 450
 HEMJS0440E 450
 HEMJS0441E 450
 HEMJS0442E 451
 HEMJS0443E 452
 HEMUP0003E 452
 HEMUP0004E 452
 HEMUP0005E 452
 HEMUP0006E 452
 HEMUP0009E 452
 HEMUP0012W 452
 HEMUP0021E 453
 HEMUP0022E 453
 HEMUP0023E 453
 HEMUP0024E 453
 HEMUP0025E 453
 HEMUP0026E 453
 HEMUP0027E 453
 HEMUP0028E 453
 HEMUP0032E 454
 HEMUP0033E 454
 HEMUP0034E 454
 HEMUP0035E 454
 HEMUP0036E 454
 HEMUP0037E 454
 HEMUP0038E 454
 HEMUP0039E 455
 HEMUP0040E 455
 HEMUP0041E 455
 HEMUP0042E 455
 HEMUP0043E 455
 HEMUP0044E 455
 HEMUP0045E 455
 HEMUP0046E 455
 HEMUP0047E 456
 HEMUP0048E 456
 HEMUP0049E 456
 HEMUP0050E 456
 HEMUP0051E 456
 HEMUP0052E 456
 HEMUP0053E 456
 HEMUP0054E 457
 HEMUP0055E 457
 HEMUP0056E 457
 HEMUP0059E 457
 HEMUP0060E 457
 HEMUP0061E 457
 HEMUP0062E 457
 HEMUP0063E 458
 HEMUP0064E 458
 HEMUP0065E 458
 HEMUP0066E 458
 HEMUP0067E 458
 HEMUP0068E 458

O
 operating system directory
 arch vii

S
 support information vii

T
 Tivoli technical training vii
 training, Tivoli technical vii
 typeface conventions vii

V
 variables, notation for vii

W
 W-ALD-103-001 10
 W-AUT-004-001 18
 W-AUT-004-002 19
 W-AUT-004-003 20
 W-AUT-004-004 21
 W-BRI-103-001 42
 W-BRI-103-002 43
 W-BRI-103-003 44
 W-DBI-004-001 53
 W-ETC-004-060 54
 W-ETC-102-002 54
 W-ETC-102-003 54
 W-ETC-102-006 55
 W-ETC-102-007 55
 W-ETC-103-001 58
 W-ETC-103-002 59
 W-ETC-103-003 60
 W-ETC-103-004 61
 W-ETC-103-005 62
 W-GOB-103-001 99
 W-GOB-103-002 99
 W-GOB-103-003 99
 W-GOB-103-004 100
 W-GOB-103-005 100
 W-GOB-103-006 100
 W-GOB-103-007 100
 W-GOB-103-008 100
 W-GOB-103-009 100
 W-GOB-103-010 101
 W-GOB-103-011 101
 W-GOB-103-012 101
 W-GOB-103-013 101
 W-GOB-103-014 101
 W-GOB-103-015 102
 W-GTK-103-002 146
 W-GTK-103-003 147
 W-IDC-103-001 152
 W-IDC-103-002 153
 W-IDS-103-001 164
 W-IDS-103-002 165
 W-IDS-103-003 166
 W-IVM-002-001 166
 W-IVM-002-045 170
 W-IVM-051-012 174
 W-IVM-053-001 174
 W-IVM-053-002 174
 W-IVM-053-023 176
 W-IVM-103-002 178
 W-OBJ-103-001 182
 W-OBJ-103-002 183
 W-OBJ-103-003 184
 W-OBX-103-001 202
 W-OBX-103-002 203
 W-OBX-103-004 203
 W-OBX-103-005 203

W-OBX-103-006	203
W-OBX-103-007	203
W-OBX-103-008	203
W-OBX-103-009	204
W-OBX-103-010	204
W-OBX-103-011	204
W-OBX-103-012	204
W-OBX-103-013	204
W-OBX-103-014	204
W-OBX-103-015	205
W-OBX-103-016	205
W-OBX-103-017	205
W-OBX-103-018	205
W-OBX-103-019	205
W-OBX-103-020	205
W-OBX-103-021	205
W-OBX-103-022	205
W-OBX-103-023	205
W-OBX-103-024	205
W-OBX-103-025	205
W-OBX-103-026	205
W-OBX-103-027	206
W-POS-103-001	207
W-PRX-103-001	223
W-SEC-103-003	230
W-STK-103-001	244
W-STK-103-002	245
W-STO-103-001	246
W-STO-103-003	246
W-STO-103-004	246
W-STO-103-005	247
W-STO-103-006	248
W-STR-001-009	249



Printed in the Republic of Ireland

SC14-7612-00

