

Closure Properties of Regular Languages

Union, Intersection, Difference,
Concatenation, Kleene Closure,
Reversal, Homomorphism, Inverse
Homomorphism

Closure Under Union

- ◆ If L and M are regular languages, so is $L \cup M$.
- ◆ **Proof:** Let L and M be the languages of regular expressions R and S , respectively.
- ◆ Then $R+S$ is a regular expression whose language is $L \cup M$.

Closure Under Concatenation and Kleene Closure


◆ Same idea:

- ◆ RS is a regular expression whose language is LM .
- ◆ R^* is a regular expression whose language is L^* .

Closure Under Intersection

- ◆ If L and M are regular languages, then so is $L \cap M$.
- ◆ **Proof:** Let A and B be DFA's whose languages are L and M , respectively.
- ◆ Construct C , the product automaton of A and B .
- ◆ Make the final states of C be the pairs consisting of final states of both A and B .

Example: Product DFA for Intersection




Example: Use of Closure Property

- ◆ We proved $L_1 = \{0^n 1^n \mid n \geq 0\}$ is not a regular language.
- ◆ L_2 = the set of strings with an equal number of 0's and 1's isn't either, but that fact is trickier to prove.
- ◆ Regular languages are closed under \cap .
- ◆ If L_2 were regular, then $L_2 \cap L(\mathbf{0^*1^*}) = L_1$ would be, but it isn't.

Closure Under Difference

- ◆ If L and M are regular languages, then so is $L - M$ = strings in L but not M .
- ◆ **Proof:** Let A and B be DFA's whose languages are L and M , respectively.
- ◆ Construct C , the product automaton of A and B .
- ◆ Final states of C are the pairs whose A -state is final but whose B -state is not.

Example: Product DFA for Difference



Closure Under Complementation

- ◆ The *complement* of a language L (with respect to an alphabet Σ such that Σ^* contains L) is $\Sigma^* - L$.
- ◆ Since Σ^* is surely regular, the complement of a regular language is always regular.

Closure Under Reversal

- ◆ Recall example of a DFA that accepted the binary strings that, as integers were divisible by 23.
- ◆ We said that the language of binary strings whose reversal was divisible by 23 was also regular, but the DFA construction was tricky.
- ◆ Here's the "tricky" construction.

Closure Under Reversal – (2)

- ◆ Given language L , L^R is the set of strings whose reversal is in L .
- ◆ **Example:** $L = \{0, 01, 100\}$;
 $L^R = \{0, 10, 001\}$.
- ◆ **Proof:** Let E be a regular expression for L . We show how to reverse E , to provide a regular expression E^R for L^R .

Reversal of a Regular Expression

◆ **Basis:** If E is a symbol a , ϵ , or \emptyset , then $E^R = E$.

◆ **Induction:** If E is

- ◆ $F+G$, then $E^R = F^R + G^R$.
- ◆ FG , then $E^R = G^R F^R$
- ◆ F^* , then $E^R = (F^R)^*$.

Example: Reversal of a RE

- ◆ Let $E = 01^* + 10^*$.
- ◆ $E^R = (01^* + 10^*)^R = (01^*)^R + (10^*)^R$
- ◆ $= (1^*)^R 0^R + (0^*)^R 1^R$
- ◆ $= (1^R)^* 0 + (0^R)^* 1$
- ◆ $= 1^* 0 + 0^* 1.$

Homomorphisms

- ◆ A *homomorphism* on an alphabet is a function that gives a string for each symbol in that alphabet.
- ◆ **Example**: $h(0) = ab$; $h(1) = \epsilon$.
- ◆ Extend to strings by $h(a_1 \dots a_n) = h(a_1) \dots h(a_n)$.
- ◆ **Example**: $h(01010) = ababab$.

Closure Under Homomorphism

- ◆ If L is a regular language, and h is a homomorphism on its alphabet, then $h(L) = \{h(w) \mid w \text{ is in } L\}$ is also a regular language.
- ◆ **Proof:** Let E be a regular expression for L .
- ◆ Apply h to each symbol in E .
- ◆ Language of resulting RE is $h(L)$.

Example: Closure under Homomorphism

- ◆ Let $h(0) = ab$; $h(1) = \epsilon$.
- ◆ Let L be the language of regular expression $\mathbf{01^* + 10^*}$.
- ◆ Then $h(L)$ is the language of regular expression $\mathbf{ab\epsilon^* + \epsilon(ab)^*}$.

Note: use parentheses to enforce the proper grouping.

Example – Continued

- ◆ $\mathbf{ab}\epsilon^* + \epsilon(\mathbf{ab})^*$ can be simplified.
- ◆ $\epsilon^* = \epsilon$, so $\mathbf{ab}\epsilon^* = \mathbf{ab}\epsilon$.
- ◆ ϵ is the identity under concatenation.
 - ◆ That is, $\epsilon E = E\epsilon = E$ for any RE E .
- ◆ Thus, $\mathbf{ab}\epsilon + \epsilon(\mathbf{ab})^* = \mathbf{ab} + (\mathbf{ab})^*$.
- ◆ Finally, $L(\mathbf{ab})$ is contained in $L((\mathbf{ab})^*)$, so a RE for $h(L)$ is $(\mathbf{ab})^*$.

Inverse Homomorphisms

- ◆ Let h be a homomorphism and L a language whose alphabet is the output language of h .
- ◆ $h^{-1}(L) = \{w \mid h(w) \text{ is in } L\}.$

Example: Inverse Homomorphism

- ◆ Let $h(0) = ab$; $h(1) = \epsilon$.
- ◆ Let $L = \{abab, baba\}$.
- ◆ $h^{-1}(L)$ = the language with two 0's and any number of 1's = $L(\mathbf{1^*01^*01^*})$.


Closure **Proof** for Inverse Homomorphism

- ◆ Start with a DFA A for L .
- ◆ Construct a DFA B for $h^{-1}(L)$ with:
 - ◆ The same set of states.
 - ◆ The same start state.
 - ◆ The same final states.
 - ◆ Input alphabet = the symbols to which homomorphism h applies.

Proof – (2)

- ◆ The transitions for B are computed by applying h to an input symbol a and seeing where A would go on sequence of input symbols $h(a)$.
- ◆ Formally, $\delta_B(q, a) = \delta_A(q, h(a))$.

Example: Inverse Homomorphism Construction



Proof – Inverse Homomorphism

- ◆ An induction on $|w|$ (omitted) shows that $\delta_B(q_0, w) = \delta_A(q_0, h(w))$.
- ◆ Thus, B accepts w if and only if A accepts $h(w)$.